

## ***APPENDIX 1: END-USE CODES***

This appendix contains the codes for each conservation measure, for easy reference when analyzing the options shown in Appendices 2-3. The first two pages contain all the end-use codes, and the third page contains a graphical representation of the space conditioning codes that will aid comprehension.



**USA-ELEC  
END USES AND CODES**

<b>CODE</b>	<b>NAME</b>
BWTV	Black and white television sets, 13 inch
CD-E	Clothes Dryer electric
CTV	Color television sets 19-20 inch
EANE	Existing multi family w/o cooling, North
EANEC	Existing MF w/ CAC, North
EANER	Existing MF w/ RAC, North
EANGC	Existing MF w/ non-elec htg & CAC, North
EANGR	Existing MF w/ non-elec htg & RAC, North
EANHP	Existing MF w/ heat pump, North
EASE	Existing multi family w/o cooling, South
EASEC	Existing MF w/ CAC, South
EASER	Existing MF w/ RAC, South
EASGC	Existing MF w/ non-elec htg & CAC, South
EASGR	Existing MF w/ non-elec htg & RAC, South
EASHP	Existing MF w/ heat pump, South
EMNE	Existing mobile homes w/o cooling, North
EMNEC	Existing MH w/ CAC, North
EMNER	Existing MH w/ RAC, North
EMNGC	Existing MH w/ non-elec htg & CAC, North
EMNGR	Existing MH w/ non-elec htg & RAC, North
EMNHP	Existing MH w/ heat pump, North
EMSE	Existing mobile homes w/o cooling, South
EMSEC	Existing MH w/ CAC, South
EMSER	Existing MH w/ RAC, South
EMSGC	Existing MH w/ non-elec htg & CAC, South
EMSGR	Existing MH w/ non-elec htg & RAC, South
EMSHP	Existing MH w/ heat pump, South
ERNG	Electric Range
ESNE	Existing SF homes w/o cooling, North
ESNEC	Existing SF w/ CAC, North
ESNER	Existing SF w/ RAC, North
ESNGC	Existing SF w/ non-elec htg & CAC, North
ESNGR	Existing SF w/ non-elec htg & RAC, North
ESNHP	Existing SF w/ heat pump, North
ESSE	Existing SF homes w/o cooling, South
ESSEC	Existing SF w/ CAC, South
ESSER	Existing SF w/ RAC, South
ESSGC	Existing SF w/ non-elec htg & CAC, South
ESSGR	Existing SF w/ non-elec htg & RAC, South
ESSHP	Existing SF w/ heat pump, South
EWH	Elec. Water Heater
FRZR	Manual defrost freezer
LTG	Lighting (Indoor and Outdoor)
MISE	Miscellaneous electricity
NANE	New multi family w/o cooling, North
NANEC	New multi family w/ CAC, North

NANER	New multi family w/ RAC, North
NANGC	New MF w/ non-elec htg & CAC, North
NANGR	New MF w/ non-elec htg & RAC, North
NANHP	New multi family w/ heat pump, North
NASE	New multi family w/o cooling, South
NASEC	New multi family w/ CAC, South
NASER	New multi family w/ RAC, South
NASGC	New MF w/ non-elec htg & CAC, South
NASGR	New MF w/ non-elec htg & RAC, South
NASHP	New multi family w/ heat pump, South
NMNE	New mobile homes w/o cooling, North
NMNEC	New mobile homes w/ CAC, North
NMNER	New mobile homes w/ RAC, North
NMNGC	New MH w/ non-elec htg & CAC, North
NMNGR	New MH w/ non-elec htg & RAC, North
NMNHP	New mobile homes w/ heat pump, North
NMSE	New mobile homes w/o cooling, South
NMSEC	New mobile homes w/ CAC, South
NMSER	New mobile homes w/ RAC, South
NMSGC	New MH w/ non-elec htg & CAC, South
NMSGR	New MH w/ non-elec htg & RAC, South
NMSHP	New mobile homes w/ heat pump, South
NSNE	New single family homes w/o cooling, North
NSNEC	New SF electric furnace, CAC homes in North
NSNER	New SF electric furnace homes with room AC, North
NSNGC	New SF non-electrically heated homes w/ CAC, North
NSNGR	New SF non-electrically heated homes w/ RAC, North
NSNHP	New single family homes w heat pumps, North
NSSE	New single family homes w/o cooling, South
NSSEC	New SF electric furnace, CAC homes in South
NSSER	New SF electric furnace homes with room AC, South
NSSGC	New SF non-electrically heated homes w/ CAC, South
NSSGR	New SF non-electrically heated homes w/ RAC, South
NSSHP	New single family homes w heat pumps, South
REF	Refrigerator

## LIST OF ACRONYMS

AC	Air conditioning
CAC	Central air conditioning
RAC	Room air conditioning
SF	Single family home
MF	Multi family
MH	Mobile home



**Figure A-1: End Use Codes for Space Conditioning**

Column 1	Column 2	Column 3	Column 4	Column 5
<b>Vintage</b>	<b>House Type</b>	<b>Region</b>	<b>Heating Type</b>	<b>Cooling Type</b>
<input type="checkbox"/> N ew	<input type="checkbox"/> S ingle Family	<input type="checkbox"/> N orth	<input type="checkbox"/> E lectric Resistance	<input type="checkbox"/> R oom A/C
<input type="checkbox"/> E xisting	<input type="checkbox"/> A partments /Multifamily	<input type="checkbox"/> S outh	<input type="checkbox"/> H eat Pump	<input type="checkbox"/> C entral A/C
	<input type="checkbox"/> M obile Homes		<input type="checkbox"/> G as/Other	<input type="checkbox"/> P Heat Pump
				<input type="checkbox"/> no cooling

(1) New Homes are defined as those built after 1990



***APPENDIX 2a: CONSERVATION MEASURE DATABASE 2000***

This appendix contains the conservation measures that are plotted in Figure 5, ranked in order of Cost of Conserved Energy (CCE). The CCE represents technology cost—no program costs are included. Applicable stock represents the number of appliances or building shells to which the measure can be applied from 1990 to 2000. All costs from sources in Appendix 3 have been converted to 1989\$.

### Grand Supply Curve - Year 2000 Maximum Technical Potential

Label	Measure Code	Measure Name	Incr. Cost 1989\$/unit	Energy Savings kWh/unit	CCE cents/kWh	Measure TWh	Energy Savings Cumulative TWh	Applicable Stock $10^3$
1	EWHP01	Improve clotheswasher to 1994 standard	1	45	0.2	1.52	1.52	33993
2	NSNEC01	Switch elec furnace to HP in new SF homes, North	222	7298	0.3	3.16	4.67	432
3	NSSEC01	Switch elec furnace to HP in new SF homes, South	322	6456	0.6	5.09	9.76	789
4	ESNEC01	Switch elec furn to HP in existing North SF	822	11853	0.8	3.44	13.20	290
5	ESNHP02	Improve ceiling insulation in ESF HP homes, North	7	72	0.8	0.03	13.23	460
6	EWHP02	Reduce hot water consumption	50	873	0.8	29.68	42.91	33993
7	ESNER01	Improve shell in ESF ER/RAC homes, North	274	2374	0.9	0.79	43.70	332
8	ESNHP03	Improve HP in ESF HP homes, North	151	1598	1.1	1.47	45.17	919
9	ESNHP01	Improve HP to 92 std in ESF HP homes, North	71	719	1.1	0.66	45.83	919
10	EANHP02	Improve HP beyond 92 std in EMF HP homes, North	104	1028	1.2	1.33	47.15	1291
11	ESSHP02	Improve ceiling insulation in ESF HP homes, South	5	31	1.3	0.03	47.19	1027
12	NSSGC02	Spectrally selective windows, NSF non-elec, South	311	1813	1.4	2.43	49.61	1339
13	NSSER01	Shell improvement in new SF homes w/ ER/RAC, South	1061	5624	1.5	0.95	50.56	169
14	EMNHP02	Improve HP beyond 1992 standard in North EMH	159	1150	1.6	0.01	50.58	13
15	NSNER01	Shell improvement in new SF homes w/ ER/RAC, North	631	3231	1.6	0.25	50.83	78
16	NSSE01	Shell improvement in new SF homes w/ ER/-, South	1061	5424	1.6	1.77	52.60	327
17	ESNE01	Improve shell in ESF ER/- homes, North	754	3583	1.7	1.22	53.82	340
18	ESSEC01	Switch elec furn to HP in existing South SF	869	5805	1.7	3.83	57.65	659
19	NSSHP02	Improve HP beyond 1992 standard in South SF homes	183	1122	1.9	1.93	59.57	1716
20	NSSEC02	Improved shell in new SF homes w/ ER/CAC, South	682	2910	1.9	2.29	61.87	789
21	NANHP02	Improve HP beyond 92 std in NMF HP homes, North	104	623	1.9	0.06	61.93	94
22	MISE03	Improve dishwasher motor to 1994 standard	4	23	1.9	0.80	62.73	34347
23	NSNER02	Shell improvement in new SF homes w/ ER/RAC, North	1095	4639	1.9	0.36	63.09	77
24	ESSHP03	Improve HP in ESF HP homes, South	292	1693	2.0	3.48	66.57	2055
25	NSNHP03	Improve HP beyond 1992 standard in North SF homes	241	1379	2.0	1.63	68.20	1184
26	LTG01	Timer & Photocell (outdoor)	27	151	2.0	11.53	79.73	76328
27	ESSER01	Improve shell in ESF ER/RAC homes, South	444	1757	2.0	0.78	80.51	446
28	EWHP03	Improve dishwasher to 1994 standard	8	45	2.1	1.53	82.04	33993
29	ESSE01	Improve shell in ESF ER/- homes, South	451	1712	2.1	0.61	82.64	354
30	EMSH02	Improve HP beyond 1992 standard in South EMH	192	981	2.2	0.02	82.66	17

### Grand Supply Curve - Year 2000 Maximum Technical Potential

Label	Measure Code	Measure Name	Incr. Cost 1989\$/unit	Energy Savings kWh/unit	CCE cents/kWh	Measure TWh	Energy Savings Cumulative TWh	Applicable Stock 10 <sup>3</sup>
31	NSNHP01	Improve HP to 1992 standard in North SF homes	71	243	2.4	0.29	82.95	1184
32	NMSHP02	Improve HP beyond 1992 standard in South NMH	192	917	2.4	0.03	82.98	35
33	NSSHPO3	Improved shell in new SF homes w/ HP, South	711	2398	2.4	4.12	87.10	1716
34	NSSGR01	Increase condenser rows in RAC, NSF non-elec, Sth	12	54	2.4	0.02	87.12	435
35	EMSHP01	Improve HP to 92 std in EMH HP homes, South	55	251	2.5	0.00	87.12	17
36	REF01	Improve refrigerator to 1993 standard	53	203	2.5	14.83	101.95	72978
37	NSNEC02	Triple glazed windows in new SF homes, North	223	707	2.6	0.31	102.26	432
38	EASHP02	Improve HP beyond 92 std in EMF HP homes, South	104	462	2.6	0.28	102.54	612
39	ESNEC02	Improve shell in ESF ER/CAC homes, North	274	842	2.6	0.31	102.85	363
40	NMSHP01	Improve HP to 92 std in NMH HP homes, South	57	239	2.7	0.01	102.86	35
41	ESNHP04	Improve shell in ESF HP homes, North	121	353	2.8	0.16	103.02	460
42	NSSER02	Increase condenser rows of RAC in elec NSF, South	12	45	2.9	0.01	103.03	169
43	NMSSGR01	Improve RAC in NMH non-elec homes, Sth	10	41	2.9	0.01	103.04	262
44	NMSER01	Improve RAC in NMH elec htd homes, Sth	10	41	2.9	0.01	103.05	332
45	EANHP01	Improve HP to 92 std in EMF HP homes, North	49	190	2.9	0.25	103.30	1291
46	NSNHP02	Triple glazed windows in new SF homes w/HP, North	311	1188	3.0	1.41	104.70	1184
47	EMSER01	Improve RAC in EMH elec htd homes, Sth	10	40	3.0	0.01	104.71	210
48	CTV01	Efficient color TV set	8	34	3.0	3.14	107.85	92278
49	ESSHP01	Improve HP to 92 std in ESF HP homes, South	86	321	3.1	0.66	108.51	2055
50	CD-E01	Improve clothes dryer to 1994 NAECA standard	22	73	3.1	2.99	111.50	40959
51	EMSSGR01	Improve RAC in EMH non-elec homes, Sth	10	38	3.1	0.02	111.52	594
52	LTG02	Compact Fluorescent Lamps	102	342	3.3	26.10	137.62	76328
53	ESNHP05	Improve HP in ESF HP homes, North	90	305	3.4	0.28	137.90	919
54	FRZR01	Improve freezer to 1993 DOE standard	37	100	3.4	1.55	139.46	15543
55	EW04	Reduce standby losses	120	425	3.4	14.45	153.90	33993
56	NSSHPO1	Improve HP to 1992 standard in South SF homes	86	285	3.4	0.49	154.39	1716
57	MISE02	Upgrade furnace fan efficiency	48	150	3.5	3.43	157.83	22898
58	ESSER02	Improve room AC in ESF homes, South	15	47	3.5	0.04	157.87	891
59	ESNEC03	Switch to improved HP in North ESF homes	90	285	3.6	0.08	157.95	290
60	ESSGC01	Improve CAC to 1992 std in ESF non-elec homes, Sth	50	171	3.7	1.05	159.00	6128

## Grand Supply Curve - Year 2000 Maximum Technical Potential

Label	Measure Code	Measure Name	Incr. Cost 1989\$/unit	Energy Savings kWh/unit	CCE cents/kWh	Measure TWh	Energy Savings Cumulative TWh	Applicable Stock $10^3$
61	NSSER04	Shell improvement in NSF ER/RAC homes, Sth (>1995)	530	1152	3.7	0.10	159.10	84
62	NSSGC01	Improve CAC to 1992 std in NSF non-elec homes, Sth	50	169	3.7	0.23	159.32	1339
63	EANHP03	Improve HP(2) in EMF HP homes, North	62	179	3.9	0.23	159.55	1291
64	ESNER02	Improve window, ceil & wall in ESF homes, North	1354	2718	4.0	0.90	160.46	332
65	ESSHP04	Improve shell in ESF HP homes, South	304	593	4.2	0.61	161.07	1027
66	EMNHP01	Improve HP to 92 std in EMH HP homes, North	93	238	4.5	0.00	161.07	13
67	NMSGC01	Improve CAC to 1992 std in new non-elec MH, South	50	140	4.5	0.04	161.10	262
68	NMSEC01	Improve CAC to 1992 std in new elec htd MH, South	50	140	4.5	0.06	161.16	419
69	EMSEC01	Improve CAC to 1992 std in EMH elec htd homes, Sth	50	136	4.6	0.02	161.18	140
70	ESSEC02	Improve shell in ESF ER/CAC homes, South	444	776	4.6	0.64	161.82	824
71	NANHP01	Improve HP to 92 std in NMF HP homes, North	49	119	4.7	0.01	161.83	94
72	EWHP08	Replace electric water heater with gas	1380	3539	4.7	11.77	173.60	3325
73	ESNE02	Improve window, ceil & wall in ESF homes, North	859	1469	4.7	0.50	174.10	340
74	EMSGC01	Improve CAC to 1992 std in EMH non-elec homes, Sth	50	130	4.8	0.02	174.12	175
75	EASHP01	Improve HP to 92 std in EMF HP homes, South	49	115	4.9	0.07	174.19	612
76	NASHP02	Improve HP beyond 92 std in NMF HP homes, South	104	244	4.9	0.07	174.27	296
77	BWTV01	Efficient black and white TV set	1	3	4.9	0.10	174.37	39890
78	NSNEC03	Improve HP in North single-family	190	430	5.0	0.19	174.55	432
79	ESNHP06	Improve ceiling in ESF HP homes, North	3	5	5.1	0.00	174.55	460
80	FRZR02	Evacuated panels for freezer (post 1995)	74	132	5.2	0.88	175.44	6697
81	REF02	Evacuated Panels for refrigerator (post 1995)	62	113	5.4	4.10	179.53	36250
82	EWHP07	Horizontal axis clotheswasher w/ EWH (1995-2000)	137	285	5.5	1.38	180.92	4855
83	MISE07	Horiz axis clthswshr w/EWH (motor svgs) 1995-2000	32	65	5.6	0.66	181.58	10263
84	EWHP05	Heat pump water heater (1995-2000)	504	1076	5.6	4.64	186.22	4315
85	EASGC01	Improve CAC to 1992 std in EMF non-elec homes, Sth	28	61	5.7	0.08	186.30	1287
86	EASEC01	Improve CAC to 1992 std in EMF elec htd homes, Sth	28	61	5.7	0.09	186.39	1479
87	EMNHP03	Improve HP(2) in North EMH	95	185	5.8	0.00	186.40	13
88	NSNEC04	Wall to R-19 in new SF homes, North	186	257	5.9	0.11	186.51	432
89	ESSGC02	Improve CAC in South ESF non-elec homes w/ CAC	309	664	5.9	4.07	190.58	6128
90	CD-E03	Switch electric clothesdryer to gas	480	807	6.1	11.90	202.48	14745

### Grand Supply Curve - Year 2000 Maximum Technical Potential

Label	Measure Code	Measure Name	Incr. Cost 1989\$/unit	Energy Savings kWh/unit	CCE cents/kWh	Measure TWh	Energy Savings Cumulative TWh	Applicable Stock $10^3$
91	ERNG02	Switch from electric to gas range	590	944	6.2	11.05	213.52	11710
92	NSSER03	Ceiling to R-30 in NSF ER/RAC homes, Sth (pre-'95)	57	73	6.3	0.01	213.54	169
93	NSNER03	Wall to R-27, ceil to R-49 in new SF homes, North	1355	1725	6.4	0.27	213.80	155
94	NSNHP04	Wall to R-19 in new SF homes w/ HP, North	267	335	6.5	0.40	214.20	1184
95	EMNER01	Improve RAC in EMH elec htd homes, Nth	10	19	6.5	0.00	214.20	51
96	NSSE02	Ceiling to R-30 in new SF homes w/ ER/-, South	57	70	6.6	0.02	214.22	327
97	NANHP03	Improve HP(2) in NMF HP homes, North	62	106	6.7	0.01	214.23	94
98	NMNER01	Improve RAC in NMH elec htd homes, Nth	10	18	6.7	0.00	214.23	23
99	NMNGR01	Improve RAC in NMH non-elec htd homes, Nth	10	18	6.7	0.00	214.24	102
100	ERNG01	Induction cooktop and improved oven (post-1995)	171	250	6.8	4.47	218.71	17894
101	NSNHP07	Superwindows in NSF HP homes, N (post-95)	556	655	6.9	0.38	219.09	588
102	EMNGR01	Improve RAC in EMH non-elec homes, Nth	10	17	7.1	0.01	219.10	354
103	ESNER03	R-30 floor in ESF ER/RAC homes, North	1297	1482	7.1	0.18	219.28	123
104	NASGC01	Improve CAC to 1992 std in NMF non-elec homes, Sth	28	49	7.1	0.03	219.31	538
105	NASEC01	Improve CAC to 1992 std in NMF elec htd homes, Sth	28	49	7.1	0.04	219.34	738
106	ESNE03	R-30 floor in ESF ER/- homes, North	1297	1471	7.1	0.50	219.84	340
107	NSSEC03	Wall to R-19 in new SF homes, South	379	429	7.2	0.34	220.18	789
108	NMSGC02	Improve CAC beyond 1992 std in NMH non-elec homes,	309	537	7.3	0.14	220.32	262
109	NMSEC02	Improve CAC beyond 1992 std in NMH elec htd homes,	309	537	7.3	0.23	220.55	419
110	NSSE03	Superwindows in NSF homes w/ ER/-, South(post-'95)	473	521	7.4	0.09	220.63	164
111	EASER01	Improve RAC in EMF elec htd homes, Sth	10	16	7.4	0.01	220.65	703
112	EASGR01	Improve RAC in EMF non-elec homes, Sth	10	16	7.4	0.02	220.67	1232
113	EMSEC02	Improve CAC beyond 1992 std in EMH elec htd homes,	309	525	7.4	0.07	220.74	140
114	ESSER03	Improve ceiling in ESF ER/RAC homes, South	410	443	7.5	0.20	220.94	446
115	ESNE04	Improve ceiling in ESF homes, North	14	15	7.6	0.01	220.94	340
116	ESSEC03	Switch to improved HP in South ESF homes	109	162	7.7	0.11	221.05	659
117	EMSGC02	Improve CAC beyond 1992 std in EMH non-elec homes,	309	501	7.8	0.09	221.14	175
118	EMNEC01	Improve CAC to 1992 std in EMH elec htd homes, Nth	43	69	7.9	0.00	221.14	38
119	NASHP01	Improve HP to 92 std in NMF HP homes, South	49	70	8.0	0.02	221.16	296
120	ESSE02	Improve ceiling in ESF ER/- homes, South	403	409	8.0	0.14	221.30	354

### Grand Supply Curve - Year 2000 Maximum Technical Potential

Label	Measure Code	Measure Name	Incr. Cost 1989\$/unit	Energy Savings kWh/unit	CCE cents/kWh	Energy Measure TWh	Energy Savings Cumulative TWh	Applicable Stock 10 <sup>3</sup>
121	NMNEC01	Improve CAC to 1992 std in new elec htd MH, North	43	67	8.1	0.00	221.31	19
122	NMNGC01	Improve CAC to 1992 std in new non-elec MH, North	43	67	8.1	0.01	221.31	91
123	EMNGC01	Improve CAC to 1992 std in EMH non-elec homes, Nth	43	64	8.5	0.02	221.33	266
124	NSNER04	Ceiling to R-60 in new SF homes w/ ER/RAC, North	148	139	8.6	0.02	221.35	155
125	NSNE04	Ceiling to R-60 in new SF homes w/ ER/-, North	148	138	8.7	0.07	221.42	476
126	EASGC02	Improve CAC beyond 1992 std in EMF non-elec homes,	169	234	9.1	0.30	221.72	1287
127	EASEC02	Improve CAC beyond 1992 std in EMF elec htd homes,	169	234	9.1	0.35	222.06	1479
128	NASGR01	Improve RAC in NMF non-elec homes, Sth	10	13	9.2	0.00	222.06	52
129	NASER01	Improve RAC in NMF elec htd homes, Sth	10	13	9.2	0.00	222.06	167
130	EWHP06	Horizontal axis clotheswasher w/ HPWH (1995-2000)	116	143	9.2	0.26	222.32	1798
131	MISE04	Horiz axis clthswshr w/HPWH (motor svgs) 1995-2000	53	65	9.3	0.25	222.57	3801
132	NSNEC06	Floor to R-30 in new SF homes, North	223	192	9.4	0.08	222.65	432
133	ESSEC04	Switch to improved HP in South ESF homes	330	399	9.4	0.26	222.91	659
134	NSSEC04	Improve HP in South new SF ER/CAC homes	90	108	9.5	0.09	223.00	789
135	ESSHP05	Improve ceiling in ESF HP homes, South	2	2	9.5	0.00	223.00	1027
136	NSNHP05	R-30 floor in new SF homes w/ HP, N (<95)	311	261	9.7	0.16	223.16	596
137	LTG03	Compact Fluorescent Fixtures	263	293	9.9	22.36	245.52	76328
138	ESNEC04	Improve ceiling insulation in ESF homes, North	480	393	9.9	0.14	245.66	363
139	NSNGC01	Improve CAC to 1992 std in NSF non-elec homes, Nth	43	54	10.0	0.12	245.78	2196
140	EANHP04	Improve HP(3) in EMF HP homes, North	228	254	10.2	0.33	246.11	1291
141	EMSHIP03	Improve HP(2) in South EMH	114	127	10.3	0.00	246.11	17
142	ESNGC01	Improve CAC to 1992 std in ESF non-elec homes, Nth	43	52	10.4	0.40	246.51	7600
143	ESNHP07	Improve ceiling in ESF HP homes, North	555	425	10.6	0.20	246.70	460
144	MISE01	Improve miscellaneous appliance motor efficiency	190	190	11.0	14.50	261.20	76328
145	NSNHP08	R-30 floor in new SF homes w/ HP, N (>95)	311	226	11.2	0.27	261.47	1184
146	NMSHIP03	Improve HP(2) in South NMH	114	115	11.3	0.00	261.47	35
147	NASGC02	Improve CAC beyond 1992 std in NMF non-elec homes,	169	187	11.4	0.10	261.57	538
148	NASEC02	Improve CAC beyond 1992 std in NMF elec htd homes,	169	187	11.4	0.14	261.71	738
149	EASHP03	Improve HP(2) in EMF HP homes, South	62	62	11.4	0.04	261.75	612
150	NSSGC03	Improve CAC in South new SF non-elec homes w/ CAC	309	336	11.6	0.45	262.20	1339



### Grand Supply Curve - Year 2000 Maximum Technical Potential

Label	Measure Code	Measure Name	Incr. Cost 1989\$/unit	Energy Savings kWh/unit	CCE cents/kWh	Measure TWh	Energy Savings Cumulative TWh	Applicable Stock $10^3$
151	NSSER05	Ceiling to R-38 in new SF homes w/ ER/RAC, South	322	219	11.9	0.04	262.24	169
152	NSSH04	Improve HP in South new SF HP homes	109	104	11.9	0.18	262.42	1716
153	EMNHP04	Improve HP(3) in North EMH	347	327	12.1	0.00	262.42	13
154	ESNER04	Improve windows in ESF homes, North	316	210	12.2	0.07	262.49	332
155	ESNE05	Improve windows in ESF homes, North	316	209	12.2	0.07	262.56	340
156	NSNEC07	Ceiling to R-30 in new SF homes, North	19	12	12.5	0.01	262.57	432
157	NSNHP06	R-30 ceiling in new SF homes w/ HP, N(<'95)	44	29	12.6	0.02	262.58	596
158	NSSH05	Wall to R-19 in new SF homes w/ HP, South	328	210	12.6	0.36	262.94	1716
159	NSSE04	Ceiling to R-38 in new SF homes w/ ER/-, South	322	205	12.7	0.07	263.01	327
160	ESSER04	Improve windows in ESF ER/RAC homes, South	425	269	12.8	0.12	263.13	446
161	REF03	Two-Compressor System for refrigerator (post 1995)	93	69	13.0	2.50	265.63	36250
162	EMSH04	Improve HP(3) in South EMH	419	360	13.3	0.01	265.64	17
163	ESSE03	Improve windows in ESF ER/- homes, South	425	259	13.3	0.09	265.73	354
164	ESSER05	Improve wall in ESF ER/RAC homes, South	325	197	13.4	0.09	265.82	446
165	NSNGR01	Increase condenser rows in RAC in NSF non-elec, N	15	14	13.5	0.01	265.83	663
166	ESSE04	Improve wall in ESF ER/- homes, South	325	191	13.8	0.07	265.89	354
167	NMHP04	Improve HP(3) in South NMH	419	344	13.9	0.01	265.91	35
168	ESSGC03	Improve CAC(2) in ESF non-elec homes w/ CAC, South	293	263	14.0	1.61	267.52	6128
169	EANEC01	Improve CAC to 1992 std in EMF elec htd homes, Nth	27	23	14.6	0.02	267.54	850
170	EANGC01	Improve CAC to 1992 std in EMF elec htd homes, Nth	27	23	14.6	0.04	267.57	1579
171	ESNHP08	Improve windows in ESF HP homes, North	298	165	14.6	0.08	267.65	460
172	NSNHP09	R-30 ceiling in new SF homes w/ HP, N(>'95)	44	25	14.6	0.03	267.68	1184
173	ESNEC05	Improve window & wall in ESF homes, North	646	355	14.8	0.13	267.81	363
174	EASHP04	Improve HP(3) in EMF HP homes, South	228	164	15.8	0.10	267.91	612
175	NANGC01	Improve CAC to 1992 std in NMF elec htd homes, Nth	27	21	16.0	0.01	267.92	504
176	NANEC01	Improve CAC to 1992 std in NMF elec htd homes, Nth	27	21	16.0	0.01	267.93	679
177	NSNGC02	Improve CAC in North NSF non-elec homes w/ CAC	264	208	16.0	0.46	268.39	2196
178	NANHP04	Improve HP(3) in NMF HP homes, North	228	161	16.1	0.02	268.41	94
179	ESNGC02	Improve CAC in North ESF non-elec homes w/ CAC	264	201	16.5	1.53	269.93	7600
180	ESSEC05	Improve ceiling insulation in ESF homes, South	403	187	17.5	0.15	270.09	824

### Grand Supply Curve - Year 2000 Maximum Technical Potential

Label	Measure Code	Measure Name	Incr. Cost 1989\$/unit	Energy Savings kWh/unit	CCE cents/kWh	Energy Savings Measure TWh	Energy Savings Cumulative TWh	Applicable Stock 10 <sup>3</sup>
181	NSSGR02	Increase condenser area of RAC, NSF non-elec, Sth	87	54	17.7	0.02	270.11	435
182	ESSHP06	Improve windows in ESF HP homes, South	360	135	21.6	0.14	270.25	1027
183	NASHP03	Improve HP(2) in NMF HP homes, South	62	26	26.9	0.01	270.26	296
184	NSSGC04	Improve CAC(2) in NSF non-elec homes w/ CAC, South	293	133	27.8	0.18	270.43	1339
185	NSNGC03	Improve CAC(2) in North NSF non-elec homes w/ CAC	250	82	38.4	0.18	270.61	2196

***APPENDIX 2b: CONSERVATION MEASURE DATABASE 2010***

This appendix contains the conservation measures that are plotted in Figure 6, ranked in order of Cost of Conserved Energy (CCE). The CCE represents technology cost—no program costs are included. Applicable stock represents the number of or building shells to which the measure can be applied from 1990 to the end of the analysis period.

### Supply Curve - Year 2010 Maximum Technical Potential

Label	Measure Code	Measure Name	Incr. Cost 1989\$/unit	Energy Savings kWh/unit	CCE cents/kWh	Measure TWh	Energy Savings Cumulative TWh	Applicable Stock $10^3$
1	EW01	Improve clotheswasher to 1994 standard	1	45	0.2	2.14	2.14	47969
2	NSNEC01	Switch elec furnace to HP in new SF homes, North	222	7298	0.3	5.72	7.86	784
3	NSSEC01	Switch elec furnace to HP in new SF homes, South	322	6456	0.6	9.58	17.44	1484
4	ESNEC01	Switch elec furn to HP in existing North SF	822	11853	0.8	7.83	25.27	661
5	ESNHP02	Improve ceiling insulation in ESF HP homes, North	7	72	0.8	0.06	25.33	838
6	EW02	Reduce hot water consumption	50	873	0.8	41.88	67.21	47969
7	ESNER01	Improve shell in ESF ER/RAC homes, North	274	2374	0.9	1.44	68.65	605
8	ESNHP03	Improve HP in ESF HP homes, North	151	1598	1.1	1.34	69.99	838
9	ESNHP01	Improve HP to 92 std in ESF HP homes, North	71	719	1.1	0.60	70.59	838
10	EANHP02	Improve HP beyond 92 std in EMF HP homes, North	104	1028	1.2	1.19	71.78	1162
11	ESSHP02	Improve ceiling insulation in ESF HP homes, South	5	31	1.3	0.06	71.84	1865
12	NSSGC02	Spectrally selective windows, NSF non-elec, South	311	1813	1.4	4.57	76.41	2519
13	NSSER01	Shell improvement in new SF homes w/ ER/RAC, South	1061	5624	1.5	1.79	78.19	318
14	EMNHP02	Improve HP beyond 1992 standard in North EMH	159	1150	1.6	0.01	78.20	9
15	NSNER01	Shell improvement in new SF homes w/ ER/RAC, North	631	3231	1.6	0.25	78.46	78
16	NSSE01	Shell improvement in new SF homes w/ ER/-, South	1061	5424	1.6	3.34	81.79	616
17	ESNE01	Improve shell in ESF ER/- homes, North	754	3583	1.7	2.22	84.01	619
18	ESSEC01	Switch elec furn to HP in existing South SF	869	5805	1.7	8.69	92.70	1496
19	NSSH02	Improve HP beyond 1992 standard in South SF homes	183	1122	1.9	3.62	96.32	3230
20	NSSEC02	Improved shell in new SF homes w/ ER/CAC, South	682	2910	1.9	4.32	100.64	1484
21	NANHP02	Improve HP beyond 92 std in NMF HP homes, North	104	623	1.9	0.11	100.75	171
22	MISE03	Improve dishwasher motor to 1994 standard	4	23	1.9	1.23	101.98	52729
23	NSNER02	Shell improvement in new SF homes w/ ER/RAC, North	1095	4639	1.9	0.94	102.93	203
24	ESSHP03	Improve HP in ESF HP homes, South	292	1693	2.0	3.16	106.08	1865
25	LTG01	Timer & Photocell (outdoor)	27	151	2.0	17.69	123.78	117175
26	NSNHP03	Improve HP beyond 1992 standard in North SF homes	241	1379	2.0	2.96	126.74	2147
27	ESSER01	Improve shell in ESF ER/RAC homes, South	444	1757	2.0	1.42	128.16	809
28	EW03	Improve dishwasher to 1994 standard	8	45	2.1	2.16	130.32	47969
29	ESSE01	Improve shell in ESF ER/- homes, South	451	1712	2.1	1.10	131.42	642
30	EMSH02	Improve HP beyond 1992 standard in South EMH	192	981	2.2	0.01	131.43	13

### Supply Curve - Year 2010 Maximum Technical Potential

Label	Measure Code	Measure Name	Incr. Cost 1989\$/unit	Energy Savings kWh/unit	CCE cents/kWh	Energy Savings Measure TWh	Energy Savings Cumulative TWh	Applicable Stock 10 <sup>3</sup>
31	NSNHP01	Improve HP to 1992 standard in North SF homes	71	243	2.4	0.52	131.95	2147
32	NMSHP02	Improve HP beyond 1992 standard in South NMH	192	917	2.4	0.06	132.02	71
33	NSSHPO3	Improved shell in new SF homes w/ HP, South	711	2398	2.4	7.75	139.76	3230
34	NSSGR01	Increase condenser rows in RAC, NSF non-elec, Sth	12	54	2.4	0.04	139.81	819
35	EMSHPO1	Improve HP to 92 std in EMH HP homes, South	55	251	2.5	0.00	139.81	13
36	REF01	Improve refrigerator to 1993 standard	53	203	2.5	27.52	167.33	135449
37	NSNEC02	Triple glazed windows in new SF homes, North	223	707	2.6	0.55	167.89	784
38	EASHP02	Improve HP beyond 92 std in EMF HP homes, South	104	462	2.6	0.25	168.14	548
39	ESNEC02	Improve shell in ESF ER/CAC homes, North	274	842	2.6	0.56	168.70	661
40	NMSHP01	Improve HP to 92 std in NMH HP homes, South	57	239	2.7	0.02	168.71	71
41	ESNHP04	Improve shell in ESF HP homes, North	121	353	2.8	0.30	169.01	838
42	NSSER02	Increase condenser rows of RAC in elec NSF, South	12	45	2.9	0.01	169.02	318
43	NMSGRO1	Improve RAC in NMH non-elec homes, Sth	10	41	2.9	0.02	169.04	529
44	NMSER01	Improve RAC in NMH elec htd homes, Sth	10	41	2.9	0.03	169.07	670
45	EANHP01	Improve HP to 92 std in EMF HP homes, North	49	190	2.9	0.22	169.29	1162
46	NSNHP02	Triple glazed windows in new SF homes w/HP, North	311	1188	3.0	2.55	171.84	2147
47	EMSER01	Improve RAC in EMH elec htd homes, Sth	10	40	3.0	0.01	171.85	151
48	CTV01	Efficient color TV set	8	34	3.0	3.71	175.55	108973
49	ESSHP01	Improve HP to 92 std in ESF HP homes, South	86	321	3.1	0.60	176.15	1865
50	CD-E01	Improve clothes dryer to 1994 NAECA standard	22	73	3.1	5.08	181.23	69599
51	EMSGR01	Improve RAC in EMH non-elec homes, Sth	10	38	3.1	0.02	181.25	429
52	LTG02	Compact Fluorescent Lamps	102	342	3.3	40.07	221.32	117175
53	ESNHP05	Improve HP in ESF HP homes, North	90	305	3.4	0.26	221.58	838
54	FRZR01	Improve freezer to 1993 DOE standard	37	100	3.4	3.42	225.00	34248
55	EWH04	Reduce standby losses	120	425	3.4	20.39	245.38	47969
56	NSSHPO1	Improve HP to 1992 standard in South SF homes	86	285	3.4	0.92	246.31	3230
57	MISE02	Upgrade furnace fan efficiency	48	150	3.5	5.27	251.58	35153
58	ESSER02	Improve room AC in ESF homes, South	15	47	3.5	0.04	251.62	809
59	ESNEC03	Switch to improved HP in North ESF homes	90	285	3.6	0.19	251.80	661
60	ESSGC01	Improve CAC to 1992 std in ESF non-elec homes, Sth	50	171	3.7	0.95	252.76	5562

### Supply Curve - Year 2010 Maximum Technical Potential

Label	Measure Code	Measure Name	Incr. Cost 1989\$/unit	Energy Savings kWh/unit	CCE cents/kWh	Measure TWh	Energy Savings Cumulative TWh	Applicable Stock $10^3$
61	NSSER07	Increase condenser area of RAC in elec NSF, South	20	59	3.7	0.01	252.76	149
62	NSSER04	Shell improvement in NSF ER/RAC homes, Sth (>1995)	530	1152	3.7	0.27	253.03	233
63	NSSGC01	Improve CAC to 1992 std in NSF non-elec homes, Sth	50	169	3.7	0.43	253.46	2519
64	FRZR03	5.3 EER compressor for freezer (post-2000)	10	25	3.8	0.47	253.93	18705
65	REF12	Recycle refrigerator condenser heat (post-2000)	40	100	3.9	6.81	260.74	68137
66	EANHP03	Improve HP(2) in EMF HP homes, North	62	179	3.9	0.21	260.95	1162
67	ESNER02	Improve window, ceil & wall in ESF homes, North	1354	2718	4.0	1.64	262.59	605
68	ESSHP04	Improve shell in ESF HP homes, South	304	593	4.2	1.11	263.70	1865
69	NSSGR03	Variable speed RAC, NSF non-elec, South (>2000)	67	173	4.3	0.07	263.76	384
70	EMNHP01	Improve HP to 92 std in EMH HP homes, North	93	238	4.5	0.00	263.77	9
71	CD-E02	Heat pump dryer	230	525	4.5	12.63	276.40	24068
72	NMSGC01	Improve CAC to 1992 std in new non-elec MH, South	50	140	4.5	0.07	276.47	529
73	NMSEC01	Improve CAC to 1992 std in new elec htd MH, South	50	140	4.5	0.12	276.59	846
74	EMSEC01	Improve CAC to 1992 std in EMH elec htd homes, Sth	50	136	4.6	0.01	276.61	101
75	ESSEC02	Improve shell in ESF ER/CAC homes, South	444	776	4.6	1.16	277.77	1496
76	NANHP01	Improve HP to 92 std in NMF HP homes, North	49	119	4.7	0.02	277.79	171
77	EWH08	Replace electric water heater with gas	1380	3539	4.7	16.61	294.40	4693
78	ESNE02	Improve window, ceil & wall in ESF homes, North	859	1469	4.7	0.91	295.31	619
79	NSSGR04	Increase condenser area of RAC, non-elec NSF, Sth	20	46	4.8	0.02	295.32	384
80	EMSGC01	Improve CAC to 1992 std in EMH non-elec homes, Sth	50	130	4.8	0.02	295.34	126
81	EASHP01	Improve HP to 92 std in EMF HP homes, South	49	115	4.9	0.06	295.40	548
82	NASHP02	Improve HP beyond 92 std in NMF HP homes, South	104	244	4.9	0.14	295.54	564
83	BWTV01	Efficient black and white TV set	1	3	4.9	0.11	295.65	43355
84	NSNEC03	Improve HP in North single-family	190	430	5.0	0.34	295.99	784
85	ESNHP06	Improve ceiling in ESF HP homes, North	3	5	5.1	0.00	295.99	838
86	FRZR02	Evacuated panels for freezer (post 1995)	74	132	5.2	3.35	299.34	25402
87	NMSGR02	Improve RAC(2) in NMH non-elec homes, Sth(post2000)	56	132	5.3	0.04	299.38	267
88	NMSER02	Improve RAC(2) in NMH elec htd homes, Sth(post2000)	56	132	5.3	0.04	299.42	338
89	REF02	Evacuated Panels for refrigerator (post 1995)	62	113	5.4	11.80	311.22	104387
90	EMSER02	Improve RAC(2) in EMH elec htd homes, Sth(post2000)	56	129	5.4	0.01	311.23	58

### Supply Curve - Year 2010 Maximum Technical Potential

Label	Measure Code	Measure Name	Incr. Cost 1989\$/unit	Energy Savings kWh/unit	CCE cents/kWh	Measure TWh	Energy Savings Cumulative TWh	Applicable Stock $10^3$
91	EW07	Horizontal axis clotheswasher w/ EWH (1995-2000)	137	285	5.5	1.38	312.61	4855
92	EW010	Horizontal axis clotheswasher w/ EWH(post-2000)	137	285	5.5	3.55	316.16	12473
93	REF13	Raise refrig compressor EER to 5.3 (post 2000)	10	18	5.5	1.23	317.39	68137
94	MISE07	Horiz axis clthswshr w/EWH (motor svgs) 1995-2000	32	65	5.6	0.66	318.05	10263
95	MISE05	Horiz axis clthswshr w/EWH (motor svgs) post-2000	32	65	5.6	1.64	319.69	25315
96	EW08	Heat pump water heater (post-2000)	504	1076	5.6	18.41	338.09	17106
97	EW05	Heat pump water heater (1995-2000)	504	1076	5.6	4.64	342.74	4315
98	EMSGR02	Improve RAC(2) in EMH non-elec homes, Sth(post2000	56	123	5.7	0.02	342.76	165
99	EASGC01	Improve CAC to 1992 std in EMF non-elec homes, Sth	28	61	5.7	0.07	342.83	1152
100	EASEC01	Improve CAC to 1992 std in EMF elec htd homes, Sth	28	61	5.7	0.08	342.91	1324
101	FRZR04	Freezer condenser gas heat	31	50	5.8	0.94	343.84	18705
102	EMNHP03	Improve HP(2) in North EMH	95	185	5.8	0.00	343.85	9
103	NSNEC04	Wall to R-19 in new SF homes, North	186	257	5.9	0.20	344.05	784
104	ESSGC02	Improve CAC in South ESF non-elec homes w/ CAC	309	664	5.9	3.69	347.74	5562
105	CD-E03	Switch electric clothesdryer to gas	480	807	6.1	20.22	367.96	25056
106	ERN02	Switch from electric to gas range	590	944	6.2	18.29	386.25	19384
107	NSSER03	Ceiling to R-30 in NSF ER/RAC homes, Sth (pre-'95)	57	73	6.3	0.02	386.27	318
108	NSNER03	Wall to R-27, ceil to R-49 in new SF homes, North	1355	1725	6.4	0.48	386.76	281
109	NSNHP04	Wall to R-19 in new SF homes w/ HP, North	267	335	6.5	0.72	387.48	2147
110	EMNER01	Improve RAC in EMH elec htd homes, Nth	10	19	6.5	0.00	387.48	37
111	NSSE02	Ceiling to R-30 in new SF homes w/ ER/-, South	57	70	6.6	0.04	387.52	616
112	NANHP03	Improve HP(2) in NMF HP homes, North	62	106	6.7	0.02	387.54	171
113	NMNER01	Improve RAC in NMH elec htd homes, Nth	10	18	6.7	0.00	387.54	46
114	NMNGR01	Improve RAC in NMH non-elec htd homes, Nth	10	18	6.7	0.00	387.54	206
115	ERN01	Induction cooktop and improved oven (post-1995)	171	250	6.8	11.78	399.32	47110
116	NSNHP07	Superwindows in NSF HP homes, N (post-95)	556	655	6.9	1.02	400.33	1551
117	EMNGR01	Improve RAC in EMH non-elec homes, Nth	10	17	7.1	0.00	400.34	256
118	ESNER03	R-30 floor in ESF ER/RAC homes, North	1297	1482	7.1	0.33	400.67	224
119	NASGC01	Improve CAC to 1992 std in NMF non-elec homes, Sth	28	49	7.1	0.05	400.72	1023
120	NASEC01	Improve CAC to 1992 std in NMF elec htd homes, Sth	28	49	7.1	0.07	400.79	1405

### Supply Curve - Year 2010 Maximum Technical Potential

Label	Measure Code	Measure Name	Incr. Cost 1989\$/unit	Energy Savings kWh/unit	CCE cents/kWh	Measure TWh	Energy Savings Cumulative TWh	Applicable Stock $10^3$
121	ESNE03	R-30 floor in ESF ER/- homes, North	1297	1471	7.1	0.91	401.70	619
122	NSSEC03	Wall to R-19 in new SF homes, South	379	429	7.2	0.64	402.34	1484
123	NMSGC02	Improve CAC beyond 1992 std in NMH non-elec homes,	309	537	7.3	0.28	402.62	529
124	NMSEC02	Improve CAC beyond 1992 std in NMH elec htd homes,	309	537	7.3	0.45	403.08	846
125	NSSE03	Superwindows in NSF homes w/ ER/-, South(post-'95)	473	521	7.4	0.24	403.31	452
126	EASER01	Improve RAC in EMF elec htd homes, Sth	10	16	7.4	0.01	403.32	629
127	EASGR01	Improve RAC in EMF non-elec homes, Sth	10	16	7.4	0.02	403.34	1103
128	EMSEC02	Improve CAC beyond 1992 std in EMH elec htd homes,	309	525	7.4	0.05	403.39	101
129	ESSER03	Improve ceiling in ESF ER/RAC homes, South	410	443	7.5	0.36	403.75	809
130	EASGC03	Variable speed CAC compressor, EMF g/o homes, Sth	105	176	7.5	0.02	403.77	135
131	EASEC03	Variable speed CAC compressor, EMF elec homes, Sth	105	176	7.5	0.03	403.80	155
132	ESNE04	Improve ceiling in ESF homes, North	14	15	7.6	0.01	403.81	619
133	ESSEC03	Switch to improved HP in South ESF homes	109	162	7.7	0.24	404.05	1496
134	EMSGC02	Improve CAC beyond 1992 std in EMH non-elec homes,	309	501	7.8	0.06	404.12	126
135	EMNEC01	Improve CAC to 1992 std in EMH elec htd homes, Nth	43	69	7.9	0.00	404.12	27
136	NASHP01	Improve HP to 92 std in NMF HP homes, South	49	70	8.0	0.04	404.16	564
137	ESSE02	Improve ceiling in ESF ER/- homes, South	403	409	8.0	0.26	404.42	642
138	NMNEC01	Improve CAC to 1992 std in new elec htd MH, North	43	67	8.1	0.00	404.42	38
139	NMNGC01	Improve CAC to 1992 std in new non-elec MH, North	43	67	8.1	0.01	404.44	183
140	EMNGC01	Improve CAC to 1992 std in EMH non-elec homes, Nth	43	64	8.5	0.01	404.45	192
141	NSNER04	Ceiling to R-60 in new SF homes w/ ER/RAC, North	148	139	8.6	0.04	404.49	281
142	NSNE04	Ceiling to R-60 in new SF homes w/ ER/-, North	148	138	8.7	0.12	404.61	864
143	EASGC02	Improve CAC beyond 1992 std in EMF non-elec homes,	169	234	9.1	0.30	404.91	1287
144	EASEC02	Improve CAC beyond 1992 std in EMF elec htd homes,	169	234	9.1	0.35	405.25	1479
145	NASGR01	Improve RAC in NMF non-elec homes, Sth	10	13	9.2	0.00	405.25	99
146	NASER01	Improve RAC in NMF elec htd homes, Sth	10	13	9.2	0.00	405.26	318
147	EWH06	Horizontal axis clotheswasher w/ HPWH (1995-2000)	116	143	9.2	0.26	405.51	1798
148	EWH09	Horizontal axis clotheswasher w/HPWH(post-2000)	116	143	9.2	1.98	407.49	13898
149	MISE04	Horiz axis clthswshr w/HPWH (motor svgs) 1995-2000	53	65	9.3	0.25	407.74	3801
150	MISE06	Horiz axis clthswshr w/HPWH (motor svgs) post-2000	53	65	9.3	1.82	409.56	28209



### Supply Curve - Year 2010 Maximum Technical Potential

Label	Measure Code	Measure Name	Incr. Cost 1989\$/unit	Energy Savings kWh/unit	CCE cents/kWh	Measure TWh	Energy Savings Cumulative TWh	Applicable Stock $10^3$
151	NASGC03	Variable speed CAC compressor, NMF g/o homes, Sth	105	141	9.4	0.07	409.63	485
152	NASEC03	Variable speed CAC compressor, NMF elec homes, Sth	105	141	9.4	0.09	409.72	666
153	NSNEC06	Floor to R-30 in new SF homes, North	223	192	9.4	0.15	409.88	784
154	ESSEC04	Switch to improved HP in South ESF homes	330	399	9.4	0.60	410.47	1496
155	NSSEC04	Improve HP in South new SF ER/CAC homes	90	108	9.5	0.16	410.63	1484
156	ESSHP05	Improve ceiling in ESF HP homes, South	2	2	9.5	0.00	410.64	1865
157	NSNHP05	R-30 floor in new SF homes w/ HP, N (<'95)	311	261	9.7	0.16	410.79	596
158	LTG03	Compact Fluorescent Fixtures	263	293	9.9	34.33	445.12	117175
159	ESNEC04	Improve ceiling insulation in ESF homes, North	480	393	9.9	0.26	445.38	661
160	NSNGC01	Improve CAC to 1992 std in NSF non-elec homes, Nth	43	54	10.0	0.22	445.60	3982
161	EANHP04	Improve HP(3) in EMF HP homes, North	228	254	10.2	0.30	445.89	1162
162	EMSHP03	Improve HP(2) in South EMH	114	127	10.3	0.00	445.90	13
163	ESNGC01	Improve CAC to 1992 std in ESF non-elec homes, Nth	43	52	10.4	0.36	446.26	6925
164	ESNHP07	Improve ceiling in ESF HP homes, North	555	425	10.6	0.36	446.61	838
165	MISE01	Improve miscellaneous appliance motor efficiency	190	190	11.0	22.26	468.87	117175
166	NSNHP08	R-30 floor in new SF homes w/ HP, N (>'95)	311	226	11.2	0.48	469.36	2147
167	NMHP03	Improve HP(2) in South NMH	114	115	11.3	0.01	469.37	71
168	NASGC02	Improve CAC beyond 1992 std in NMF non-elec homes,	169	187	11.4	0.10	469.47	538
169	NASEC02	Improve CAC beyond 1992 std in NMF elec htd homes,	169	187	11.4	0.14	469.61	738
170	EASHP03	Improve HP(2) in EMF HP homes, South	62	62	11.4	0.03	469.64	548
171	NSSGC03	Improve CAC in South new SF non-elec homes w/ CAC	309	336	11.6	0.85	470.49	2519
172	EMNER02	Improve RAC(2) in EMH elec htd homes, Nth(post2000	56	59	11.8	0.00	470.49	14
173	NSSER05	Ceiling to R-38 in new SF homes w/ ER/RAC, South	322	219	11.9	0.07	470.56	318
174	NSSHPO4	Improve HP in South new SF HP homes	109	104	11.9	0.34	470.89	3230
175	EMNHP04	Improve HP(3) in North EMH	347	327	12.1	0.00	470.90	9
176	ESNER04	Improve windows in ESF homes, North	316	210	12.2	0.13	471.02	605
177	ESNE05	Improve windows in ESF homes, North	316	209	12.2	0.13	471.15	619
178	NSSER06	Variable speed RAC in south NSF homes (post-2000)	67	59	12.4	0.01	471.16	149
179	NSNEC07	Ceiling to R-30 in new SF homes, North	19	12	12.5	0.01	471.17	784
180	NSNHP06	R-30 ceiling in new SF homes w/ HP, N(<'95)	44	29	12.6	0.02	471.19	596

### Supply Curve - Year 2010 Maximum Technical Potential

Label	Measure Code	Measure Name	Incr. Cost 1989\$/unit	Energy Savings kWh/unit	CCE cents/kWh	Measure TWh	Energy Savings Cumulative TWh	Applicable Stock $10^3$
181	NSSHP05	Wall to R-19 in new SF homes w/ HP, South	328	210	12.6	0.68	471.87	3230
182	NSSE04	Ceiling to R-38 in new SF homes w/ ER/, South	322	205	12.7	0.13	471.99	616
183	ESSER04	Improve windows in ESF ER/RAC homes, South	425	269	12.8	0.22	472.21	809
184	REF03	Two-Compressor System for refrigerator (post 1995)	93	69	13.0	7.20	479.41	104387
185	EMSHIP04	Improve HP(3) in South EMH	419	360	13.3	0.00	479.42	13
186	ESSE03	Improve windows in ESF ER/- homes, South	425	259	13.3	0.17	479.58	642
187	EASER02	Improve RAC(2) in EMF elec htd homes, Sth(post2000	56	53	13.3	0.00	479.59	74
188	EASGR02	Improve RAC(2) in EMF non-elec homes, Sth(post2000	56	53	13.3	0.01	479.59	129
189	ESSER05	Improve wall in ESF ER/RAC homes, South	325	197	13.4	0.16	479.75	809
190	NSNGR01	Increase condenser rows in RAC in NSF non-elec, N	15	14	13.5	0.02	479.77	1202
191	ESSE04	Improve wall in ESF ER/- homes, South	325	191	13.8	0.12	479.89	642
192	NMSHP04	Improve HP(3) in South NMH	419	344	13.9	0.02	479.92	71
193	ESSGC03	Improve CAC(2) in ESF non-elec homes w/ CAC, South	293	263	14.0	1.46	481.38	5562
194	EANEC01	Improve CAC to 1992 std in EMF elec htd homes, Nth	27	23	14.6	0.02	481.40	765
195	EANGC01	Improve CAC to 1992 std in EMF elec htd homes, Nth	27	23	14.6	0.03	481.43	1421
196	ESNHP08	Improve windows in ESF HP homes, North	298	165	14.6	0.14	481.57	838
197	NSNHP09	R-30 ceiling in new SF homes w/ HP, N(>'95)	44	25	14.6	0.05	481.62	2147
198	ESNEC05	Improve window & wall in ESF homes, North	646	355	14.8	0.23	481.86	661
199	EASHP04	Improve HP(3) in EMF HP homes, South	228	164	15.8	0.09	481.95	548
200	NANGC01	Improve CAC to 1992 std in NMF elec htd homes, Nth	27	21	16.0	0.02	481.97	919
201	NANEC01	Improve CAC to 1992 std in NMF elec htd homes, Nth	27	21	16.0	0.03	481.99	1239
202	NSNGC02	Improve CAC in North NSF non-elec homes w/ CAC	264	208	16.0	0.83	482.82	3982
203	NANHP04	Improve HP(3) in NMF HP homes, North	228	161	16.1	0.03	482.85	171
204	ESNGC02	Improve CAC in North ESF non-elec homes w/ CAC	264	201	16.5	1.39	484.24	6925
205	NASGR02	Improve RAC(2) in NMF non-elec homes, Sth(post2000	56	42	16.6	0.00	484.24	47
206	NASER02	Improve RAC(2) in NMF elec htd homes, Sth(post2000	56	42	16.6	0.01	484.25	151
207	ESSEC05	Improve ceiling insulation in ESF homes, South	403	187	17.5	0.28	484.53	1496
208	NSSGR02	Increase condenser area of RAC, NSF non-elec, Sth	87	54	17.7	0.02	484.55	435
209	NSNGR02	Variable speed RAC, NSF non-elec, North (>2000)	83	46	19.8	0.02	484.58	539
210	ESSHP06	Improve windows in ESF HP homes, South	360	135	21.6	0.25	484.83	1865

### Supply Curve - Year 2010 Maximum Technical Potential

Label	Measure Code	Measure Name	Incr. Cost 1989\$/unit	Energy Savings kWh/unit	CCE cents/kWh	Energy Measure TWh	Energy Savings Cumulative TWh	Applicable Stock 10 <sup>3</sup>
211	NSNGR03	Increase condenser area of RAC, NSF non-elec, Nth	26	12	23.8	0.01	484.83	539
212	NASHP03	Improve HP(2) in NMF HP homes, South	62	26	26.9	0.01	484.85	564
213	NSSGC04	Improve CAC(2) in NSF non-elec homes w/ CAC, South	293	133	27.8	0.34	485.18	2519
214	NSNGC03	Improve CAC(2) in North NSF non-elec homes w/ CAC	250	82	38.4	0.33	485.51	3982



### ***APPENDIX 3: COMMENTS ON CONSERVATION MEASURES***

The following detailed tables document the sources and methods used to derive the energy savings numbers in our national database. The first three pages (Figures A.3.1-A.3.3) show graphical depictions of the most complicated end-uses (ranges, dryers, and water heaters). They show baseline unit energy consumptions (UECs) at the top, and the UECs and eligible fractions for each branch in the supply curve for these end-uses.

#### *References*

References to Koomey 1991 should read Koomey et al. 1991.

References to RECS 87 are to US DOE 1989a (US DOE, U.S. Department of Energy. 1989a. *Residential Energy Consumption Survey: Housing Characteristics 1987*. EIA, Energy Information Administration. DOE/EIA-0314(87). May 1989)

References to PEAR are to EAP 1987 (EAP, Energy Analysis Program. 1987. *Program for Energy Analysis of Residences (PEAR 2.1): User's Manual*. Lawrence Berkeley Laboratory. PUB-610. March 1987.)

References to LBL's Appliance Energy Conservation database are to LBL. 1990. *Appliance Energy Conservation Database*. Lawrence Berkeley Laboratory. September 1990.

#### *Explanation of abbreviations and terms*

*UEC* = unit energy consumption (baseline unit)

*UES* = unit energy savings for a single measure, assuming all preceding measures have already been implemented.

incremental cost = the added cost of improving the efficiency of an appliance or building over the preceding measure. For all end-uses except existing buildings, this parameter is defined as the cost per applicable building (or device). The costs shell measures in existing buildings are taken from a source that did not show the cost per applicable building, so the incremental cost in this case is averaged over ALL existing buildings, and hence appears lower in absolute terms than would be expected. See text for more explanation.

*lifetime* = life of measure or device, in years


*% of stock applicable* = the percentage of all homes or appliances in an enduse to which the measure can be applied

*preceding measure* = those measures implemented before implementing the measure under consideration

*Consumer price index conversion factors used in ACCESS:*


<b>To convert from</b>	<b>to</b>	<b>factor =</b>
1983 \$	1989\$	1.24
1984 \$		1.19
1985 \$		1.15
1986 \$		1.13
1987 \$		1.09
1988 \$		1.05
1989 \$		1.00
1990 \$		0.95

Figure A-3.1: ELECTRIC RANGE



Measure eligibility is expressed as a percentage of total electric range stock.


Figure A-3.2: ELECTRIC CLOTHES DRYER



Measure eligibility is expressed as a percentage of total electric clothes dryer stock.



Figure A-3.3 : ELECTRIC WATER HEATER



---

---

**END USE: BWTV Black and white television sets, 13 inch**

1990 UEC: 50 kWh  
Lifetime (yrs): 6  
Fuel Type: electric

Lifetime reflects high turnover to color sets, not necessarily engineering life. Baseline model has mechanical tuning, white picture - 28 W, black picture - 17 W. From LBL's compilation of utility RASSES, we found that 37% of homes have at least one B&W TV set. We assumed 6 viewing hours per household per day, which may be comprised of 1 set on for 6 hrs or 2 sets on for 3 hrs each, and so on.

Source: US DOE, November 1988

**Efficient black and white TV set**

**BWTV01**

new measure  
measure active between 1990 and 2010  
Incremental Cost: \$1 in 1988\$  
UES: 2.5 kWh  
Lifetime (yrs): 6  
% of stock applicable: 100%

Measure includes replacing surge protection resistor + additional output taps on the power supply. Screen power is reduced 5% by this measure.

Source: US DOE, November 1988

Preceding Measure: none

---

---

**END USE: CD-E Clothes Dryer electric**

1990 UEC: 880 kWh  
Lifetime (yrs): 17  
Fuel Type: electric

Electric dryer (weighted average of standard 5.9 cu.ft. dryer, compact 120V and compact 240 V dryers). UEC is the average new unit UEC bought in 1990 (from LBL-REM). The average energy factor is 2.76 (from US DOE 1990).

Source: LBL-REM

### **Improve clothes dryer to 1994 NAECA standard**

#### **CD-E01**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$21 in 1988\$  
*UES:* 73.0 kWh  
*Lifetime (yrs):* 17  
*% of stock applicable:* 100%

Improve clothes dryer to 1994 standard efficiency. Energy savings and cost are from US DOE 1990. Cost assumes a retail markup factor of 1.46 (from LBL-MIM).

*Source:* US DOE 1990.

*Preceding Measure:* none

#### **Heat pump dryer**

#### **CD-E02**

new measure  
measure active between 2000 and 2010  
*Incremental Cost:* \$219 in 1988\$  
*UES:* 524.9 kWh  
*Lifetime (yrs):* 17  
*% of stock applicable:* 64%

Heat pump dryers are assumed to be widely available after 2000 (heat pump dryers have now been successfully developed and tested). We assume all dryers not switched to gas, or 64% of the stock, are replaced with the HP dryer. Cost and energy savings are from US DOE 1990 and are incremental from the 1994 standard. Heat pump dryer energy factor is 8.61 lbs/kWh (weighted average of compact and standard size dryers).

*Source:* US DOE 1990.

*Preceding Measure:* CD-E01

#### **Switch electric clothesdryer to gas**

#### **CD-E03**

new measure/fuel switching  
Yearly Gas Use: 34.9  
measure active between 1990 and 2010  
*Incremental Cost:* \$480 in 1989\$  
*UES:* 807.0 kWh  
*Lifetime (yrs):* 17  
*% of stock applicable:* 36%

About 36% of U.S. elec. clothes dryer stock is found in homes having gas service. This measure involves replacing the electric clothesdryer with a comparable gas unit. The cost includes a gas line extension and the incremental cost of a gas dryer (at a total of \$250) plus \$230 for the present valued cost of gas over the 17-year lifetime (derived from the 1990 Annual Energy Outlook). Energy savings assume the 1994 standard measure has been implemented first and represent the entire UEC of the electric unit. The gas unit will use about 35 therms (REM 1990 new unit UEC).

*Source:* Investigations by C. Atkinson, Aug 1990

*Preceding Measure:* CD-E01

---

---

**END USE: CTV Color television sets 19-20 inch**

1990 UEC: 205 kWh

Lifetime (yrs): 11

Fuel Type: electric

Baseline model has electronic tuning, standby power of 4.4 W, white picture - 100W, black picture - 60 W. From LBL's compilation of utility RASSEs, 93% of homes have at least one color TV set. We assume that the average daily number of viewing hours per household is 6. (This is similar to the Nielsen research findings of 7 hrs in 1986, and can be interpreted as one set on for 6 hrs or 2 sets on for 3 hrs each, etc.).

Source: US DOE, November 1988

**Efficient color TV set**

CTV01

new measure

measure active between 1990 and 2010

Incremental Cost: \$7 in 1988\$

UES: 34.0 kWh

Lifetime (yrs): 11

% of stock applicable: 100%

Measures include reducing standby power to 2W, reducing white/black screen power by 5% (93W/55W), plus increase efficiency of display (91W/53W).

Source: US DOE, November 1988

Preceding Measure: none.

---

---

**END USE: EANEC Existing MF w/ CAC, North**

1990 UEC: 12147 kWh

Lifetime (yrs): 30

Fuel Type: electric

Existing multi family with electric furnaces and central AC in the North. Furnace efficiency is assumed to be 100%. CAC efficiency is 9.96 SEER (REM 1990 new unit). UECs are derived from multifamily heating and cooling loads for Chicago (Ritschard 1989). Ritschard's MF vintage categories were weighted by RECS87 data to obtain an average UEC for existing MF units. Efficiency of space conditioning equipment is from LBL-REM. The fraction of total MF stock in this htg/clg category is from RECS87 data.

Source: Ritschard 1989 and RECS87.

**Improve CAC to 1992 std in EMF elec htd homes, Nth**

**EANEC01**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$27 in 1989\$

*UES:* 23.0 kWh

*Lifetime (yrs):* 12

*% of stock applicable:* 100%

Improve average new unit CAC efficiency to 10.5 SEER in existing electrically heated multi family homes in the South. This efficiency represents LBL-REM's prediction of the average new unit efficiency in 1992, after the standard is operative. It is higher than the standard (10.0 SEER), reflecting the above-standard units that are bought. Cost is from LBL's Energy Conservation Database, scaled down by a factor of 0.62 to account for the smaller capacity (The database cost is for a 35 kBtu/hr peak cooling capacity, whereas the peak load for apartments in the north is about 12 kBtu/hr, from Ritschard 1989). The cost factor was derived from an EPRI TAG 1987 cost-capacity curve for the smallest HP available (23 kBtu/hr) compared to the 35 kBtu unit.

*Source:* LBL's Energy Conservation Database, Sep 1990. EPRI TAG 1987.

*Preceding Measure:* none

---

**END USE: EANGC Existing MF w/ non-elec htg & CAC, North**

*1990 UEC:* 446 kWh

*Lifetime (yrs):* 30

*Fuel Type:* electric

Existing non-electrically heated multi family with central AC in the North. Furnace efficiency is assumed to be 100%. CAC efficiency is 9.96 SEER (REM 1990 new unit). UECs are derived from multifamily heating and cooling loads for Chicago (Ritschard 1989). Ritschard's MF vintage categories were weighted by RECS87 data to obtain an average UEC for existing MF units. Efficiency of space conditioning equipment is from LBL-REM. The fraction of total MF stock in this htg/cig category is from RECS87 data.

*Source:* Ritschard 1989 and RECS87.

**Improve CAC to 1992 std in EMF elec htd homes, Nth**

**EANGC01**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$27 in 1989\$

*UES:* 23.0 kWh

*Lifetime (yrs):* 12

*% of stock applicable:* 100%

Improve average new unit CAC efficiency to 10.5 SEER in existing electrically heated multi family homes in the South. This efficiency represents LBL-REM's prediction of the average new unit efficiency in 1992, after the standard is operative. It is higher than the standard (10.0 SEER), reflecting the above-standard units that are bought. Cost is from LBL's Energy Conservation Database, scaled down by a factor of 0.62 to account for the smaller capacity (The database cost is for a 35 kBtu/hr peak cooling capacity, whereas the peak load for apartments in the north is about 12 kBtu/hr, from Ritschard 1989). The cost factor was derived from an EPRI TAG 1987 cost-capacity curve for the smallest HP available (23 kBtu/hr) compared to the 35 kBtu unit.

*Source:* LBL's Energy Conservation Database, Sep 1990. EPRI TAG 1987.

*Preceding Measure:* none

**END USE: EANHPP Existing MF w/ heat pump, North**

1990 UEC: 5967 kWh

*Lifetime (yrs):* 30

*Fuel Type:* electric

Existing multi family with heat pumps in the North. Heat pump efficiency is 9.86 SEER and 7.24 HSPF (REM 1990 new unit). UECs are derived from multifamily heating and cooling loads for Chicago (Ritschard 1989). Ritschard's MF vintage categories were weighted by RECS87 data to obtain an average UEC for existing MF units. Efficiency of space conditioning equipment is from LBL-REM. The fraction of total MF stock in this htg/clg category is from RECS87 data.

*Source:* Ritschard 1989 and RECS87.

**Improve HP to 92 std in EMF HP homes, North**

**EANHP01**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$49 in 1989\$

*UES:* 190.1 kWh

*Lifetime (yrs):* 14

*% of stock applicable:* 100%

Improve average new unit HP efficiency to 7.46 HSPF, 10.5 SEER in existing multi family buildings in the North. This efficiency represents LBL-REM's prediction of the average new unit efficiency in 1992, after the standard is operative. It is higher than the standard, reflecting the above-standard units that are bought. Cost is from LBL's Energy Conservation Database, scaled down by a factor of 0.69 to account for the smaller capacity (The database cost is for a 35 kBtu/hr peak cooling capacity, whereas the peak load for apartments in the north is about 12 kBtu/hr, from Ritschard 1989). The cost factor was derived from an EPRI TAG 1987 cost-capacity curve for the smallest HP available (23 kBtu/hr) compared to the 35 kBtu unit.

*Source:* LBL's Energy Conservation Database, Sep 1990. EPRI TAG 1987.

*Preceding Measure:* none

**Improve HP beyond 92 std in EMF HP homes, North**

**EANHP02**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$104 in 1989\$

*UES:* 1027.6 kWh

*Lifetime (yrs):* 14

*% of stock applicable:* 100%

Improve average new unit HP efficiency to 9.06 HSPF, 13.03 SEER from LBL-REM's average 1992 new unit efficiency. Applies to existing multi family buildings in the North. Cost is from LBL's Energy Conservation Database, scaled down by a factor of 0.69 to account for the smaller capacity (The database cost is for a 35 kBtu/hr peak cooling capacity, whereas the peak load for apartments in the south is about 12 kBtu/hr, from Ritschard 1989). The cost factor was derived from an EPRI TAG 1987 cost-capacity curve for the smallest HP available (23 kBtu/hr) compared to the 35 kBtu unit.

*Source:* LBL's Energy Conservation Database, Sep 1990. EPRI TAG 1987.

*Preceding Measure:* EANHP01

**Improve HP(2) in EMF HP homes, North**

**EANHP03**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$62 in 1989\$

*UES:* 179.4 kWh

*Lifetime (yrs):* 14

*% of stock applicable:* 100%

Improve average new unit HP efficiency to 9.43 HSPF, 13.28 SEER. Applies to existing multi family buildings in the South. Cost is from LBL's Energy Conservation Database, scaled down by a factor of 0.69 to account for the smaller capacity (The database cost is for a 35 kBtu/hr peak cooling capacity, whereas the peak load for apartments in the south is about 12 kBtu/hr, from Ritschard 1989). The cost factor was derived from an EPRI TAG 1987 cost-capacity curve for the smallest HP available (23 kBtu/hr) compared to the 35 kBtu unit.

*Source:* LBL's Energy Conservation Database, Sep 1990. EPRI TAG 1987.

*Preceding Measure:* EANHP02

**Improve HP(3) in EMF HP homes, North**

**EANHP04**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$228 in 1989\$

*UES:* 254.4 kWh

*Lifetime (yrs):* 14

*% of stock applicable:* 100%

Improve average new unit HP efficiency to 9.93 HSPF, 15.14 SEER. Applies to new multi family buildings in the North. Cost is from LBL's Energy Conservation Database, scaled down by a factor of 0.69 to account for the smaller capacity (The database cost is for a 35 kBtu/hr peak cooling capacity, whereas the peak load for apartments in the north is about 12 kBtu/hr, from Ritschard 1989). The cost factor was derived from an EPRI TAG 1987 cost-capacity curve for the smallest HP available (23 kBtu/hr) compared to the 35 kBtu unit.

*Source:* LBL's Energy Conservation Database, Sep 1990. EPRI TAG 1987.

*Preceding Measure:* EANHP03



---

---

**END USE: EASEC Existing MF w/ CAC, South**

1990 UEC: 4209 kWh

Lifetime (yrs): 30

Fuel Type: electric

Existing multi family with electric furnaces and central AC in the South. Furnace efficiency is assumed to be 100%. CAC efficiency is 9.96 SEER (REM 1990 new unit). UECs are derived from multifamily heating and cooling loads for Fort Worth (Ritschard 1989). Ritschard's MF vintage categories were weighted by RECS87 data to obtain an average UEC for existing MF units. The Fort Worth UECs were adjusted to Charleston weather using heating and cooling degree day ratios (Andersson, et al 1986). Efficiency of space conditioning equipment is from LBL-REM. The fraction of total MF stock in this htg/clg category is from RECS87 data.

Source: Ritschard 1989 and RECS87.

**Improve CAC to 1992 std in EMF elec htd homes, Sth**

EASEC01

new measure

measure active between 1990 and 2010

Incremental Cost: \$28 in 1989\$

UES: 61.0 kWh

Lifetime (yrs): 12

% of stock applicable: 100%

Improve average new unit CAC efficiency to 10.5 SEER in existing electrically heated multi family homes in the South. This efficiency represents LBL-REM's prediction of the average new unit efficiency in 1992, after the standard is operative. It is higher than the standard (10.0 SEER), reflecting the above-standard units that are bought. Cost is from LBL's Energy Conservation Database, scaled down by a factor of 0.64 to account for the smaller capacity (The database cost is for a 35 kBtu/hr peak cooling capacity, whereas the peak load for apartments in the south is about 14 kBtu/hr, from Ritschard 1989). The cost factor was derived from an EPRI TAG 1987 cost-capacity curve for the smallest HP available (23 kBtu/hr) compared to the 35 kBtu unit.

Source: LBL's Energy Conservation Database, Sep 1990. EPRI TAG 1987.

Preceding Measure: none

**Improve CAC beyond 1992 std in EMF elec htd homes, EASEC02**

new measure  
measure active between 1990 and 2000  
*Incremental Cost:* \$169 in 1989\$  
*UES:* 233.7 kWh  
*Lifetime (yrs):* 12  
*% of stock applicable:* 100%

Improve average new unit CAC efficiency to 13.3 SEER from 10.5 SEER in existing electrically heated multi family homes in the South. Energy savings calculated from the efficiencies. Cost is from LBL's Energy Conservation Database, scaled down by a factor of 0.64 to account for the smaller capacity (The database cost is for a 35 kBtu/hr peak cooling capacity, whereas the peak load for apartments in the south is about 14 kBtu/hr, from Ritschard 1989). The cost factor was derived from an EPRI TAG 1987 cost-capacity curve for the smallest HP available (23 kBtu/hr) compared to the 35 kBtu unit. This measure makes way in the year 2000 for the more cost-effective variable speed compressor unit, assumed to become available in 2000.

*Source:* Cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* EASEC01

**Variable speed CAC compressor, EMF elec homes, Sth EASEC03**

new measure  
measure active between 2000 and 2010  
*Incremental Cost:* \$105 in 1989\$  
*UES:* 176.1 kWh  
*Lifetime (yrs):* 12  
*% of stock applicable:* 100%

Variable speed compressor improves average new unit CAC efficiency to 12.48 SEER from 10.5 SEER (1992 new unit) in existing electrically heated multi family homes in the South. Energy savings calculated from the efficiencies. Cost is from LBL's Energy Conservation Database, scaled down by a factor of 0.64 to account for the smaller capacity (The database cost is for a 35 kBtu/hr peak cooling capacity, whereas the peak load for apartments in the south is about 14 kBtu/hr, from Ritschard 1989). The cost factor was derived from an EPRI TAG 1987 cost-capacity curve for the smallest HP available (23 kBtu/hr) compared to the 35 kBtu unit.

*Source:* LBL's Energy Conservation Database, Sep 1990. EPRI TAG 1987.

*Preceding Measure:* EASEC01

---

---

**END USE: EASER Existing MF w/ RAC, South**

1990 UEC: 3393 kWh

Lifetime (yrs): 30

Fuel Type: electric

Existing multi family with electric furnaces and room AC in the South. Furnace efficiency is assumed to be 100%. Cooling UEC is assumed to be 31% of the central AC UEC (RCG/Hagler, Bailly, 1990). UECs are derived from multifamily heating and cooling loads for Fort Worth (Ritschard 1989). Ritschard's MF vintage categories were weighted by RECS87 data to obtain an average UEC for existing MF units. The Fort Worth UECs were adjusted to Charleston weather using heating and cooling degree day ratios (Andersson, et al 1986). Efficiency of space conditioning equipment is from LBL-REM. The fraction of total MF stock in this htg/clg category is from RECS87 data.

Source: Ritschard 1989 and RECS87.

**Improve RAC in EMF elec htd homes, Sth**

**EASER01**

new measure

measure active between 1990 and 2010

Incremental Cost: \$10 in 1989\$

UES: 16.4 kWh

Lifetime (yrs): 12

% of stock applicable: 100%

Improve average new unit RAC efficiency to 9.42 SEER from the 1990 baseline (9.0 SEER) in existing electrically heated multi family homes in the South. Cost assumes an 8 kBtu/hr capacity and is from LBL's Appliance Energy Conservation Database. Measure involves increasing condenser rows. Energy savings calculated from the change in efficiency.

Source: Cost from LBL's Energy Conservation Database, Sep 1990.

Preceding Measure: none

**Improve RAC(2) in EMF elec htd homes, Sth(post2000**

**EASER02**

new measure

measure active between 2000 and 2010

Incremental Cost: \$56 in 1989\$

UES: 52.6 kWh

Lifetime (yrs): 12

% of stock applicable: 100%

Variable speed unit assumed to be available after 2000. Energy savings is from LBL's Conservation Database 1990 and represents a 15% savings over the 9.42 SEER unit. Applies to existing electrically heated multi family homes in the South. Cost assumes an 8 kBtu/hr capacity and is from LBL's Appliance Energy Conservation Database.

Source: LBL's Energy Conservation Database, Sep 1990.

Preceding Measure: EASER01

---

---

**END USE: EASGC Existing MF w/ non-elec htg & CAC, South**

1990 UEC: 1182 kWh

Lifetime (yrs): 30

Fuel Type: electric

Existing non-electrically heated multi family with central AC in the South. Furnace efficiency is assumed to be 100%. CAC efficiency is 9.96 SEER (REM 1990 new unit). UECs are derived from multifamily heating and cooling loads for Fort Worth (Ritschard 1989). Ritschard's MF vintage categories were weighted by RECS87 data to obtain an average UEC for existing MF units. The Fort Worth UECs were adjusted to Charleston weather using heating and cooling degree day ratios (Andersson, et al 1986). Efficiency of space conditioning equipment is from LBL-REM. The fraction of total MF stock in this htg/clg category is from RECS87 data.

Source: Ritschard 1989 and RECS87.

**Improve CAC to 1992 std in EMF non-elec homes, Sth**

EASGC01

new measure

measure active between 1990 and 2010

Incremental Cost: \$28 in 1989\$

UES: 61.0 kWh

Lifetime (yrs): 12

% of stock applicable: 100%

Improve average new unit CAC efficiency to 10.5 SEER in existing gas heated multi family homes in the South. This efficiency represents LBL-REM's prediction of the average new unit efficiency in 1992, after the standard is operative. It is higher than the standard (10.0 SEER), reflecting the above-standard units that are bought. Cost is from LBL's Energy Conservation Database, scaled down by a factor of 0.64 to account for the smaller capacity (The database cost is for a 35 kBtu/hr peak cooling capacity, whereas the peak load for apartments in the south is about 14 kBtu/hr, from Ritschard 1989). The cost factor was derived from an EPRI TAG 1987 cost-capacity curve for the smallest HP available (23 kBtu/hr) compared to the 35 kBtu unit.

Source: LBL's Energy Conservation Database, Sep 1990. EPRI TAG 1987.

Preceding Measure: none

**Improve CAC beyond 1992 std in EMF non-elec homes, EASGC02**

new measure  
measure active between 1990 and 2000  
*Incremental Cost:* \$169 in 1989\$  
*UES:* 233.7 kWh  
*Lifetime (yrs):* 12  
*% of stock applicable:* 100%

Improve average new unit CAC efficiency to 13.3 SEER from 10.5 SEER in existing gas/other heated multi family homes in the South. Energy savings calculated from the efficiencies. Cost is from LBL's Energy Conservation Database, scaled down by a factor of 0.64 to account for the smaller capacity (The database cost is for a 35 kBtu/hr peak cooling capacity, whereas the peak load for apartments in the south is about 14 kBtu/hr, from Ritschard 1989). The cost factor was derived from an EPRI TAG 1987 cost-capacity curve for the smallest HP available (23 kBtu/hr) compared to the 35 kBtu unit.

*Source:* LBL's Energy Conservation Database, Sep 1990. EPRI TAG 1987.

*Preceding Measure:* EASGC01

**Variable speed CAC compressor, EMF g/o homes, Sth EASGC03**

new measure  
measure active between 2000 and 2010  
*Incremental Cost:* \$105 in 1989\$  
*UES:* 176.1 kWh  
*Lifetime (yrs):* 12  
*% of stock applicable:* 100%

Variable speed compressor improves average new unit CAC efficiency to 12.48 SEER from 10.5 SEER (1992 new unit) in existing gas/other heated multi family homes in the South. Energy savings calculated from the efficiencies. Cost is from LBL's Energy Conservation Database, scaled down by a factor of 0.64 to account for the smaller capacity (The database cost is for a 35 kBtu/hr peak cooling capacity, whereas the peak load for apartments in the south is about 14 kBtu/hr, from Ritschard 1989). The cost factor was derived from an EPRI TAG 1987 cost-capacity curve for the smallest HP available (23 kBtu/hr) compared to the 35 kBtu unit.

*Source:* LBL's Energy Conservation Database, Sep 1990. EPRI TAG 1987.

*Preceding Measure:* EASGC01

---

---

**END USE: EASGR Existing MF w/ non-elec htg & RAC, South**

1990 UEC: 367 kWh

Lifetime (yrs): 30

Fuel Type: electric

Existing non-electrically heated multi family with room AC in the South. Cooling UEC is assumed to be 31% of the central AC UEC (RCG/Hagler, Bailly, 1990). UECs are derived from multifamily heating and cooling loads for Fort Worth (Ritschard 1989). Ritschard's MF vintage categories were weighted by RECS87 data to obtain an average UEC for existing MF units. The Fort Worth UECs were adjusted to Charleston weather using heating and cooling degree day ratios (Andersson, et al 1986). Efficiency of space conditioning equipment is from LBL-REM. The fraction of total MF stock in this htg/clg category is from RECS87 data.

Source: Ritschard 1989 and RECS87.

**Improve RAC in EMF non-elec homes, Sth**

**EASGR01**

new measure

measure active between 1990 and 2010

Incremental Cost: \$10 in 1989\$

UES: 16.4 kWh

Lifetime (yrs): 12

% of stock applicable: 100%

Improve average new unit RAC efficiency to 9.42 SEER from the 1990 baseline (9.0 SEER) in existing gas/other heated multi family homes in the South. Measure involves increasing condenser rows. Cost assumes an 8 kBtu/hr capacity and is from LBL's Appliance Energy Conservation Database. Energy savings calculated from the change in efficiency.

Source: Cost from LBL's Energy Conservation Database, Sep 1990.

Preceding Measure: none

**Improve RAC(2) in EMF non-elec homes, Sth(post2000**

**EASGR02**

new measure

measure active between 2000 and 2010

Incremental Cost: \$56 in 1989\$

UES: 52.6 kWh

Lifetime (yrs): 12

% of stock applicable: 100%

Variable speed unit assumed to be available after 2000. Energy savings is from LBL's Conservation Database 1990 and represents a 15% savings over the 9.42 SEER unit. Applies to existing gas/other heated multi family homes in the South. Cost assumes an 8 kBtu/hr capacity and is from LBL's Appliance Energy Conservation Database.

Source: LBL's Energy Conservation Database, Sep 1990.

Preceding Measure: EASGR01

---

---

**END USE: EASHP Existing MF w/ heat pump, South**

1990 UEC: 2621 kWh

Lifetime (yrs): 30

Fuel Type: electric

Existing multi family with heat pumps in the South. Heat pump efficiency is 9.86 SEER and 7.24 HSPF (REM 1990 new unit). UECs are derived from multifamily heating and cooling loads for Fort Worth (Ritschard 1989). Ritschard's MF vintage categories were weighted by RECS87 data to obtain an average UEC for existing MF units. The Fort Worth UECs were adjusted to Charleston weather using heating and cooling degree day ratios (Andersson, et al 1986). Efficiency of space conditioning equipment is from LBL-REM. The fraction of total MF stock in this htg/clg category is from RECS87 data.

Source: Ritschard 1989 and RECS87.

**Improve HP to 92 std in EMF HP homes, South**

**EASHP01**

new measure

measure active between 1990 and 2010

Incremental Cost: \$49 in 1989\$

UES: 114.9 kWh

Lifetime (yrs): 14

% of stock applicable: 100%

Improve average new unit HP efficiency to 7.46 HSPF, 10.5 SEER in new multi family buildings in the South. This efficiency represents LBL-REM's prediction of the average new unit efficiency in 1992, after the standard is operative. It is higher than the standard, reflecting the above-standard units that are bought. Cost is from LBL's Energy Conservation Database, scaled down by a factor of 0.69 to account for the smaller capacity (The database cost is for a 35 kBtu/hr peak cooling capacity, whereas the peak load for apartments in the south is about 14 kBtu/hr, from Ritschard 1989). The cost factor was derived from an EPRI TAG 1987 cost-capacity curve for the smallest HP available (23 kBtu/hr) compared to the 35 kBtu unit.

Source: LBL's Energy Conservation Database, Sep 1990. EPRI TAG 1987.

Preceding Measure: none

**Improve HP beyond 92 std in EMF HP homes, South EASHP02**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$104 in 1989\$  
*UES:* 462.3 kWh  
*Lifetime (yrs):* 14  
*% of stock applicable:* 100%

Improve average new unit HP efficiency to 9.06 HSPF, 13.03 SEER from LBL-REM's average 1992 new unit efficiency. Applies to existing multi family buildings in the South. Cost is from LBL's Energy Conservation Database, scaled down by a factor of 0.69 to account for the smaller capacity (The database cost is for a 35 kBtu/hr peak cooling capacity, whereas the peak load for apartments in the south is about 14 kBtu/hr, from Ritschard 1989). The cost factor was derived from an EPRI TAG 1987 cost-capacity curve for the smallest HP available (23 kBtu/hr) compared to the 35 kBtu unit.

*Source:* LBL's Energy Conservation Database, Sep 1990. EPRI TAG 1987.

*Preceding Measure:* EASHP01

**Improve HP(2) in EMF HP homes, South EASHP03**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$62 in 1989\$  
*UES:* 61.8 kWh  
*Lifetime (yrs):* 14  
*% of stock applicable:* 100%

Improve average new unit HP efficiency to 9.43 HSPF, 13.28 SEER. Applies to existing multi family buildings in the South. Cost is from LBL's Energy Conservation Database, scaled down by a factor of 0.69 to account for the smaller capacity (The database cost is for a 35 kBtu/hr peak cooling capacity, whereas the peak load for apartments in the south is about 14 kBtu/hr, from Ritschard 1989). The cost factor was derived from an EPRI TAG 1987 cost-capacity curve for the smallest HP available (23 kBtu/hr) compared to the 35 kBtu unit.

*Source:* LBL's Energy Conservation Database, Sep 1990. EPRI TAG 1987.

*Preceding Measure:* EASHP02



**Improve HP(3) in EMF HP homes, South  
EASHP04**

new measure  
measure active between 1990 and 2010  
Incremental Cost: \$228 in 1989\$  
UES: 164.1 kWh  
Lifetime (yrs): 14  
% of stock applicable: 100%

Improve average new unit HP efficiency to 9.93 HSPF, 15.14 SEER. Applies to existing multi family buildings in the South. Cost is from LBL's Energy Conservation Database, scaled down by a factor of 0.69 to account for the smaller capacity (The database cost is for a 35 kBtu/hr peak cooling capacity, whereas the peak load for apartments in the south is about 14 kBtu/hr, from Ritschard 1989). The cost factor was derived from an EPRI TAG 1987 cost-capacity curve for the smallest HP available (23 kBtu/hr) compared to the 35 kBtu unit.

Source: LBL's Energy Conservation Database, Sep 1990. EPRI TAG 1987.

Preceding Measure: EASHP03

---

**END USE: EMNEC Existing MH w/ CAC, North**

1990 UEC: 12522 kWh  
Lifetime (yrs): 30  
Fuel Type: electric

Existing mobile homes with electric furnaces and central AC in the North. Furnace efficiency is assumed to be 100%. CAC efficiency is 9.96 SEER (REM 1990 new unit). UEC is from PEAR runs using baseline shell characteristics correspond to minimum HUD code requirement for Zone II (Mills, 1984). Insulation values for the north (HUD Zone II) are: R-14 ceiling, R-11 wall, R-11 floor, and double glazing. Home was modelled as a 1-story, 1025 sqft home with crawl space foundation in Cincinnati (closest city to Chicago in PEAR database having crawl). UECs were adjusted to Chicago weather using heating and cooling degree days (Andersson et al 1986). The floor area is from RECS87 data for existing mobile homes with ER in the north. Infiltration rate is assumed to be 0.45 ACH. Fraction of total MH stock in this category is from RECS87.

Source: MHI, 1991a and 1990. RECS 1987. Mills 1984.

**Improve CAC to 1992 std in EMH elec htd homes, Nth**

**EMNEC01**

new measure  
measure active between 1990 and 2010  
Incremental Cost: \$43 in 1989\$

UES: 69.0 kWh

Lifetime (yrs): 12

% of stock applicable: 100%

Improve average new unit CAC efficiency to 10.5 SEER in existing electrically heated mobile homes in the North. This efficiency represents LBL-REM's prediction of the average new unit efficiency in 1992, after the standard is operative. It is higher than the standard (10.0 SEER), reflecting the above-standard units that are bought. Cost assumes a 35 kBtu/hr capacity.

Source: Energy savings from PEAR. Cost from LBL's Appliance Energy Conservation Database, Sep 1990.

Preceding Measure: none

---

**END USE: EMNER Existing MH w/ RAC, North**

1990 UEC: 11602 kWh

Lifetime (yrs): 30

Fuel Type: electric

Existing mobile homes with electric furnaces and room AC in the North. Furnace efficiency is assumed to be 100%. Room AC UEC is assumed to be 31% of the central AC UEC (RCG/Hagler, Bailly, 1990). Central AC UEC is from PEAR runs using baseline shell characteristics correspond to minimum HUD code requirement for Zone II (Mills, 1984). Insulation values for the north (HUD Zone II) are: R-14 ceiling, R-11 wall, R-11 floor, and double glazing. Home was modelled as a 1-story, 1025 sqft home with crawl space foundation in Cincinnati (closest city to Chicago in PEAR database having crawl). UECs were adjusted to Chicago weather using heating and cooling degree days (Anderson et al 1986). The floor area is from RECS87 data for existing mobile homes with ER in the north. Infiltration rate is assumed to be 0.45 ACH. Fraction of total MH stock in this category is from RECS87.

Source: MHI, 1991a and 1990. RECS 1987. Mills 1984.

**Improve RAC in EMH elec htd homes, Nth**

**EMNER01**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$10 in 1989\$  
*UES:* 18.5 kWh  
*Lifetime (yrs):* 12  
*% of stock applicable:* 100%

Improve average new unit RAC efficiency to 9.42 SEER from the 1990 baseline (9.0 SEER) in existing electrically heated mobile homes in the North. Cost assumes an 8 kBtu/hr capacity and is from LBL's Appliance Energy Conservation Database. Measure involves increasing condenser rows. Energy savings calculated from the change in efficiency.

*Source:* Cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* none

**Improve RAC(2) in EMH elec htd homes, Nth(post2000**

**EMNER02**

new measure  
measure active between 2000 and 2010  
*Incremental Cost:* \$56 in 1989\$  
*UES:* 59.3 kWh  
*Lifetime (yrs):* 12  
*% of stock applicable:* 100%

Variable speed unit assumed to be available after 2000. Energy savings is from LBL's Conservation Database 1990 and represents a 15% savings over the 9.42 SEER unit. Applies to existing electrically heated mobile homes in the North. Cost assumes an 8 kBtu/hr capacity and is from LBL's Appliance Energy Conservation Database.

*Source:* LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* EMNER01

---

**END USE: EMNGC Existing MH w/ non-elec htg & CAC, North**

*1990 UEC:* 1236 kWh  
*Lifetime (yrs):* 30  
*Fuel Type:* electric

Existing non-electrically heated mobile homes with central AC in the North. Furnace efficiency is assumed to be 100%. CAC efficiency is 9.96 SEER (REM 1990 new unit). UEC is from PEAR runs using baseline shell characteristics correspond to minimum HUD code requirement for Zone II (Mills, 1984). Insulation values for the north (HUD Zone II) are: R-14 ceiling, R-11 wall, R-11 floor, and double glazing. Home was modelled as a 1-story, 804 sqft home with crawl space foundation in Cincinnati (closest city to Chicago in PEAR database having crawl). UECs were adjusted to Chicago weather using heating and cooling degree days (Andersson et al 1986). The floor area is from RECS87 data for existing mobile homes with ER in the north. Infiltration rate is assumed to be 0.45 ACH. Fraction of total MH stock in this category is from RECS87.

*Source:* MHI, 1991a and 1990. RECS 1987. Mills 1984.

**Improve CAC to 1992 std in EMH non-elec homes, Nth**

**EMNGC01**

new measure  
measure active between 1990 and 2010

*Incremental Cost:* \$43 in 1989\$

*UES:* 64.0 kWh

*Lifetime (yrs):* 12

*% of stock applicable:* 100%

Improve average new unit CAC efficiency to 10.5 SEER in existing gas heated mobile homes in the North. This efficiency represents LBL-REM's prediction of the average new unit efficiency in 1992, after the standard is operative. It is higher than the standard (10.0 SEER), reflecting the above-standard units that are bought. Cost assumes a 35 kBtu/hr capacity.

*Source:* Energy savings from PEAR. Cost from LBL's Appliance Energy Conservation Database, Sep 1990.

*Preceding Measure:* none

---

**END USE: EMNGR Existing MH w/ non-elec htg & RAC, North**

*1990 UEC:* 383 kWh

*Lifetime (yrs):* 30

*Fuel Type:* electric

Existing non-electrically heated mobile homes with room AC in the North. Room AC UEC is assumed to be 31% of the central AC UEC (RCG/Hagler, Bailly, 1990). Central AC UEC is from PEAR runs using baseline shell characteristics correspond to minimum HUD code requirement for Zone II (Mills, 1984). Insulation values for the north (HUD Zone II) are: R-14 ceiling, R-11 wall, R-11 floor, and double glazing. Home was modelled as a 1-story, 804 sqft home with crawl space foundation in Cincinnati (closest city to Chicago in PEAR database having crawl). UECs were adjusted to Chicago weather using heating and cooling degree days (Andersson et al 1986). The floor area is from RECS87 data for existing mobile homes with ER in the north. Infiltration rate is assumed to be 0.45 ACH. Fraction of total MH stock in this category is from RECS87.

*Source:* MHI, 1991a and 1990. RECS 1987. Mills 1984.

**Improve RAC in EMH non-elec homes, Nth**

**EMNGR01**

new measure

measure active between 1990 and 2010

Incremental Cost: \$10 in 1989\$

UES: 17.1 kWh

Lifetime (yrs): 12

% of stock applicable: 100%

Improve average new unit RAC efficiency to 9.42 SEER from the 1990 baseline (9.0 SEER) in existing non-electrically heated mobile homes in the North. Measure involves increasing condenser rows. Cost assumes an 8 kBtu/hr capacity and is from LBL's Appliance Energy Conservation Database. Energy savings calculated from the change in efficiency.

Source: Cost from LBL's Energy Conservation Database, Sep 1990.

Preceding Measure: none

---

**END USE: EMNHP Existing MH w/ heat pump, North**

1990 UEC: 6622 kWh

Lifetime (yrs): 30

Fuel Type: electric

Existing mobile homes with heat pumps in the North. Heat pump efficiency is 9.86 SEER and 7.24 HSPF (REM 1990 new unit). UEC is from PEAR runs using baseline shell characteristics correspond to minimum HUD code requirement for Zone II (Mills, 1984). Insulation values for the north (HUD Zone II) are: R-14 ceiling, R-11 wall, R-11 floor, and double glazing. Home was modelled as a 1-story, 800 sqft home with crawl space foundation in Cincinnati (closest city to Chicago in PEAR database having crawl). UECs were adjusted to Chicago weather using heating and cooling degree days (Andersson et al 1986). The floor area is from RECS87 data for existing mobile homes with ER in the north. Infiltration rate is assumed to be 0.45 ACH. Fraction of total MH stock in this category is from RECS87.

Source: MHI, 1991a and 1990. RECS 1987. Mills 1984.

**Improve HP to 92 std in EMH HP homes, North  
EMNHP01**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$93 in 1989\$  
*UES:* 237.6 kWh  
*Lifetime (yrs):* 14  
*% of stock applicable:* 100%

Improve average new unit HP efficiency to 7.46 HSPF, 10.5 SEER in existing mobile homes in the North. This efficiency represents LBL-REM's prediction of the average new unit efficiency in 1992, after the standard is operative. It is higher than the standard, reflecting the above-standard units that are bought. Cost is from LBL's Energy Conservation Database for a peak cooling capacity of 35 kBtu/hr and is adjusted by a scaling factor equal to the ratio of the mobile home UEC to the single family UEC for this combination of heating and cooling types. The scaling factor in this case is 1.3.

*Source:* Cost from LBL's Energy Conservation Database, Sep 1990. Energy savings from PEAR.

*Preceding Measure:* none

**Improve HP beyond 1992 standard in North EMH  
EMNHP02**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$151 in 1988\$  
*UES:* 1150.0 kWh  
*Lifetime (yrs):* 14  
*% of stock applicable:* 100%

Improve heat pump to HSPF = 9.06 and SEER = 13.03 from LBL-REM's 1992 average new unit efficiency.

*Source:* PEAR for energy savings, cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* EMNHP01

**Improve HP(2) in North EMH  
EMNHP03**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$90 in 1988\$  
*UES:* 185.0 kWh  
*Lifetime (yrs):* 14  
*% of stock applicable:* 100%

Improve heat pump to HSPF = 9.43 and SEER = 13.28.

*Source:* PEAR for energy savings, cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* EMNHP02

**Improve HP(3) in North EMH**

**EMNHP04**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$330 in 1988\$

*UES:* 327.0 kWh

*Lifetime (yrs):* 14

*% of stock applicable:* 100%

Improve heat pump to HSPF = 9.93 and SEER = 15.14.

*Source:* PEAR for energy savings, cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* EMNHP03

---

**END USE: EMSEC Existing MH w/ CAC, South**

*1990 UEC:* 8452 kWh

*Lifetime (yrs):* 30

*Fuel Type:* electric

Existing mobile homes with electric furnaces and central AC in the South. Furnace efficiency is assumed to be 100%. CAC efficiency is 9.96 SEER (REM 1990 new unit). UEC is from PEAR runs using baseline shell characteristics corresponding to minimum HUD code requirement for Zone I (Mills, 1984). Insulation values for the south (HUD Zone I) are: R-11 ceiling, R-11 wall, R-7 floor, and single glazing. Home was modelled as a 1-story, 940 sqft home with crawl space foundation in Charleston. The floor area is from RECS87 data for existing mobile homes with ER in the south. Infiltration rate is assumed to be 0.56 ACH. Fraction of total MH stock in this category is from RECS87.

*Source:* MHI, 1991a and 1990. RECS 1987. Mills 1984.

**Improve CAC to 1992 std in EMH elec htd homes, Sth**

**EMSEC01**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$50 in 1989\$

*UES:* 136.0 kWh

*Lifetime (yrs):* 12

*% of stock applicable:* 100%

Improve average new unit CAC efficiency to 10.5 SEER in existing electrically heated mobile homes in the South. This efficiency represents LBL-REM's prediction of the average new unit efficiency in 1992, after the standard is operative. It is higher than the standard (10.0 SEER), reflecting the above-standard units that are bought. Cost assumes a 41 kBtu/hr capacity and is increased over LBL's Conservation database 35kBtu cost by a factor of 17%. Factor was derived from EPRI TAG 1987 cost versus capacity curve.

*Source:* Energy savings from PEAR. Cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* none

**Improve CAC beyond 1992 std in EMH elec htd homes, EMSEC02**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$309 in 1989\$  
*UES:* 524.5 kWh  
*Lifetime (yrs):* 12  
*% of stock applicable:* 100%

Improve average new unit CAC efficiency to 13.3 SEER from 10.5 SEER in existing electrically heated mobile homes in the South. Energy savings calculated from the efficiencies. Cost assumes a 41 kBtu/hr capacity in the south and is 17% higher than LBL's Conservation database cost for a 35kBtu unit (percentage derived from EPRI TAG 1987 CAC cost versus capacity curve).

*Source:* Cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* EMSEC01

---

**END USE: EMSER Existing MH w/ RAC, South**

1990 *UEC:* 6702 kWh  
*Lifetime (yrs):* 30  
*Fuel Type:* electric

Existing mobile homes with electric furnaces and room AC in the South. Furnace efficiency is assumed to be 100%. Room AC UEC is assumed to be 31% of the central AC UEC (RCG/Hagler, Bailly, 1990). Central AC UEC is from PEAR runs using baseline shell characteristics corresponding to minimum HUD code requirement for Zone 1 (Mills, 1984). Insulation values for the south (HUD Zone 1) are: R-11 ceiling, R-11 wall, R-7 floor, and single glazing. Home was modelled as a 1-story, 940 sqft home with crawl space foundation in Charleston. The floor area is from RECS87 data for existing mobile homes with ER in the south. Infiltration rate is assumed to be 0.56 ACH. Fraction of total MH stock in this category is from RECS87.

*Source:* MHI, 1991a and 1990. RECS 1987. Mills 1984.

**Improve RAC in EMH elec htd homes, Sth EMSER01**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$10 in 1989\$  
*UES:* 40.2 kWh  
*Lifetime (yrs):* 12  
*% of stock applicable:* 100%

Improve average new unit RAC efficiency to 9.42 SEER from the 1990 baseline (9.0 SEER) in existing electrically heated mobile homes in the South. Cost assumes an 8 kBtu/hr capacity and is from LBL's Appliance Energy Conservation Database. Measure involves increasing condenser rows. Energy savings calculated from the change in efficiency.

*Source:* Cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* none



**Improve RAC(2) in EMH elec htd homes, Sth(post2000**

**EMSER02**  
Variable speed unit assumed to be available after 2000. Energy savings is from LBL's Conservation Database 1990 and represents a 15% savings over the 9.42 SEER unit. Applies to existing electrically heated mobile homes in the South. Cost assumes an 8 kBTu/hr capacity and is from LBL's Appliance Energy Conservation Database.

new measure  
measure active between 2000 and 2010  
*Incremental Cost:* \$56 in 1989\$

*UES:* 129.3 kWh

*Lifetime (yrs):* 12

*% of stock applicable:* 100%

*Source:* LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* EMSER01

---

**END USE: EMSGC Existing MH w/ non-elec htg & CAC, South**

1990 UEC: 2532 kWh

*Lifetime (yrs):* 30

*Fuel Type:* electric

Existing non-electrically heated mobile homes with central AC in the South. Furnace efficiency is assumed to be 100%. CAC efficiency is 9.96 SEER (REM 1990 new unit). UEC is from PEAR runs using baseline shell characteristics corresponding to minimum HUD code requirement for Zone I (Mills, 1984). Insulation values for the south (HUD Zone I) are: R-11 ceiling, R-11 wall, R-7 floor, and single glazing. Home was modelled as a 1-story, 847 sqft home with crawl space foundation in Charleston. The floor area is from RECS87 data for existing mobile homes with ER in the south. Infiltration rate is assumed to be 0.56 ACH. Fraction of total MH stock in this category is from RECS87.

*Source:* MHI, 1991a and 1990. RECS 1987. Mills 1984.

**Improve CAC to 1992 std in EMH non-elec homes, Sth**

**EMSGC01**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$50 in 1989\$

*UES:* 130.0 kWh

*Lifetime (yrs):* 12

*% of stock applicable:* 100%

Improve average new unit CAC efficiency to 10.5 SEER in existing gas heated mobile homes in the South. This efficiency represents LBL-REM's prediction of the average new unit efficiency in 1992, after the standard is operative. It is higher than the standard (10.0 SEER), reflecting the above-standard units that are bought. Cost assumes a 41 kBTu/hr capacity and is increased over LBL's Conservation database 35kBTu cost by a factor of 17%. Factor was derived from EPRI TAG 1987 cost versus capacity curve.

*Source:* Energy savings from PEAR. Cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* none

**Improve CAC beyond 1992 std in EMH non-elec homes,**

**EMSGC02**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$309 in 1989\$  
*UES:* 500.6 kWh  
*Lifetime (yrs):* 12  
*% of stock applicable:* 100%

Improve average new unit CAC efficiency to 13.3 SEER from 10.5 SEER in existing gas/other heated mobile homes in the South. Energy savings calculated from the efficiencies. Cost assumes a 41 kBtu/hr capacity in the south and is 17% higher than LBL's Conservation database cost for a 35kBtu unit (percentage derived from EPRI TAG 1987 CAC cost versus capacity curve).

*Source:* Cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* EMSGC01

---

**END USE: EMSGR Existing MH w/ non-elec htg & RAC, South**

*1990 UEC:* 861 kWh  
*Lifetime (yrs):* 30  
*Fuel Type:* electric

Existing non-electrically heated mobile homes with room AC in the South. Room AC UEC is assumed to be 31% of the central AC UEC (RCG/Hagler, Bailly, 1990). Central AC UEC is from PEAR runs using baseline shell characteristics corresponding to minimum HUD code requirement for Zone I (Mills, 1984). Insulation values for the south (HUD Zone I) are: R-11 ceiling, R-11 wall, R-7 floor, and single glazing. Home was modelled as a 1-story, 1025 sqft home with crawl space foundation in Charleston. The floor area is from RECS87 data for existing mobile homes with ER in the south. Infiltration rate is assumed to be 0.56 ACH. Fraction of total MH stock in this category is from RECS87.

*Source:* MHI, 1991a and 1990. RECS 1987. Mills 1984.

**Improve RAC in EMH non-elec homes, Sth**

**EMSGR01**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$10 in 1989\$  
*UES:* 38.4 kWh  
*Lifetime (yrs):* 12  
*% of stock applicable:* 100%

Improve average new unit RAC efficiency to 9.42 SEER from the 1990 baseline (9.0 SEER) in existing non-electrically heated mobile homes in the South. Measure involves increasing condenser rows. Cost assumes an 8 kBtu/hr capacity and is from LBL's Appliance Energy Conservation Database. Energy savings calculated from the change in efficiency.

*Source:* Cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* none

**Improve RAC(2) in EMH non-elec homes, Sth(post2000  
EMSGR02**

new measure  
measure active between 2000 and 2010  
*Incremental Cost:* \$56 in 1989\$  
*UES:* 123.4 kWh  
*Lifetime (yrs):* 12  
*% of stock applicable:* 100%

*Source:* LBL's Energy Conservation Database, Sep 1990.  
*Preceding Measure:* EMSGR01

*Source:* LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* EMSGR01

---

**END USE: EMSHP Existing MH w/ heat pump, South**

*1990 UEC:* 5545 kWh  
*Lifetime (yrs):* 30  
*Fuel Type:* electric

Existing mobile homes with heat pumps in the South. Heat pump efficiency is 9.86 SEER and 7.24 HSPF (REM 1990 new unit). UEC is from PEAR runs using baseline shell characteristics corresponding to minimum HUD code requirement for Zone I (Mills, 1984). Insulation values for the south (HUD Zone I) are: R-11 ceiling, R-11 wall, R-7 floor, and single glazing. Home was modelled as a 1-story, 1040 sqft home with crawl space foundation in Charleston. The floor area is from RECS87 data for existing mobile homes with ER in the south. Infiltration rate is assumed to be 0.56 ACH. Fraction of total MH stock in this category is from RECS87.

*Source:* MHI, 1991a and 1990. RECS 1987. Mills 1984.

**Improve HP to 92 std in EMH HP homes, South**

**EMSHHP01**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$55 in 1989\$

*UES:* 250.6 kWh

*Lifetime (yrs):* 14

*% of stock applicable:* 100%

Improve average new unit HP efficiency to 7.46 HSPF, 10.5 SEER in existing mobile homes in the South. This efficiency represents LBL-REM's prediction of the average new unit efficiency in 1992, after the standard is operative. It is higher than the standard, reflecting the above-standard units that are bought. Cost is from LBL's Energy Conservation Database for a peak cooling capacity of 35 kBtu/hr and is adjusted by a scaling factor equal to the ratio of the mobile home UEC to the single family UEC for this combination of heating and cooling types. The scaling factor in this case is 0.8.

*Source:* Cost from LBL's Energy Conservation Database, Sep 1990. Energy savings from PEAR.

*Preceding Measure:* none

**Improve HP beyond 1992 standard in South EMH**

**EMSHHP02**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$183 in 1988\$

*UES:* 981.0 kWh

*Lifetime (yrs):* 14

*% of stock applicable:* 100%

Improve heat pump to HSPF = 9.06 and SEER = 13.03 from LBL-REM's 1992 average new unit efficiency. Cost assumes a 41 kBtu/hr capacity in the south and includes a 21% increase over the cost of a 35 kBtu/hr unit derived from EPRI TAG 1987 cost versus capacity table.

*Source:* PEAR for energy savings, cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* EMSHP01

**Improve HP(2) in South EMH**

**EMSHHP03**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$109 in 1988\$

*UES:* 127.0 kWh

*Lifetime (yrs):* 14

*% of stock applicable:* 100%

Improve heat pump to HSPF = 9.43 and SEER = 13.28. Cost assumes a 41 kBtu/hr capacity in the south and includes a 21% increase over the cost of a 35 kBtu/hr unit derived from EPRI TAG 1987 cost versus capacity table.

*Source:* PEAR for energy savings, cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* EMSHP02

**Improve HP(3) in South EMH  
EMSHP04**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$399 in 1988\$  
*UES:* 360.0 kWh  
*Lifetime (yrs):* 14  
*% of stock applicable:* 100%

Improve heat pump to HSPF = 9.93 and SEER = 15.14. Cost assumes a 41 kBtu/hr capacity in the south and includes a 21% increase over the cost of a 35 kBtu/hr unit derived from EPRI TAG 1987 cost versus capacity table.

*Source:* PEAR for energy savings, cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* EMSHP03

---

**END USE: ERNG Electric Range**

*1990 UEC:* 944 kWh  
*Lifetime (yrs):* 18  
*Fuel Type:* electric

Baseline UEC is LBL-REM forecast for 1990 new units. It is probably high because it does not yet take into account the widespread use of microwave ovens.

*Source:* US DOE, November 1989

---

**Induction cooktop and improved oven (post-1995)**

**ERNG01**  
new measure  
measure active between 1995 and 2010  
*Incremental Cost:* \$180 in 1990\$  
*UES:* 250.0 kWh  
*Lifetime (yrs):* 18  
*% of stock applicable:* 70%

Measure includes induction heaters on cooktop and an adjustable-size, convection oven. Induction heaters are shown to save over 50% compared to standard electric coils. We assume that only two out of the four burners are switched to induction. Adjustable-size oven + convection saves 30%, but accounts for only 15% of total range use. We assume these technologies could become widely available by 1995 and that they would be applied to almost all of the electric ranges remaining after fuel-switching.

*Source:* LBL engineering estimates.

*Preceding Measure:* none

**Switch from electric to gas range  
ERNG02**

new measure/fuel switching  
Yearly Gas Use: 47.8  
measure active between 1990 and 2010  
*Incremental Cost:* \$590 in 1989\$  
*UES:* 943.5 kWh  
*Lifetime (yrs):* 18  
*% of stock applicable:* 22%

Electric savings represent the UEC of the replaced electric unit. The gas unit will use about 48 therms (REM 1990 new unit UEC). 22% of homes with electric ranges have gas service (from LBL's compilation of utility RASS data), and we assume that all of these homes will switch to gas dryers. The cost includes \$300 for the additional first cost of the gas unit compared to an electric, plus gas line extension and flues; and \$290 for the present valued cost of buying natural gas over the range's 15-year lifetime.

*Source:* RASS data, and Meier et al, 1983.

*Preceding Measure:* none

---

**END USE: ESNE Existing SF homes w/o cooling, North**

1990 UEC: 18311 kWh  
*Lifetime (yrs):* 30  
*Fuel Type:* electric

Existing single family homes with electric furnaces and no cooling in the North. The furnace is set back at night and has 100% efficiency. UEC is from PEAR runs using baseline shell characteristics derived from RECS84 and updated to 1990 levels (Boghosian, 1991). Insulation values for north ER homes are: R-20.8 ceiling, R-4.7 wall, 0.54 ACH, and 1.8 window layers. The prototype is a 1-story, 1582 sqft home with unheated basement in Chicago. We diverge from Boghosian's data only in foundation insulation. For the sake of simplicity, we assumed R-11 insulation in the floors and no foundation insulation. The fraction of SF stock in this category is from RECS87.

*Source:* Boghosian, 1991 and RECS 1987.

**Improve shell in ESF ER/- homes, North  
ESNE01**

retrofit measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$754 in 1989\$  
*UES:* 3583.0 kWh  
*replacement rate:* 5%/year  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

Shell improvements are from Boghosian, 1991 and include: decreasing the infiltration rate to 0.41, increasing average wall insulation to R-6.15, adding R-19 to all insulated ceilings, and adding R-30 to all non-insulated ceilings. COST AND ENERGY SAVINGS ARE AVERAGES OVER ALL EXISTING HOMES OF THIS FUEL TYPE AND DO NOT REFLECT THE ACTUAL COST PER APPLICABLE HOUSE.

*Source:* Measures and costs from Boghosian, 1991. Energy savings from PEAR.

*Preceding Measure:* none

**Improve window, ceil & wall in ESF homes, North**

**ESNE02**

retrofit measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$859 in 1989\$  
*UES:* 1469.0 kWh  
*replacement rate:*5%/year  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

This measure involves increasing average wall insulation to R-8.4, adding R-30 to all insulated ceilings, and adding single-glazed storm windows to all single-glazed windows. COST AND ENERGY SAVINGS ARE AVERAGES OVER ALL EXISTING HOMES OF THIS FUEL TYPE AND DO NOT REFLECT THE ACTUAL COST PER APPLICABLE HOUSE.

*Source:* Measure and cost from Boghosian, 1991. Energy savings from PEAR.

*Preceding Measure:* ESNE01

**R-30 floor in ESF ER/- homes, North**

**ESNE03**

retrofit measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$1297 in 1989\$  
*UES:* 1471.0 kWh  
*replacement rate:*5%/year  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

This measure involves increasing average floor insulation to R-30. The cost of the measure is assumed to be the same as the cost for insulating crawl spaces. The measure is applicable only to homes with crawlspaces (15%) or unheated basements (22%), or 37% of all northern ER homes. COST AND ENERGY SAVINGS ARE AVERAGES OVER ALL EXISTING HOMES OF THIS FUEL TYPE AND DO NOT REFLECT THE ACTUAL COST PER APPLICABLE HOUSE.

*Source:* Cost from Boghosian, 1991. Energy savings from PEAR.

*Preceding Measure:* ESNE02

**Improve ceiling in ESF homes, North**

**ESNE04**

retrofit measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$14 in 1989\$  
*UES:* 15.0 kWh  
*replacement rate:*5%/year  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

This measure involves insulating all non-insulated ceilings to R-49. COST AND ENERGY SAVINGS ARE AVERAGES OVER ALL EXISTING HOMES OF THIS FUEL TYPE AND DO NOT REFLECT THE ACTUAL COST PER APPLICABLE HOUSE.

*Source:* Measure and cost from Boghosian, 1991. Energy savings from PEAR.

*Preceding Measure:* ESNE03

**Improve windows in ESF homes, North  
ESNE05**

retrofit measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$316 in 1989\$  
*UES:* 209.0 kWh  
*replacement rate:* 5%/year  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

This measure involves replacing all single-glazed windows with double-glazed, low-e, argon-filled units. COST AND ENERGY SAVINGS ARE AVERAGES OVER ALL EXISTING HOMES OF THIS FUEL TYPE AND DO NOT REFLECT THE ACTUAL COST PER APPLICABLE HOUSE.

*Source:* Measure and cost from Boghosian, 1991. Energy savings from PEAR.

*Preceding Measure:* ESNE04

---

**END USE: ESNEC Existing SF w/ CAC, North**

*1990 UEC:* 19296 kWh  
*Lifetime (yrs):* 30  
*Fuel Type:* electric

Existing SF homes with electric furnaces and central AC in the North. Furnace efficiency is assumed to be 100%. CAC efficiency is 9.96 SEER (REM 1990 new unit). The furnace is set back at night and has 100% efficiency. UEC is from PEAR runs using baseline shell characteristics derived from RECS84 and updated to 1990 levels (Boghosian, 1991). Insulation values for north ER homes are: R-20.8 ceiling, R-4.7 wall, 0.54 ACH, and 1.8 window layers. The prototype is a 1-story, 1582 sqft home with unheated basement in Chicago. We diverge from Boghosian's data only in foundation insulation. For the sake of simplicity, we assumed R-11 insulation in the floors and no foundation insulation. The fraction of SF stock in this category is from RECS87.

*Source:* Boghosian, 1991 and RECS 1987.



**Switch elec furn to HP in existing North SF**

**ESNEC01**

retrofit measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$822 in 1989\$  
*UES:* 11853.0 kWh  
*replacement rate:*4%/year  
*Lifetime (yrs):* 14  
*% of stock applicable:* 100%

Switch the electric furnace and central air conditioner to a heat pump having HSPF of 9.06 and SEER of 13.03. All homes with CAC and electric furnaces are switched. There is virtually no difference in cost between a standard heat pump and a CAC/electric heating system (EPRI, 1987). Measure cost includes \$222 for the cost of this HP over a 1990 standard HP (from LBL's AEC Database) plus \$600 for changes in ducting and controls. The average lifetimes of CAC and electric furnaces are 12 and 23 years, respectively. We assumed that the furnace and CAC were installed at the same time, hence every 24 years both will retire approximately simultaneously. Our retrofit rate is thus 1/24, or 4%, per year.

*Source:* PEAR for energy savings, costs from LBL's Energy Conservation Database, J McMahan, revised Sep 1990.

*Preceding Measure:* none

**Improve shell in ESF ER/CAC homes, North**

**ESNEC02**

retrofit measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$274 in 1989\$  
*UES:* 842.2 kWh  
*replacement rate:*5%/year  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

Shell improvements are from Boghosian, 1991 and include: decreasing the infiltration rate to 0.41, increasing average wall insulation to R-6.15, and insulating all non-insulated ceilings to R-30. COST AND ENERGY SAVINGS ARE AVERAGES OVER ALL EXISTING HOMES OF THIS FUEL TYPE AND DO NOT REFLECT THE ACTUAL COST PER APPLICABLE HOUSE.

*Source:* measures and costs from Boghosian, 1991. Energy savings from PEAR.

*Preceding Measure:* ESNEC01

**Switch to improved HP in North ESF homes**

**ESNEC03**

retrofit measure  
measure active between 1990 and 2010

*Incremental Cost:* \$90 in 1989\$

*UES:* 285.2 kWh

*replacement rate:*4%/year

*Lifetime (yrs):* 14

*% of stock applicable:* 100%

Switch all ER/CAC homes to an improved efficiency heat pump (HSPF 9.5 and SEER 13.3). Replacement rate is assumed to be 4% per year (see measure ESNEC01).

*Source:* PEAR for energy savings, cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* ESNEC02

**Improve ceiling insulation in ESF homes, North**

**ESNEC04**

retrofit measure

measure active between 1990 and 2010

*Incremental Cost:* \$480 in 1989\$

*UES:* 392.8 kWh

*replacement rate:*5%/year

*Lifetime (yrs):* 30

*% of stock applicable:* 100%

This measure involves adding R-19 to all insulated ceilings. COST AND ENERGY SAVINGS ARE AVERAGES OVER ALL EXISTING HOMES OF THIS FUEL TYPE AND DO NOT REFLECT THE ACTUAL COST PER APPLICABLE HOUSE.

*Source:* Measure and cost from Boghosian, 1991. Energy savings from PEAR.

*Preceding Measure:* ESNEC03

**Improve window & wall in ESF homes, North**

**ESNEC05**

retrofit measure

measure active between 1990 and 2010

*Incremental Cost:* \$646 in 1989\$

*UES:* 354.5 kWh

*replacement rate:*5%/year

*Lifetime (yrs):* 30

*% of stock applicable:* 100%

This measure involves increasing average wall insulation to R-8.4 and adding single-glazed storm windows to all single-glazed windows. COST AND ENERGY SAVINGS ARE AVERAGES OVER ALL EXISTING HOMES OF THIS FUEL TYPE AND DO NOT REFLECT THE ACTUAL COST PER APPLICABLE HOUSE.

*Source:* Measure and cost from Boghosian, 1991. Energy savings from PEAR.

*Preceding Measure:* ESNEC04

---

---

**END USE: ESNER Existing SF w/ RAC, North**

1990 UEC: 18616 kWh

Lifetime (yrs): 30

Fuel Type: electric

Existing SF homes with electric furnaces and room AC in the North. Cooling UEC is assumed to be 31% of the central AC UEC (RCG/Hagler, Bailly, 1990). The furnace is set back at night and has 100% efficiency. UEC is from PEAR runs using baseline shell characteristics derived from RECS84 and updated to 1990 levels (Boghosian, 1991). Insulation values for north ER homes are: R-20.8 ceiling, R-4.7 wall, 0.54 ACH, and 1.8 window layers. The prototype is a 1-story, 1582 sqft home with unheated basement in Chicago. We diverge from Boghosian's data only in foundation insulation. For the sake of simplicity, we assumed R-11 insulation in the floors and no foundation insulation. The fraction of SF stock in this category is from RECS87.

Source: Boghosian, 1991 and RECS 1987.

**Improve shell in ESF ER/RAC homes, North**

ESNER01

retrofit measure

measure active between 1990 and 2010

Incremental Cost: \$274 in 1989\$

UES: 2374.0 kWh

replacement rate:5%/year

Lifetime (yrs): 30

% of stock applicable: 100%

Shell improvements are from Boghosian, 1991 and include: decreasing the infiltration rate to 0.41, increasing average wall insulation to R-6.15, and adding R-30 to all non-insulated ceilings. COST AND ENERGY SAVINGS ARE AVERAGES OVER ALL EXISTING HOMES OF THIS FUEL TYPE AND DO NOT REFLECT THE ACTUAL COST PER APPLICABLE HOUSE.

Source: Measures and costs from Boghosian, 1991. Energy savings from PEAR.

Preceding Measure: none

**Improve window, ceil & wall in ESF homes, North**

ESNER02

retrofit measure

measure active between 1990 and 2010

Incremental Cost: \$1354 in 1989\$

UES: 2718.0 kWh

replacement rate:5%/year

Lifetime (yrs): 30

% of stock applicable: 100%

This measure involves increasing average wall insulation to R-8.4, adding R-30 to all insulated ceilings, adding R-49 to all non-insulated ceilings, and adding single-glazed storm windows to all single-glazed windows. COST AND ENERGY SAVINGS ARE AVERAGES OVER ALL EXISTING HOMES OF THIS FUEL TYPE AND DO NOT REFLECT THE ACTUAL COST PER APPLICABLE HOUSE.

Source: Measure and cost from Boghosian, 1991. Energy savings from PEAR.

Preceding Measure: ESNER01

**R-30 floor in ESF ER/RAC homes, North  
ESNER03**

retrofit measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$1297 in 1989\$  
*UES:* 1482.0 kWh  
*replacement rate:*5%/year  
*Lifetime (yrs):* 30  
*% of stock applicable:* 37%

This measure involves increasing average floor insulation to R-30. The cost of the measure is assumed to be the same as the cost for insulating crawl spaces. The measure is applicable only to homes with crawlspaces (15%) or unheated basements (22%), or 37% of all northern ER homes. COST AND ENERGY SAVINGS ARE AVERAGES OVER ALL EXISTING HOMES OF THIS FUEL TYPE AND DO NOT REFLECT THE ACTUAL COST PER APPLICABLE HOUSE.

*Source:* Cost from Boghosian, 1991. Energy savings from PEAR.

*Preceding Measure:* ESNER02

**Improve windows in ESF homes, North  
ESNER04**

retrofit measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$316 in 1989\$  
*UES:* 210.0 kWh  
*replacement rate:*5%/year  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

This measure involves replacing all single-glazed windows with double-glazed, low-e, argon-filled units. COST AND ENERGY SAVINGS ARE AVERAGES OVER ALL EXISTING HOMES OF THIS FUEL TYPE AND DO NOT REFLECT THE ACTUAL COST PER APPLICABLE HOUSE.

*Source:* Measure and cost from Boghosian, 1991. Energy savings from PEAR.

*Preceding Measure:* ESNER03

**END USE: ESNGC Existing SF w/ non-elec htg & CAC, North**

1990 UEC: 1006 kWh

Lifetime (yrs): 30

Fuel Type: electric

Existing non-electrically heated SF homes with central AC in the North. Furnace efficiency is assumed to be 100%. CAC efficiency is 9.96 SEER (REM 1990 new unit). UEC is from PEAR runs using baseline shell characteristics derived from RECS84 and updated to 1990 levels (Boghosian, 1991). Insulation values for north fuel-heated homes are: R-21 ceiling, R-2.1 wall, 0.62 ACH, and 1.8 window layers. The prototype is a 1-story, 1550 sqft home with unheated basement in Chicago. We diverge from Boghosian's data only in foundation insulation. For the sake of simplicity, we assumed R-11 insulation in the floors and no foundation insulation. The fraction of SF stock in this category is from RECS87.

Source: Boghosian, 1991 and RECS 1987.

**Improve CAC to 1992 std in ESF non-elec homes, Nth**

ESNGC01

new measure

measure active between 1990 and 2010

Incremental Cost: \$43 in 1989\$

UES: 52.0 kWh

Lifetime (yrs): 12

% of stock applicable: 100%

Improve average new unit CAC efficiency to 10.5 SEER in existing single family gas/other heated homes in the North. This efficiency represents LBL-REM's prediction of the average new unit efficiency in 1992, after the standard is operative. It is higher than the standard (10.0 SEER), reflecting the above-standard units that are bought. Cost assumes a 35 kBtu/hr capacity unit.

Source: Energy savings from PEAR. Cost from LBL's Appliance Energy Conservation Database, Sep 1990.

Preceding Measure: none

**Improve CAC in North ESF non-elec homes w/ CAC**

ESNGC02

new measure

measure active between 1990 and 2010

Incremental Cost: \$264 in 1989\$

UES: 201.0 kWh

Lifetime (yrs): 12

% of stock applicable: 100%

Improve the central air conditioner efficiency to 13.3 SEER. Cost assumes a 35 kBtu/hr capacity unit.

Source: PEAR for energy savings, cost from LBL's Energy Conservation Database, Sep 1990.

Preceding Measure: NSNGC01

**END USE: ESNHP Existing SF w/ heat pump, North**

1990 UEC: 9747 kWh

Lifetime (yrs): 30

Fuel Type: electric

Existing SF homes with heat pumps in the North. Heat pump efficiency is 9.86 SEER and 7.24 HSPF (REM 1990 new unit). UEC is from PEAR runs using baseline shell characteristics derived from RECS84 and updated to 1990 levels (Boghosian, 1991). Insulation values for north HP homes are: R-24 ceiling, R-6.8 wall, 0.45 ACH, and 1.7 window layers. The prototype is a 1-story, 1853 sqft home with unheated basement in Chicago. We diverge from Boghosian's data only in foundation insulation. For the sake of simplicity, we assumed R-11 insulation in the floors and no foundation insulation. The fraction of SF stock in this category is from RECS87.

Source: Boghosian, 1991 and RECS 1987.

**Improve HP to 92 std in ESF HP homes, North  
ESNHP01**

new measure

measure active between 1990 and 2010

Incremental Cost: \$71 in 1989\$

UES: 719.3 kWh

Lifetime (yrs): 14

% of stock applicable: 100%

Improve average new unit HP efficiency to 7.46 HSPF, 10.5 SEER in existing single family homes in the North. This efficiency represents LBL-REM's prediction of the average new unit efficiency in 1992, after the standard is operative. It is higher than the standard, reflecting the above-standard units that are bought. Cost assumes a 35 kBtu/hr capacity.

Source: Cost from LBL's Energy Conservation Database, Sep 1990. Energy savings from PEAR.

Preceding Measure: none

**Improve ceiling insulation in ESF HP homes, North  
ESNHP02**

retrofit measure

measure active between 1990 and 2010

Incremental Cost: \$7 in 1989\$

UES: 71.6 kWh

replacement rate: 5%/year

Lifetime (yrs): 30

% of stock applicable: 100%

This measure involves adding R-19 to all non-insulated ceilings. COST AND ENERGY SAVINGS ARE AVERAGES OVER ALL EXISTING HOMES OF THIS FUEL TYPE AND DO NOT REFLECT THE ACTUAL COST PER APPLICABLE HOUSE.

Source: Measure and cost from Boghosian, 1991. Energy savings from PEAR.

Preceding Measure: ESNHP01

**Improve HP in ESF HP homes, North**  
**ESNHP03**  
new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$151 in 1989\$  
*UES:* 1598.1 kWh  
*Lifetime (yrs):* 14  
*% of stock applicable:* 100%

Improve heat pump from LBL-REM's 1992 average new unit efficiency to 9.06 HSPF, 13.03 SEER. Cost assumes a 35 kBtu/hr capacity.

*Source:* Cost and efficiency from LBL's Energy Conservation Database, Sep 1990. Energy savings from PEAR.

*Preceding Measure:* ESNHP02

**Improve shell in ESF HP homes, North**  
**ESNHP04**  
retrofit measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$121 in 1989\$  
*UES:* 353.0 kWh  
*replacement rate:* 5%/year  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

Shell improvements are from Boghosian, 1991 and include: decreasing the infiltration rate to 0.42 and increasing average wall insulation to R-8.49. COST AND ENERGY SAVINGS ARE AVERAGES OVER ALL EXISTING HOMES OF THIS FUEL TYPE AND DO NOT REFLECT THE ACTUAL COST PER APPLICABLE HOUSE.

*Source:* measures and costs from Boghosian, 1991. Energy savings from PEAR.

*Preceding Measure:* ESNHP03

**Improve HP in ESF HP homes, North**  
**ESNHP05**  
new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$90 in 1989\$  
*UES:* 304.9 kWh  
*Lifetime (yrs):* 14  
*% of stock applicable:* 100%

Improve heat pump to 9.5 HSPF, 13.3 SEER.

*Source:* Cost and efficiency from LBL's Energy Conservation Database, Sep 1990. Energy savings from PEAR.

*Preceding Measure:* ESNHP04

**Improve ceiling in ESF HP homes, North**

**ESNHP06**

retrofit measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$3 in 1989\$

*UES:* 4.8 kWh  
*replacement rate:*5%/year  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

This measure involves adding R-30 to all non-insulated ceilings. COST AND ENERGY SAVINGS ARE AVERAGES OVER ALL EXISTING HOMES OF THIS FUEL TYPE AND DO NOT REFLECT THE ACTUAL COST PER APPLICABLE HOUSE.

*Source:* Measure and cost from Boghosian, 1991. Energy savings from PEAR.

*Preceding Measure:* ESNHP05

**Improve ceiling in ESF HP homes, North**

**ESNHP07**

retrofit measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$555 in 1989\$

*UES:* 425.1 kWh  
*replacement rate:*5%/year  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

This measure involves adding R-30 to all insulated ceilings. COST AND ENERGY SAVINGS ARE AVERAGES OVER ALL EXISTING HOMES OF THIS FUEL TYPE AND DO NOT REFLECT THE ACTUAL COST PER APPLICABLE HOUSE.

*Source:* Measure and cost from Boghosian, 1991. Energy savings from PEAR.

*Preceding Measure:* ESNHP06

**Improve windows in ESF HP homes, North**

**ESNHP08**

retrofit measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$298 in 1989\$

*UES:* 165.4 kWh  
*replacement rate:*5%/year  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

This measure involves adding single-glazed storm windows to all single-glazed windows. COST AND ENERGY SAVINGS ARE AVERAGES OVER ALL EXISTING HOMES OF THIS FUEL TYPE AND DO NOT REFLECT THE ACTUAL COST PER APPLICABLE HOUSE.

*Source:* Measure and cost from Boghosian, 1991. Energy savings from PEAR.

*Preceding Measure:* ESNHP07



**END USE: ESSE Existing SF homes w/o cooling, South**

1990 UEC: 8201 kWh

Lifetime (yrs): 30

Fuel Type: electric

Existing single family homes with electric furnaces and no cooling in the South. The furnace is set back at night and has 100% efficiency. UEC is from PEAR runs using baseline shell characteristics derived from RECS84 and updated to 1990 levels (Boghosian, 1991). Insulation values for south ER homes are: R-18 ceiling, R-3.9 wall, U-0.95 foundation, 0.71 ACH, and 1.5 window layers. The prototype is a 1-story, 1470 sqft home with slab foundation in Charleston. The fraction of SF stock in this category is from RECS87.

Source: Boghosian, 1991 and RECS 1987.

**Improve shell in ESF ER/- homes, South**

ESSE01

retrofit measure

measure active between 1990 and 2010

Incremental Cost: \$451 in 1989\$

UES: 1712.0 kWh

replacement rate:5%/year

Lifetime (yrs): 30

% of stock applicable: 100%

Shell improvements are from Boghosian, 1991 and include: decreasing the infiltration rate to 0.46, increasing average wall insulation to R-6.45, and adding R-30 to all non-insulated ceilings. COST AND ENERGY SAVINGS ARE AVERAGES OVER ALL EXISTING HOMES OF THIS FUEL TYPE AND DO NOT REFLECT THE ACTUAL COST PER APPLICABLE HOUSE.

Source: Measures and costs from Boghosian, 1991. Energy savings from PEAR.

Preceding Measure: none

**Improve ceiling in ESF ER/- homes, South**

ESSE02

retrofit measure

measure active between 1990 and 2010

Incremental Cost: \$403 in 1989\$

UES: 409.0 kWh

replacement rate:5%/year

Lifetime (yrs): 30

% of stock applicable: 100%

This measure involves adding R-19 to all insulated ceilings. COST AND ENERGY SAVINGS ARE AVERAGES OVER ALL EXISTING HOMES OF THIS FUEL TYPE AND DO NOT REFLECT THE ACTUAL COST PER APPLICABLE HOUSE.

Source: Measure and cost from Boghosian, 1991. Energy savings from PEAR.

Preceding Measure: ESSE01

**Improve windows in ESF ER/- homes, South**

**ESSE03**

retrofit measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$425 in 1989\$  
*UES:* 259.0 kWh  
*replacement rate:*5%/year  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

This measure involves adding single-glazed storm windows to all single-glazed windows. COST AND ENERGY SAVINGS ARE AVERAGES OVER ALL EXISTING HOMES OF THIS FUEL TYPE AND DO NOT REFLECT THE ACTUAL COST PER APPLICABLE HOUSE.

*Source:* Measure and cost from Boghosian, 1991. Energy savings from PEAR.

*Preceding Measure:* ESSE02

**Improve wall in ESF ER/- homes, South**

**ESSE04**

retrofit measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$325 in 1989\$  
*UES:* 191.0 kWh  
*replacement rate:*5%/year  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

This measure improves wall insulation to R-8.3. COST AND ENERGY SAVINGS ARE AVERAGES OVER ALL EXISTING HOMES OF THIS FUEL TYPE AND DO NOT REFLECT THE ACTUAL COST PER APPLICABLE HOUSE.

*Source:* Measure and cost from Boghosian, 1991. Energy savings from PEAR.

*Preceding Measure:* ESSE03

---

**END USE: ESSEC Existing SF w/ CAC, South**

1990 *UEC:* 11436 kWh  
*Lifetime (yrs):* 30  
*Fuel Type:* electric

Existing SF homes with electric furnaces and central AC in the South. Furnace efficiency is assumed to be 100%. CAC efficiency is 9.96 SEER (REM 1990 new unit). The furnace is set back at night and has 100% efficiency. UEC is from PEAR runs using baseline shell characteristics derived from RECS84 and updated to 1990 levels (Boghosian, 1991). Insulation values for south ER homes are: R-18 ceiling, R-3.9 wall, U-0.95 foundation, 0.71 ACH, and 1.5 window layers. The prototype is a 1-story, 1470 sqft home with slab foundation in Charleston. The fraction of SF stock in this category is from RECS87.

*Source:* Boghosian, 1991 and RECS 1987.

**Switch elec furn to HP in existing South SF**

**ESSEC01**

retrofit measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$869 in 1989\$  
*UES:* 5805.0 kWh  
*replacement rate:*4%/year  
*Lifetime (yrs):* 14  
*% of stock applicable:* 100%

Switch the electric resistance heater and central air conditioner to a heat pump having HSPF of 9.06 and SEER of 13.03. All homes with CAC and electric furnaces are switched. There is virtually no difference in cost between a standard heat pump and a CAC/electric heating system (EPRI, 1987). Measure cost includes \$269 for the cost of this HP over a 1990 standard HP (from LBL's AEC Database, adjusted by 21% to account for greater size of unit) plus \$600 for changes in ducting and controls. The average lifetimes of CAC and electric furnaces are 12 and 23 years, respectively. We assumed that the furnace and CAC were installed at the same time, hence every 24 years both will retire approximately simultaneously. Our retrofit rate is thus 1/24, or 4%, per year.

*Source:* PEAR for energy savings, costs from LBL's Energy Conservation Database, J McMahan, revised Sep 1990. EPRI TAG 1987

*Preceding Measure:* none

**Improve shell in ESF ER/CAC homes, South**

**ESSEC02**

retrofit measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$444 in 1989\$  
*UES:* 776.2 kWh  
*replacement rate:*5%/year  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

Shell improvements are from Boghosian, 1991 and include: decreasing the infiltration rate to 0.46, increasing average wall insulation to R-6.45, and insulating all non-insulated ceilings to R-30. COST AND ENERGY SAVINGS ARE AVERAGES OVER ALL EXISTING HOMES OF THIS FUEL TYPE AND DO NOT REFLECT THE ACTUAL COST PER APPLICABLE HOUSE.

*Source:* measures and costs from Boghosian, 1991. Energy savings from PEAR.

*Preceding Measure:* ESSEC01

**Switch to improved HP in South ESF homes**

**ESSEC03**

retrofit measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$109 in 1989\$  
*UES:* 162.2 kWh  
*replacement rate:*4%/year  
*Lifetime (yrs):* 14  
*% of stock applicable:* 100%

Switch all ER/CAC homes to an improved efficiency heat pump (HSPF 9.5 and SEER 13.3). Cost assumes a unit capacity of 41 kBtu/hr and is adjusted by 21% over the LBL Appliance Database cost for a 35 kBtu/hr unit. Price increase was determined from EPRI TAG 1987 cost vs. capacity curves for heat pumps. Replacement rate is assumed to be 4%/year (see measure ESSEC02 description).

*Source:* PEAR for energy savings, cost from LBL's Energy Conservation Database, Sep 1990. EPRI TAG 1987.

*Preceding Measure:* ESSEC02

**Switch to improved HP in South ESF homes**

**ESSEC04**

retrofit measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$330 in 1989\$  
*UES:* 399.0 kWh  
*replacement rate:*4%/year  
*Lifetime (yrs):* 14  
*% of stock applicable:* 100%

Switch all ER/CAC homes to an improved efficiency heat pump (HSPF 9.93 and SEER 15.14). Cost assumes a unit capacity of 41 kBtu/hr and is adjusted by 21% over the LBL Appliance Database cost for a 35 kBtu/hr unit. Price increase was determined from EPRI TAG 1987 cost vs. capacity curves for heat pumps. Replacement rate is assumed to be 4%/year (see measure ESSEC02 description).

*Source:* PEAR for energy savings, cost from LBL's Energy Conservation Database, Sep 1990. EPRI TAG 1987.

*Preceding Measure:* ESSEC03

**Improve ceiling insulation in ESF homes, South**

**ESSEC05**

retrofit measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$403 in 1989\$  
*UES:* 186.8 kWh  
*replacement rate:*5%/year  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

This measure involves adding R-19 to all insulated ceilings. COST AND ENERGY SAVINGS ARE AVERAGES OVER ALL EXISTING HOMES OF THIS FUEL TYPE AND DO NOT REFLECT THE ACTUAL COST PER APPLICABLE HOUSE.

*Source:* Measure and cost from Boghosian, 1991. Energy savings from PEAR.

*Preceding Measure:* ESSEC04

**END USE: ESSER Existing SF w/ RAC, South**

1990 UEC: 9301 kWh

Lifetime (yrs): 30

Fuel Type: electric

Existing SF homes with electric furnaces and room AC in the South. Cooling UEC is assumed to be 34% of the central AC UEC (RCG/Hagler, Bailly, 1990). The furnace is set back at night and has 100% efficiency. UEC is from PEAR runs using baseline shell characteristics derived from RECS84 and updated to 1990 levels (Boghosian, 1991). Infiltration values for south ER homes are: R-18 ceiling, R-3.9 wall, U-0.95 foundation, 0.71 ACH, and 1.5 window layers. The prototype is a 1-story, 1470 sqft home with slab foundation in Charleston. The fraction of SF stock in this category is from RECS87.

Source: Boghosian, 1991 and RECS 1987.

**Improve shell in ESF ER/RAC homes, South**

ESSER01

retrofit measure

measure active between 1990 and 2010

Incremental Cost: \$444 in 1989\$

UES: 1757.0 kWh

replacement rate:5%/year

Lifetime (yrs): 30

% of stock applicable: 100%

Shell improvements are from Boghosian, 1991 and include: decreasing the infiltration rate to 0.46, increasing average wall insulation to R-6.45, and adding R-19 to all non-insulated ceilings. COST AND ENERGY SAVINGS ARE AVERAGES OVER ALL EXISTING HOMES OF THIS FUEL TYPE AND DO NOT REFLECT THE ACTUAL COST PER APPLICABLE HOUSE.

Source: Measures and costs from Boghosian, 1991. Energy savings from PEAR.

Preceding Measure: none

**Improve room AC in ESF homes, South**

ESSER02

new measure

measure active between 1990 and 2010

Incremental Cost: \$15 in 1989\$

UES: 46.5 kWh

Lifetime (yrs): 15

% of stock applicable: 100%

Increase condenser rows, improving RAC efficiency to 9.42 EER.

Source: Savings and cost from LBL's Appliance Energy Conservation Database, Sep 1990.

Preceding Measure: ESSER01

**Improve ceiling in ESF ER/RAC homes, South**

**ESSER03**

retrofit measure

measure active between 1990 and 2010

*Incremental Cost:* \$410 in 1989\$

*UES:* 443.0 kWh

*replacement rate:*5%/year

*Lifetime (yrs):* 30

*% of stock applicable:* 100%

This measure involves adding R-19 to all insulated ceilings, and insulating all non-insulated ceilings to R-30. COST AND ENERGY SAVINGS ARE AVERAGES OVER ALL EXISTING HOMES OF THIS FUEL TYPE AND DO NOT REFLECT THE ACTUAL COST PER APPLICABLE HOUSE.

*Source:* Measure and cost from Boghosian, 1991. Energy savings from PEAR.

*Preceding Measure:* ESSER02

**Improve windows in ESF ER/RAC homes, South**

**ESSER04**

retrofit measure

measure active between 1990 and 2010

*Incremental Cost:* \$425 in 1989\$

*UES:* 269.0 kWh

*replacement rate:*5%/year

*Lifetime (yrs):* 30

*% of stock applicable:* 100%

This measure involves adding single-glazed storm windows to all single-glazed windows. COST AND ENERGY SAVINGS ARE AVERAGES OVER ALL EXISTING HOMES OF THIS FUEL TYPE AND DO NOT REFLECT THE ACTUAL COST PER APPLICABLE HOUSE.

*Source:* Measure and cost from Boghosian, 1991. Energy savings from PEAR.

*Preceding Measure:* ESSER03

**Improve wall in ESF ER/RAC homes, South**

**ESSER05**

retrofit measure

measure active between 1990 and 2010

*Incremental Cost:* \$325 in 1989\$

*UES:* 196.5 kWh

*replacement rate:*5%/year

*Lifetime (yrs):* 30

*% of stock applicable:* 100%

This measure improves wall insulation to R-8.3. COST AND ENERGY SAVINGS ARE AVERAGES OVER ALL EXISTING HOMES OF THIS FUEL TYPE AND DO NOT REFLECT THE ACTUAL COST PER APPLICABLE HOUSE.

*Source:* Measure and cost from Boghosian, 1991. Energy savings from PEAR.

*Preceding Measure:* ESSER04

**END USE: ESSGC Existing SF w/ non-elec htg & CAC, South**

1990 UEC: 3325 kWh

Lifetime (yrs): 30

Fuel Type: electric

Existing non-electrically heated SF homes with central AC in the South. Furnace efficiency is assumed to be 100%. CAC efficiency is 9.96 SEER (REM 1990 new unit). UEC is from PEAR runs using baseline shell characteristics derived from RECS84 and updated to 1990 levels (Boghosian, 1991). Insulation values for south ER homes are: R-17 ceiling, R-2.1 wall, U-1.05 foundation, 0.72 ACH, and 1.4 window layers. The prototype is a 1-story, 1467 sqft home with slab foundation in Charleston. The fraction of SF stock in this category is from RECS87.

Source: Boghosian, 1991 and RECS 1987.

**Improve CAC to 1992 std in ESF non-elec homes, Sth**

ESSGC01

new measure

measure active between 1990 and 2010

Incremental Cost: \$50 in 1989\$

UES: 171.0 kWh

Lifetime (yrs): 12

% of stock applicable: 100%

Improve average new unit CAC efficiency to 10.5 SEER in existing single family gas/other heated homes in the South. This efficiency represents LBL-REM's prediction of the average new unit efficiency in 1992, after the standard is operative. It is higher than the standard (10.0 SEER), reflecting the above-standard units that are bought. Cost assumes a 41 kBtu/hr capacity and is increased over LBL's Conservation database 35kBtu cost by a factor of 17%. Factor was derived from EPRI TAG 1987 cost versus capacity curve.

Source: Energy savings from PEAR. Cost from LBL's Energy Conservation Database, Sep 1990.

Preceding Measure: none

**Improve CAC in South ESF non-elec homes w/ CAC**

ESSGC02

new measure

measure active between 1990 and 2010

Incremental Cost: \$309 in 1989\$

UES: 664.0 kWh

Lifetime (yrs): 12

% of stock applicable: 100%

Improve the central air conditioner efficiency to 13.3 SEER. Cost assumes a 41 kBtu/hr unit capacity.

Source: PEAR for energy savings, cost from LBL's Energy Conservation Database, Sep 1990, modified by EPRI TAG 1987 factor.

Preceding Measure: ESSGC01

**Improve CAC(2) in ESF non-elec homes w/ CAC, South**

**ESSGC03**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$293 in 1989\$  
*UES:* 263.0 kWh  
*Lifetime (yrs):* 12  
*% of stock applicable:* 100%

Improve the central air conditioner efficiency to 14.87 SEER from 13.3 SEER. Cost assumes a 41 kBtu/hr capacity.

*Source:* PEAR for energy savings, cost from LBL's Energy Conservation Database, Sep 1990, adjusted by EPRI TAG 1987 factor.

*Preceding Measure:* ESSGC02

---

**END USE: ESSHP Existing SF w/ heat pump, South**

1990 *UEC:* 7672 kWh  
*Lifetime (yrs):* 30  
*Fuel Type:* electric

Existing SF homes with heat pumps in the South. Heat pump efficiency is 9.86 SEER and 7.24 HSPF (REM 1990 new unit). *UEC* is from PEAR runs using baseline shell characteristics derived from RECS84 and updated to 1990 levels (Boghosian, 1991). *In-sulation* values for south HP homes are: R-21 ceiling, R-6.2 wall, U-0.92 foundation, 0.7 ACH, and 1.6 window layers. The prototype is a 1-story, 1784 sqft home with slab foundation in Charleston. The fraction of SF stock in this category is from RECS87.

*Source:* Boghosian, 1991 and RECS 1987.

**Improve HP to 92 std in ESF HP homes, South**

**ESSHP01**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$86 in 1989\$  
*UES:* 320.5 kWh  
*Lifetime (yrs):* 14  
*% of stock applicable:* 100%

Improve average new unit HP efficiency to 7.46 HSPF, 10.5 SEER in existing single family homes in the South. This efficiency represents LBL-REM's prediction of the average new unit efficiency in 1992, after the standard is operative. It is higher than the standard, reflecting the above-standard units that are bought. The heat pump capacity is assumed to be 41 kBtu/hr (from EPRI TAG 1987 estimates of peak cooling load). The cost is 21% greater than the northern, 35 kBtu unit cost. The price increase factor was determined using EPRI TAG cost vs. capacity curves.

*Source:* Cost from LBL's Energy Conservation Database, Sep 1990. Energy savings from PEAR.

*Preceding Measure:* none



**Improve ceiling insulation in ESF HP homes, South**

**ESSHP02**

retrofit measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$5 in 1989\$

*UES:* 30.8 kWh  
*replacement rate:*5%/year  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

This measure involves adding R-19 to all non-insulated ceilings. COST AND ENERGY SAVINGS ARE AVERAGES OVER ALL EXISTING HOMES OF THIS FUEL TYPE AND DO NOT REFLECT THE ACTUAL COST PER APPLICABLE HOUSE.

*Source:* Measure and cost from Boghosian, 1991. Energy savings from PEAR.

*Preceding Measure:* ESSHP01

**Improve HP in ESF HP homes, South**

**ESSHP03**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$292 in 1989\$

*UES:* 1693.2 kWh  
*Lifetime (yrs):* 14  
*% of stock applicable:* 100%

Improve heat pump from LBL-REM's 1992 average new unit efficiency to 9.5 HSPF, 13.3 SEER. Cost assumes 41 kBtu/hr capacity and is adjusted for this capacity as discussed above (see measure ESSHP01 description).

*Source:* Cost and efficiency from LBL's Energy Conservation Database, Sep 1990. Energy savings from PEAR.

*Preceding Measure:* ESSHP02

**Improve shell in ESF HP homes, South**

**ESSHP04**

retrofit measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$304 in 1989\$

*UES:* 593.0 kWh  
*replacement rate:*5%/year  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

Shell improvements are from Boghosian, 1991 and include: decreasing the infiltration rate to 0.48 and increasing average wall insulation to R-7.95. COST AND ENERGY SAVINGS ARE AVERAGES OVER ALL EXISTING HOMES OF THIS FUEL TYPE AND DO NOT REFLECT THE ACTUAL COST PER APPLICABLE HOUSE.

*Source:* measures and costs from Boghosian, 1991. Energy savings from PEAR.

*Preceding Measure:* ESSHP03

**Improve ceiling in ESF HP homes, South**

**ESSHP05**

retrofit measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$2 in 1989\$

*UES:* 1.7 kWh

*replacement rate:* 5%/year

*Lifetime (yrs):* 30

*% of stock applicable:* 100%

This measure involves adding R-30 to all non-insulated ceilings. COST AND ENERGY SAVINGS ARE AVERAGES OVER ALL EXISTING HOMES OF THIS FUEL TYPE AND DO NOT REFLECT THE ACTUAL COST PER APPLICABLE HOUSE.

*Source:* Measure and cost from Boghosian, 1991. Energy savings from PEAR.

*Preceding Measure:* ESSHP04

**Improve windows in ESF HP homes, South**

**ESSHP06**

retrofit measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$360 in 1989\$

*UES:* 135.1 kWh

*replacement rate:* 5%/year

*Lifetime (yrs):* 30

*% of stock applicable:* 100%

This measure involves adding single-glazed storm windows to all single-glazed windows. COST AND ENERGY SAVINGS ARE AVERAGES OVER ALL EXISTING HOMES OF THIS FUEL TYPE AND DO NOT REFLECT THE ACTUAL COST PER APPLICABLE HOUSE.

*Source:* Measure and cost from Boghosian, 1991. Energy savings from PEAR.

*Preceding Measure:* ESSHP05

---

**END USE: EWH Elec. Water Heater**

1990 UEC: 3539 kWh

Lifetime (yrs): 13

Fuel Type: electric

UEC is average 1990 new unit UEC (from LBL-REM) & includes the hot water consumption of dishwashers and clothes washers. The energy use of the washer motors is included in the MISE (miscellaneous) enduse UEC.

*Source:* US DOE, November 1989

**Improve clotheswasher to 1994 standard**

**EWH01**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$1 in 1987\$

*UES:* 44.6 kWh

*Lifetime (yrs):* 14

*% of stock applicable:* 92%

Measure includes the hot water energy savings due to the 1994 clotheswasher standard. The saturation of clotheswashers in all housing types in 1990 is 80.9% (LBL-REM). The cost and energy savings are from a recent LBL-REM run with the 1994 standards. The absolute savings (55kWh) and cost (\$0.80) were multiplied by the saturation in order to apply this measure to all homes. The applicable fraction (91.5%) reflects the fact that 8.5% of the EWHs have switched to gas WHs. The savings and cost are weighted averages over the two types of clotheswashers (standard and compact). The standard does not improve motor efficiency.

*Source:* LBL-REM

*Preceding Measure:* None.

**Reduce hot water consumption**

**EWH02**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$50 in 1989\$

*UES:* 873.0 kWh

*Lifetime (yrs):* 10

*% of stock applicable:* 92%

Install faucet aerators and low-flow showerheads in 91.5% of all homes with electric WHs (8.5% have been switched to gas WHs). Energy savings and assumptions are from Krause et al., 1987. Energy savings for the aerators assumes that faucets account for 30% of the total water heater UEC and that the aerator reduces flow by two-thirds. One third of the homes are assumed to have aerators already. Savings were proportioned from Krause's 175 kWh to reflect our baseline (3539 kWh compared to Krause's 4000 kWh). Savings becomes 155 kWh. The cost assumes 5 aerators per household at \$2 each. We assume 2 low-flow showerheads per home at a cost of \$20 each. Flow is reduced from 4.8 gpm to 2.0 gpm. The savings, when scaled to our baseline, are 718 kWh (20%). The savings assume that 10% of the households already have such showerheads.

*Source:* Krause et al. 1987, pp 4-9 - 4-11. Costs are LBL estimates.

*Preceding Measure:* EWH01

**Improve dishwasher to 1994 standard**

**EWH03**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$7 in 1988\$

*UES:* 45.0 kWh

*Lifetime (yrs):* 13

*% of stock applicable:* 92%

Measure includes the hot water energy savings due to the 1994 dishwasher standard. The saturation of dishwashers in all housing types in 1990 is 49% (LBL-REM). The cost is from US DOE 1990; we assume a retail markup of 1.46 (from LBL-MIM). The cost of this measure (hot water savings from the standard) is apportioned from the total cost (which also includes motor improvements) according to the respective energy savings due to motor efficiency and water use reduction. The savings and cost are weighted averages over the two major types of dishwashers -- standard and standard with water heating booster. The absolute savings (91.9 kWh) and cost (\$15.1) were multiplied by the saturation in order to apply this measure to all homes. The applicable fraction (91.5%) reflects the fact that 8.5% of the EWHs have switched to gas WHs.

*Source:* US DOE 1990, LBL-REM and LBL-MIM.

*Preceding Measure:* EWH02.

**Reduce standby losses**

**EWH04**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$120 in 1989\$

*UES:* 425.0 kWh

*Lifetime (yrs):* 13

*% of stock applicable:* 92%

Replace retired and new standard water heaters with units having highly insulated tanks and heat traps. Measure includes polyurethane foam sides, top and bottom cavity plus a 50 mm pad underneath the tank. Saves about 320 kWh/yr more in standby losses than the standard 3" fiberglass tank insulation at a cost between \$60 and \$120 (Perlman 1987). We have assumed a \$90 incremental cost for the insulation. A pair of square plastic heat traps plus short lengths of insulation on the pipes is also added. The traps plus pipe insulation reduced standby losses by 160 kWh/yr in preliminary tests (Perlman 1987). Copper heat traps plus pipe insulation have been shown to reduce standby losses by an average of 105 kWh/yr (Perlman 1987). We have conservatively assumed 105 kWh would be saved. Net savings for this measure is thus 425 kWh. We have assumed \$30 for the cost of the heat traps and pipe insulation. Measure applies to 91.5% of the EWHs (remaining 8.5% have switched to gas water heaters).

*Source:* Perlman 1987.

*Preceding Measure:* EWH03

**Heat pump water heater (1995-2000)**

**EWHD05**

new measure

measure active between 1995 and 2000

*Incremental Cost:* \$530 in 1990\$

*UES:* 1076.0 kWh

*Lifetime (yrs):* 13

*% of stock applicable:* 24%

Savings and cost are based on the third-generation heat pump water heater now being developed for EPRI by Crispaire of Atlanta. We assume that all electric WHs in the south could be switched to HPWHs, since reduction in cooling load would compensate for any increase in heating load due to the HPWH. We assume that 10% of the WHs in the north are located in unheated basements and could thus be switched. The total eligible fraction is 51.6% in the south plus 4.8% in the north (RECS87). We have assumed only half of the 56.4% is achievable in the 1995-2000 period, since factories would need time to gear up. After subtracting the units that will be switched to gas WHs (assuming distribution in N and S is proportional to EWH population), the eligible fraction is 24%. Under these assumptions, about 1 million HPWHs will be sold each year - a 500 fold increase over today's production volume. We assume a 20% reduction in capital costs would accompany the increased volume (from discussions with Terry Chan of LBL). Installed cost of the HPWH should be about \$800 in 1992 (Shuford, 1991). Assuming \$130 for installation, the capital cost after 20% reduction is  $\$670 \times 0.8 = \$536$ . Installed cost is then  $\$536 + \$130 = \$666$ . The unit mounts onto a standard tank; we have added \$200 for the tank (Petrie 1988, p.3). Basecase unit cost is  $\$200$  for the tank/heater plus \$130 installation (Lerman 1988). Incremental cost is  $\$866 - \$330 = \$536$ . The third-generation unit is expected to have a COP of 3.4 and real energy savings of 60-65% (Shuford 1991) but we have conservatively assumed 50% energy savings. Previous utility field tests have documented real energy savings of 50% on average for 45 utilities throughout the U.S. (EPRI 1984) for less efficient WHs.

*Source:* Shuford 1991; EPRI 1984. Cost reduction factor for increased production volume from discussions with Terry Chan of LBL's Appliance Standards Group, June 1991.

*Preceding Measure:* EWH04

### **Horizontal axis clotheswasher w/ HPWH (1995-2000)**

#### **EWH06**

new measure  
measure active between 1995 and 2000  
*Incremental Cost:* \$110 in 1988\$  
*UES:* 142.5 kWh  
*Lifetime (yrs):* 14  
*% of stock applicable:* 10%

Horizontal axis clothes washers are widely used in Europe, but not in the U.S. We assume a lead time of 5 years is necessary for them to become widely available here. In the 1995-2000 period, we assume that half of the clotheswashers sold could be horizontal axis. The eligible fraction is thus  $0.5 \cdot 0.81$ , or 0.405, where 0.81 is the saturation of clotheswashers from LBL-REM. This measure applies only to homes that will be switched to HPWHs (24% of all homes between 1995 & 2000). The eligible fraction is thus  $0.405 \cdot 24 = 9.7\%$ . The energy savings and cost are incremental from the 1994 standard and are from US DOE 1990. We assumed a COP of 2.0 for the HPWH, thus the savings from US DOE 1990 were halved to reflect the more efficient water heater. The total cost of the measure is \$160 (assuming a retail markup of 1.46 from LBL-MIM) and has been apportioned according to energy savings in motor use (listed as a MISE enduse measure, cost = \$50) and in hot water use.

*Source:* LBL-REM, US DOE 1990, LBL-MIM.

*Preceding Measure:* EWH05

### **Horizontal axis clotheswasher w/ EWH (1995-2000)**

#### **EWH07**

new measure  
measure active between 1995 and 2000  
*Incremental Cost:* \$130 in 1988\$  
*UES:* 285.0 kWh  
*Lifetime (yrs):* 14  
*% of stock applicable:* 27%

Horizontal axis clothes washers are widely used in Europe, but not in the U.S. We assume a lead time of 5 years is necessary for them to become widely available here. In the 1995-2000 period, we assume that half of the clotheswashers sold could be horizontal axis. The eligible fraction is thus  $0.5 \cdot 0.81$ , or 0.405, where 0.81 is the saturation of clotheswashers from LBL-REM. This measure applies only to homes that will NOT be switched to HPWHs or gas WHs (67.5% of all homes between 1995 & 2000). The eligible fraction is thus  $0.405 \cdot 67.5 = 27.3\%$ . The energy savings and cost are incremental from the 1994 standard and are from US DOE 1990. The total cost of the measure is \$160 (assuming a retail markup of 1.46 from LBL-MIM) and has been apportioned according to energy savings in motor use (listed as a MISE enduse measure, cost = \$30) and in hot water use. The water use portion of the cost is \$130.

*Source:* LBL-REM, US DOE 1990, LBL-MIM.

*Preceding Measure:* EWH04

**Replace electric water heater with gas  
EWH08**

new measure/fuel switching

Yearly Gas Use: 159.5

measure active between 1990 and 2010

*Incremental Cost:* \$1380 in 1989\$

*UES:* 3539.0 kWh

*Lifetime (yrs):* 13

*% of stock applicable:* 9%

LBL's compilation of utility surveys indicates that about 8.5% of homes with electric water heaters have gas service, and we switch the electric water heaters in these homes to gas water heaters. We switch these units first, thus the electricity savings is equivalent to the baseline UEC of 3539 kWh. Gas use increases by 159.5 Th (LBL-REM, 1990 new unit). The incremental cost of \$1380 includes \$100 for the added cost of a gas water heater over an electric one; plus \$300 for a gas line extension, power vent, and/or flue where necessary; plus \$980 for the levelized price of gas over the 15-year lifetime of the appliance.

*Source:* LBL investigations, LBL-REM and utility RASSes.

*Preceding Measure:* none

**Horizontal axis clotheswasher w/HPWH(post-2000)**

**EWH09**

new measure

measure active between 2000 and 2010

*Incremental Cost:* \$110 in 1988\$

*UES:* 142.5 kWh

*Lifetime (yrs):* 14

*% of stock applicable:* 39%

Horizontal axis clothes washers are widely used in Europe, but not in the U.S. We assume a lead time of 5 years is necessary for them to become widely available here. After the year 2000, we assume that all of the clotheswashers sold could be horizontal axis. The eligible fraction is thus 0.81 (the saturation of clotheswashers from LBL-REM) times the percentage of units that are switched to HPWHs (48%), or 38.9%. (This measure applies only to homes that are switched to HPWHs). The energy savings and cost are incremental from the 1994 standard and are from US DOE 1990. We have assumed a COP of 2.0 for the HPWH and have halved the savings from US DOE 1990 to reflect a more efficient water heater. The total cost of the measure is \$160 (assuming a retail markup of 1.46 from LBL-MIM) and has been apportioned according to energy savings in motor use (listed as a MISE enduse measure, cost = \$50) and in hot water use. The water use portion of the cost is \$110.

*Source:* LBL-REM, US DOE 1990, LBL-MIM.

*Preceding Measure:* EWH08

**Horizontal axis clotheswasher w/ EWH(post-2000)**

**EWH10**

new measure

measure active between 2000 and 2010

*Incremental Cost:* \$130 in 1988\$

*UES:* 285.0 kWh

*Lifetime (yrs):* 14

*% of stock applicable:* 35%

Horizontal axis clothes washers are widely used in Europe, but not in the U.S. We assume a lead time of 5 years is necessary for them to become widely available here. After the year 2000, we assume that all of the clotheswashers sold could be horizontal axis. The eligible fraction is thus 0.81 (the saturation of clotheswashers from LBL-REM) times the percentage of units that are not switched to HPWHs or gas WHs (43.5%), or 35.2%. (This measure applies only to homes that are NOT switched to HPWHs or gas WHs). The energy savings and cost are incremental from the 1994 standard and are from US DOE 1990. The total cost of the measure is \$160 (assuming a retail markup of 1.46 from LBL-MIM) and has been apportioned according to energy savings in motor use (listed as a MISE enduse measure, cost = \$30) and in hot water use. The water use portion of the cost is \$130.

*Source:* LBL-REM, US DOE 1990, LBL-MIM.

*Preceding Measure:* EWH04

---

**END USE: FRZR Manual defrost freezer**

*1990 UEC:* 568 kWh

*Lifetime (yrs):* 21

*Fuel Type:* electric

Total freezer stock is approximated as 50% upright manual defrost, 50% chest manual defrost. Baseline UEC represents a weighted average of the 1990 NAECA standards for chest and upright manual defrost freezers (upright automatic defrost freezers are a small fraction of the freezer stock and were not included, resulting in a 4% lower overall average UEC than REM's). Savings and costs are weight-averaged in the same manner. Baseline and measures assume no CFCs.

*Source:* LBL-REM



**Improve freezer to 1993 DOE standard**

**FRZR01**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$34 in 1987\$  
*UES:* 99.8 kWh  
*Lifetime (yrs):* 21  
*% of stock applicable:* 100%

1993 standard upgrade measures include: - 5.05 EER compressor - 2.5" side, bottom and door insulation (foam) Cost assumes a retail markup factor of 1.7, from LBL-MIM.

*Source:* US DOE Nov 1989

*Preceding Measure:* none

**Evacuated panels for freezer (post 1995)**

**FRZR02**

new measure  
measure active between 1995 and 2010  
*Incremental Cost:* \$68 in 1987\$  
*UES:* 132.0 kWh  
*Lifetime (yrs):* 21  
*% of stock applicable:* 100%

Estimated cost is for powder-filled panels. Assumes a 1.7 retail markup factor (from LBL-MIM).

*Source:* US DOE Nov 1989

*Preceding Measure:* FRZR01

**5.3 EER compressor for freezer (post-2000)**

**FRZR03**

new measure  
measure active between 2000 and 2010  
*Incremental Cost:* \$11 in 1990\$  
*UES:* 25.0 kWh  
*Lifetime (yrs):* 21  
*% of stock applicable:* 100%

Based on technology likely to be available by the year 2000.

*Source:* LBL engineering estimates.

*Preceding Measure:* FRZR02

**Freezer condenser gas heat**

**FRZR04**

new measure  
measure active between 2000 and 2010  
*Incremental Cost:* \$33 in 1990\$  
*UES:* 50.0 kWh  
*Lifetime (yrs):* 21  
*% of stock applicable:* 100%

Energy savings and cost are best predictions of post-2000 technology.

*Source:* LBL engineering estimates.

*Preceding Measure:* FRZR03

---

**END USE: LTG Lighting (Indoor and Outdoor)**

1990 *UEC:* 1060 kWh  
*Lifetime (yrs):* 15  
*Fuel Type:* electric

Incandescent lights, no controls. Indoor lights on 3-5 hrs/day; outdoor on 6 hrs/day SF, 12 hrs apt. Weighted average of large, medium, small singlefamily/mobile home, and apartments, from RECS 1987 housing stock. Baseline cost (present value, 15 years) = \$307.20. Assumes \$0.75 per incandescent lamp. Vacation periods are assumed to lower the amount of time the indoor lamps are used per year to 85% or 95% (see Appendix for full details). Exterior lamps are assumed to be on year-round.

*Source:* Barbara Atkinson, LBL Principal Research Associate. Cost from retail stores. Saturations and hourly usage data from 8 utilities' RASSes (see Appendix for details).

**Timer & Photocell (outdoor)**

**LTG01**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$29 in 1990\$  
*UES:* 151.0 kWh  
*Lifetime (yrs):* 15  
*% of stock applicable:* 100%

For single family and mobile homes, the average number of hours outdoor lights are on is decreased from 6 hours to 3 hours. In the basecase, we assume 35% leave the lights on more than 3 hours/day and do not already have a timer. The basecase also assumes that 50% of all apartment units leave exterior lights on more than 6 hrs/day. The average operation of these lamps is reduced from 12 to 6 hrs/day. Each timer and photocell is assumed to be shared by an average of 4 apartment units. Cost data are from Grainger's General Catalog. Saturations are from eight utilities' RASSes. For details of calculations, see Lighting Appendix.

*Source:* Barbara Atkinson and Grainger's General Catalog, No.377, 1990.

*Preceding Measure:* none

**Compact Fluorescent Lamps  
LTG02**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$107 in 1990\$  
*UES:* 342.0 kWh  
*Lifetime (yrs):* 15  
*% of stock applicable:* 100%

Compact Fluorescent Screw-In Retrofit where applicable without fixture change (interior: 30% of 100 W fixtures, 50% of 75 W, 60% of 60 W; exterior: 50% of large and medium single family, 25% of small/mobile homes and apts.) Where not applicable, energy-saving incandescents. These include krypton lamps indoors and halogen lamps outdoors. Cost data are from Energy Federation Inc catalog, Massachusetts, March 1990. Lifetimes and wattages are from various manufacturers' catalogs. Saturations are estimated by LBL Principal Research Associate Barbara Atkinson. For details of calculations, see Lighting Appendix.

*Source:* Barbara Atkinson, LBL Principal Research Associate; Energy Federation Inc catalog, MA, March 1990; manufacturers' catalogs.

*Preceding Measure:* LTG01

**Compact Fluorescent Fixtures  
LTG03**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$277 in 1990\$  
*UES:* 293.0 kWh  
*Lifetime (yrs):* 15  
*% of stock applicable:* 100%

Compact fluorescent fixture retrofits, interior and exterior, for remaining incandescents that could not be retrofit with screw-in fluorescents. Cost data are from Energy Federation Inc catalog, MA, March 1990 and Real Goods' Alternative Energy Sourcebook catalog, CA, 1990. For details of the calculation of savings and costs, see the Lighting Appendix.

*Source:* Barbara Atkinson; Energy Federation, Inc., MA, March 1990 catalog; and Real Goods' Alternative Energy Sourcebook catalog, 1990.

*Preceding Measure:* LTG02

---

---

**END USE: MISE Miscellaneous electricity**

1990 UEC: 559 kWh  
Lifetime (yrs): 15  
Fuel Type: electric

Miscellaneous includes clotheswasher and dishwasher motor electricity use, but excludes television set use (TV sets are treated separately). Baseline UEC is from REM, adjusted to meet our definition of the enduse (i.e., REM defines miscellaneous as including TVs but excluding washing appliance motors). Both enduses are intended to be catch-alls for electricity use that does not fall under one of the defined enduse categories.

Source: LBL-REM

**Improve miscellaneous appliance motor efficiency**

**MISE01**

new measure  
measure active between 1990 and 2010  
Incremental Cost: \$200 in 1990\$  
UES: 190.0 kWh  
Lifetime (yrs): 15  
% of stock applicable: 100%

This includes motor improvements for pumps, ceiling fans, pool pumps, vacuum cleaners, etc. Excludes furnace fan and laundry motor improvements.

Source: LBL engineering estimates.

Preceding Measure: None

**Upgrade furnace fan efficiency**

**MISE02**

new measure  
measure active between 1990 and 2010  
Incremental Cost: \$50 in 1990\$  
UES: 150.0 kWh  
Lifetime (yrs): 15  
% of stock applicable: 30%

This assumes installation of variable speed furnace fan and hood fan. It also assumes a 2-stage gas burner. Carrier claims that its variable speed units cut electricity use by 80% due to greatly reduced air movement rates and benefits from cubic law. Rainer, et.al.1990 estimates furnace fan UEC as 500 kWh (national average). Our estimate of 30% savings (150kWh) is thus conservative.

Source: Rainer, et al 1990 and LBL engineering estimates.

Preceding Measure: none

**Improve dishwasher motor to 1994 standard**

**MISE03**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$4 in 1990\$  
*UES:* 23.4 kWh  
*Lifetime (yrs):* 13  
*% of stock applicable:* 45%

This is the weighted average savings over the two major types of dishwashers (standard and standard with water heating booster). The total cost of the 1994 standard is apportioned according to the respective savings in water heating energy and motor energy. The saturation of dishwashers is 49% of the total housing stock in 1990 (LBL-REM). However, 8.5% of all electric water heaters are switched to gas, thus the eligible fraction of dishwashers in homes with EWHs becomes 44.8%. Manufacturer's cost from US DOE 1990 was multiplied by LBL-MIM's retail markup for dishwashers of 1.46.

*Source:* US DOE 1990 LBL-MIM and LBL-REM.

*Preceding Measure:* None

**Horiz axis cithswshr w/HPWH (motor svgs) 1995-2000**

**MISE04**

new measure  
measure active between 1995 and 2000  
*Incremental Cost:* \$50 in 1988\$  
*UES:* 64.6 kWh  
*Lifetime (yrs):* 14  
*% of stock applicable:* 10%

Motor energy savings due to the horizontal axis clotheswasher. Between 1995 and 2000, only half of the eligible stock (80.9% of all homes have clotheswashers (LBL-REM)) will go to horizontal axis. After 2000, we assume greater availability of these units in the U.S. and will switch all eligible units to horizontal axis. Since 8.5% of all electric water heaters are switched to gas WHs, only 91.5% of EWHs are eligible for this measure; eligible fraction is then  $0.915 \times (0.809/2) = 37\%$ . This measure applies only where the EWH has been switched to a HPWH, thus the eligible fraction is lowered again to 9.7% (see description of EWH06 for details). Energy savings and cost for the motor are from US DOE 1990, p.3-23. Both assume the 1994 standard comes first. The cost assumes a 1.46 retail markup (LBL-MIM) and is apportioned to both an EWH measure and this measure according to the respective energy savings in hot water consumption and in motor use.

*Source:* US DOE 1990 LBL-MIM and LBL-REM.

*Preceding Measure:* none

**Horiz axis cithswshr w/EWH (motor svgs) post-2000**

**MISE05**

new measure  
measure active between 2000 and 2010  
*Incremental Cost:* \$30 in 1988\$  
*UES:* 64.6 kWh  
*Lifetime (yrs):* 14  
*% of stock applicable:* 35%

Motor energy savings due to the horizontal axis clotheswasher. Between 1995 and 2000, only half of the eligible stock (80.9% of all homes have clotheswashers (LBL-REM)) will go to horizontal axis. After 2000, we assume greater availability of these units in the U.S. and will switch all eligible units to horizontal axis. Since 8.5% of all electric washer heaters are switched to gas WHs, only 91.5% of EWHs are eligible for this measure; eligible fraction is then  $0.915 \cdot 0.809 = 74\%$ . This measure applies only where the EWH has not been switched to a HPWH, thus the eligible fraction is lowered again to 35.2% (see description of EWH10 for details). Energy savings and cost for the motor are from US DOE 1990, p.3-23. Both assume the 1994 standard comes first. The cost assumes a 1.46 retail markup (LBL-MIM) and is apportioned to both an EWH measure and this measure according to the respective energy savings in hot water consumption and in motor use.

*Source:* US DOE 1990 LBL-MIM and LBL-REM.

*Preceding Measure:* none

**Horiz axis cithswshr w/HPWH (motor svgs) post-2000**

**MISE06**

new measure  
measure active between 2000 and 2010  
*Incremental Cost:* \$50 in 1988\$  
*UES:* 64.6 kWh  
*Lifetime (yrs):* 14  
*% of stock applicable:* 39%

Motor energy savings due to the horizontal axis clotheswasher. Between 1995 and 2000, only half of the eligible stock (80.9% of all homes have clotheswashers (LBL-REM)) will go to horizontal axis. After 2000, we assume greater availability of these units in the U.S. and will switch all eligible units to horizontal axis. Since 8.5% of all electric washer heaters are switched to gas WHs, only 91.5% of EWHs are eligible for this measure; eligible fraction is then  $0.915 \cdot 0.809 = 74\%$ . This measure applies only where the EWH has been switched to a HPWH, thus the eligible fraction is lowered again to 38.9% (see description of EWH09 for details). Energy savings and cost for the motor are from US DOE 1990, p.3-23. Both assume the 1994 standard comes first. The cost assumes a 1.46 retail markup (LBL-MIM) and is apportioned to both an EWH measure and this measure according to the respective energy savings in hot water consumption and in motor use.

*Source:* US DOE 1990 LBL-MIM and LBL-REM.

*Preceding Measure:* none

**Horiz axis cithswshr w/EWH (motor svgs) 1995-2000  
MISE07**

new measure  
measure active between 1995 and 2000  
*Incremental Cost:* \$30 in 1988\$  
*UES:* 64.6 kWh  
*Lifetime (yrs):* 14  
*% of stock applicable:* 27%

Motor energy savings due to the horizontal axis clotheswasher. Between 1995 and 2000, only half of the eligible stock (80.9% of all homes have clotheswashers (LBL-REM)) will go to horizontal axis. After 2000, we assume greater availability of these units in the U.S. and will switch all eligible units to horizontal axis. Since 8.5% of all electric water heaters are switched to gas WHs, only 91.5% of EWHs are eligible for this measure; eligible fraction is then  $0.915 * (0.809/2) = 37\%$ . This measure applies only where the EWH has not been switched to a HPWH, thus the eligible fraction is lowered again to 27.3% (see description of EWH07 for details). Energy savings and cost for the motor are from US DOE 1990, p.3-23. Both assume the 1994 standard comes first. The cost assumes a 1.46 retail markup (LBL-MIM) and is apportioned to both an EWH measure and this measure according to the respective energy savings in hot water consumption and in motor use.

*Source:* US DOE 1990 LBL-MIM and LBL-REM.

*Preceding Measure:* none

---

**END USE: NANEC New multi family w/ CAC, North**

*1990 UEC:* 7180 kWh  
*Lifetime (yrs):* 30  
*Fuel Type:* electric

New multi family with electric furnaces and central AC in the North. Furnace efficiency is assumed to be 100%. CAC efficiency is 9.96 SEER (REM 1990 new unit). UECs are derived from heating and cooling loads for Chicago multifamily homes built in the 1980's (Ritschard 1989). Efficiency of space conditioning equipment is from LBL-REM. The fraction of all new MF units in this htg/clg category is from RECS87 data for MF homes built in the 1980's.

*Source:* Ritschard 1989 and RECS87.

**Improve CAC to 1992 std in NMF elec htd homes, Nth NANEC01**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$27 in 1989\$  
*UES:* 21.0 kWh  
*Lifetime (yrs):* 12  
*% of stock applicable:* 100%

Improve average new unit CAC efficiency to 10.5 SEER in new electrically heated multi family homes in the South. This efficiency represents LBL-REM's prediction of the average new unit efficiency in 1992, after the standard is operative. It is higher than the standard (10.0 SEER), reflecting the above-standard units that are bought. Cost assumes a 12 kBtu/hr capacity (average peak load for Chicago apartments, from Ritschard 1989) and is 62% of LBL's Conservation database cost of a 35kBtu unit (percentage derived from EPRI TAG 1987 CAC cost versus capacity curve). Energy savings calculated from the change in efficiency.

*Source:* Cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* none

---

**END USE: NANGC New MF w/ non-elec htg & CAC, North**

1990 UEC: 412 kWh  
*Lifetime (yrs):* 30  
*Fuel Type:* electric

New non-electrically heated multi family with central AC in the North. Furnace efficiency is assumed to be 100%. CAC efficiency is 9.96 SEER (REM 1990 new unit). UECs are derived from heating and cooling loads for Chicago multifamily homes built in the 1980's (Ritschard 1989). Efficiency of space conditioning equipment is from LBL-REM. The fraction of all new MF units in this htg/clg category is from RECS87 data for MF homes built in the 1980's.

*Source:* Ritschard 1989 and RECS87.



**Improve CAC to 1992 std in NMF elec htd homes, Nth  
NANGC01**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$27 in 1989\$  
*UES:* 21.0 kWh  
*Lifetime (yrs):* 12  
*% of stock applicable:* 100%

Improve average new unit CAC efficiency to 10.5 SEER in new electrically heated multi family homes in the South. This efficiency represents LBL-REM's prediction of the average new unit efficiency in 1992, after the standard is operative. It is higher than the standard (10.0 SEER), reflecting the above-standard units that are bought. Cost assumes a 12 kBtu/hr capacity (average peak load for Chicago apartments, from Ritschard 1989) and is 62% of LBL's Conservation database cost of a 35kBtu unit (percentage derived from EPRI TAG 1987 CAC cost versus capacity curve). Energy savings calculated from the change in efficiency.

*Source:* Cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* none

---

**END USE: NANHP New multi family w/ heat pump, North**

1990 *UEC:* 3606 kWh  
*Lifetime (yrs):* 30  
*Fuel Type:* electric

New multi family with heat pumps in the North. Heat pump efficiency is 9.86 SEER and 7.24 HSPF (REM 1990 new unit). UECs are derived from heating and cooling loads for Chicago multifamily homes built in the 1980's (Ritschard 1989). Efficiency of space conditioning equipment is from LBL-REM. The fraction of all new MF units in this htg/clg category is from RECS87 data for MF homes built in the 1980's.

*Source:* Ritschard 1989 and RECS87.

**Improve HP to 92 std in NMF HP homes, North**

**NANHP01**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$49 in 1989\$

*UES:* 119.4 kWh

*Lifetime (yrs):* 14

*% of stock applicable:* 100%

Improve average new unit HP efficiency to 7.46 HSPF, 10.5 SEER in new multi family buildings in the South. This efficiency represents LBL-REM's prediction of the average new unit efficiency in 1992, after the standard is operative. It is higher than the standard, reflecting the above-standard units that are bought. Cost is from LBL's Energy Conservation Database, scaled down by a factor of 0.69 to account for the smaller capacity (The database cost is for a 35 kBtu/hr peak cooling capacity, whereas the peak load for apartments in the north is about 12 kBtu/hr, from Ritschard 1989). The cost factor was derived from an EPRI TAG 1987 cost-capacity curve for the smallest HP available (23 kBtu/hr) compared to the 35 kBtu unit.

*Source:* LBL's Energy Conservation Database, Sep 1990. EPRI TAG 1987.

*Preceding Measure:* none

**Improve HP beyond 92 std in NMF HP homes, North**

**NANHP02**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$104 in 1989\$

*UES:* 622.8 kWh

*Lifetime (yrs):* 14

*% of stock applicable:* 100%

Improve average new unit HP efficiency to 9.06 HSPF, 13.03 SEER from LBL-REM's average 1992 new unit efficiency. Applies to new multi family buildings in the North. Cost is from LBL's Energy Conservation Database, scaled down by a factor of 0.69 to account for the smaller capacity (The database cost is for a 35 kBtu/hr peak cooling capacity, whereas the peak load for apartments in the south is about 12 kBtu/hr, from Ritschard 1989). The cost factor was derived from an EPRI TAG 1987 cost-capacity curve for the smallest HP available (23 kBtu/hr) compared to the 35 kBtu unit.

*Source:* LBL's Energy Conservation Database, Sep 1990. EPRI TAG 1987.

*Preceding Measure:* NANHP01

**Improve HP(2) in NMF HP homes, North  
NANHP03**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$62 in 1989\$  
*UES:* 106.0 kWh  
*Lifetime (yrs):* 14  
*% of stock applicable:* 100%

Improve average new unit HP efficiency to 9.43 HSPF, 13.28 SEER. Applies to new multi family buildings in the South. Cost is from LBL's Energy Conservation Database, scaled down by a factor of 0.69 to account for the smaller capacity (The database cost is for a 35 kBtu/hr peak cooling capacity, whereas the peak load for apartments in the south is about 12 kBtu/hr, from Ritschard 1989). The cost factor was derived from an EPRI TAG 1987 cost-capacity curve for the smallest HP available (23 kBtu/hr) compared to the 35 kBtu unit.

*Source:* LBL's Energy Conservation Database, Sep 1990. EPRI TAG 1987.

*Preceding Measure:* NANHP02

**Improve HP(3) in NMF HP homes, North  
NANHP04**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$228 in 1989\$  
*UES:* 161.3 kWh  
*Lifetime (yrs):* 14  
*% of stock applicable:* 100%

Improve average new unit HP efficiency to 9.93 HSPF, 15.14 SEER. Applies to new multi family buildings in the North. Cost is from LBL's Energy Conservation Database, scaled down by a factor of 0.69 to account for the smaller capacity (The database cost is for a 35 kBtu/hr peak cooling capacity, whereas the peak load for apartments in the south is about 12 kBtu/hr, from Ritschard 1989). The cost factor was derived from an EPRI TAG 1987 cost-capacity curve for the smallest HP available (23 kBtu/hr) compared to the 35 kBtu unit.

*Source:* LBL's Energy Conservation Database, Sep 1990. EPRI TAG 1987.

*Preceding Measure:* NANHP03

---

**END USE: NASEC New multi family w/ CAC, South**

1990 UEC: 1807 kWh

Lifetime (yrs): 30

Fuel Type: electric

New multi family with electric furnaces and central AC in the South. Furnace efficiency is assumed to be 100%. CAC efficiency is 9.96 SEER (REM 1990 new unit). UECs are derived from heating and cooling loads for Fort Worth multifamily homes built in the 1980's (Ritschard 1989). The Fort Worth UECs were adjusted to Charleston weather using heating and cooling degree day ratios (Andersson, et al 1986). Efficiency of space conditioning equipment is from LBL-REM. The fraction of all new MF units in this htg/clg category is from RECS87 data for MF homes built in the 1980's.

Source: Ritschard 1989 and RECS87.

**Improve CAC to 1992 std in NMF elec htd homes, Sth**

NASEC01

new measure

measure active between 1990 and 2010

Incremental Cost: \$28 in 1989\$

UES: 49.0 kWh

Lifetime (yrs): 12

% of stock applicable: 100%

Improve average new unit CAC efficiency to 10.5 SEER in new electrically heated multi family homes in the South. This efficiency represents LBL-REM's prediction of the average new unit efficiency in 1992, after the standard is operative. It is higher than the standard (10.0 SEER), reflecting the above-standard units that are bought. Cost assumes a 14 kBtu/hr capacity (average peak load for Fort Worth aparments, from Ritschard 1989) and is 64% of LBL's Conservation database cost of a 35kBtu unit (percentage derived from EPRI TAG 1987 CAC cost versus capacity curve). Energy savings calculated from the change in efficiency.

Source: Cost from LBL's Energy Conservation Database, Sep 1990.

Preceding Measure: none

**Improve CAC beyond 1992 std in NMF elec htd homes, NASEC02**

new measure  
measure active between 1990 and 2000  
*Incremental Cost:* \$169 in 1989\$  
*UES:* 186.8 kWh  
*Lifetime (yrs):* 12  
*% of stock applicable:* 100%

Improve average new unit CAC efficiency to 13.3 SEER from 10.5 SEER in new electrically heated multi family homes in the South. Energy savings calculated from the efficiencies. Cost assumes a 14 kBtu/hr capacity (average peak load for Fort Worth apartments, from Ritschard 1989) and is 64% of LBL's Conservation database cost of a 35kBtu unit (percentage derived from EPRI TAG 1987 CAC cost versus capacity curve). This measure makes way in the year 2000 for the more cost-effective variable speed compressor unit, assumed to become available in 2000.

*Source:* Cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* NASEC01

**Variable speed CAC compressor, NMF elec homes, Sth NASEC03**

new measure  
measure active between 2000 and 2010  
*Incremental Cost:* \$105 in 1989\$  
*UES:* 140.8 kWh  
*Lifetime (yrs):* 12  
*% of stock applicable:* 100%

Variable speed compressor improves average new unit CAC efficiency to 12.48 SEER from 10.5 SEER (1992 new unit) in new electrically heated multi family homes in the South. Energy savings calculated from the efficiencies. Cost assumes a 14 kBtu/hr capacity (average peak load for Fort Worth apartments, from Ritschard 1989) and is 64% of LBL's Conservation database cost of a 35kBtu unit (percentage derived from EPRI TAG 1987 CAC cost versus capacity curve). This measure is assumed to be available beginning in the year 2000.

*Source:* Cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* NASEC01

**END USE: NASER New multi family w/ RAC, South**

1990 UEC: 1155 kWh

Lifetime (yrs): 30

Fuel Type: electric

New multi family with electric furnaces and room AC in the South. Furnace efficiency is assumed to be 100%. Cooling UEC is assumed to be 34% of the central AC UEC (RCG/Hagler, Baily, 1990). UECs are derived from heating and cooling loads for Fort Worth multifamily homes built in the 1980's (Ritschard 1989). The Fort Worth UECs were adjusted to Charleston weather using heating and cooling degree day ratios (Andersson, et al 1986). Efficiency of space conditioning equipment is from LBL-REM. The fraction of all new MF units in this htg/clg category is from RECS87 data for MF homes built in the 1980's.

Source: Ritschard 1989 and RECS87.

**Improve RAC in NMF elec htd homes, Sth**

NASER01

new measure

measure active between 1990 and 2010

Incremental Cost: \$10 in 1989\$

UES: 13.1 kWh

Lifetime (yrs): 12

% of stock applicable: 100%

Improve average new unit RAC efficiency to 9.42 SEER from the 1990 baseline (9.0 SEER) in new electrically heated multi family homes in the South. Cost assumes an 8 kBtu/hr capacity and is from LBL's Appliance Energy Conservation Database. Measure involves increasing condenser rows. Energy savings calculated from the change in efficiency.

Source: Cost from LBL's Energy Conservation Database, Sep 1990.

Preceding Measure: none

**Improve RAC(2) in NMF elec htd homes, Sth(post2000**

NASER02

new measure

measure active between 2000 and 2010

Incremental Cost: \$56 in 1989\$

UES: 42.0 kWh

Lifetime (yrs): 12

% of stock applicable: 100%

Variable speed unit assumed to be available after 2000. Energy savings is from LBL's Conservation Database 1990 and represents a 15% savings over the 9.42 SEER unit. Applies to new electrically heated multi family homes in the South. Cost assumes an 8 kBtu/hr capacity and is from LBL's Appliance Energy Conservation Database.

Source: LBL's Energy Conservation Database, Sep 1990.

Preceding Measure: NASER01

---

---

**END USE: NASGC New MF w/ non-elec htg & CAC, South**

1990 UEC: 945 kWh

Lifetime (yrs): 30

Fuel Type: electric

New non-electrically heated multi family with central AC in the South. Furnace efficiency is assumed to be 100%. CAC efficiency is 9.96 SEER (REM 1990 new unit). UECs are derived from heating and cooling loads for Fort Worth multifamily homes built in the 1980's (Ritschard 1989). The Fort Worth UECs were adjusted to Charleston weather using heating and cooling degree day ratios (Andersson, et al 1986). Efficiency of space conditioning equipment is from LBL-REM. The fraction of all new MF units in this htg/clg category is from RECS87 data for MF homes built in the 1980's.

Source: Ritschard 1989 and RECS87.

**Improve CAC to 1992 std in NMF non-elec homes, Sth**

NASGC01

new measure

measure active between 1990 and 2010

Incremental Cost: \$28 in 1989\$

UES: 49.0 kWh

Lifetime (yrs): 12

% of stock applicable: 100%

Improve average new unit CAC efficiency to 10.5 SEER in new gas heated multi family homes in the South. This efficiency represents LBL-REM's prediction of the average new unit efficiency in 1992, after the standard is operative. It is higher than the standard (10.0 SEER), reflecting the above-standard units that are bought. Cost assumes a 14 kBtu/hr capacity (average peak load for Fort Worth aparments, from Ritschard 1989) and is 64% of LBL's Conservation database cost of a 35kBtu unit (percentage derived from EPRI TAG 1987 CAC cost versus capacity curve). Energy savings calculated from the change in efficiency.

Source: Cost from LBL's Energy Conservation Database, Sep 1990.

Preceding Measure: none

**Improve CAC beyond 1992 std in NMF non-elec homes, NASGC02**

new measure  
measure active between 1990 and 2000  
*Incremental Cost:* \$169 in 1989\$  
*UES:* 186.8 kWh  
*Lifetime (yrs):* 12  
*% of stock applicable:* 100%

Improve average new unit CAC efficiency to 13.3 SEER from 10.5 SEER in new gas/other heated multi family homes in the South. Energy savings calculated from the efficiencies. Cost assumes a 14 kBtu/hr capacity (average peak load for Fort Worth apartments, from Ritschard 1989) and is 64% of LBL's Conservation database cost of a 35kBtu unit (percentage derived from EPRI TAG 1987 CAC cost versus capacity curve). This measure makes way in the year 2000 for the more cost-effective variable speed compressor unit, assumed to become available in 2000.

*Source:* Cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* NASGC01

**Variable speed CAC compressor, NMF g/o homes, Sth NASGC03**

new measure  
measure active between 2000 and 2010  
*Incremental Cost:* \$105 in 1989\$  
*UES:* 140.8 kWh  
*Lifetime (yrs):* 12  
*% of stock applicable:* 100%

Variable speed compressor improves average new unit CAC efficiency to 12.48 SEER from 10.5 SEER (1992 new unit) in new gas/other heated multi family homes in the South. Energy savings calculated from the efficiencies. Cost assumes a 14 kBtu/hr capacity (average peak load for Fort Worth apartments, from Ritschard 1989) and is 64% of LBL's Conservation database cost of a 35kBtu unit (percentage derived from EPRI TAG 1987 CAC cost versus capacity curve). This measure is assumed to be available beginning in the year 2000.

*Source:* Cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* NASGC01



**END USE: NASGR New MF w/ non-elec htg & RAC, South**

1990 UEC: 293 kWh  
Lifetime (yrs): 30  
Fuel Type: electric

New non-electrically heated multi family with room AC in the South. Cooling UEC is assumed to be 34% of the central AC UEC (RCG/Hagler, Bailly, 1990). UECs are derived from heating and cooling loads for Fort Worth multifamily homes built in the 1980's (Ritschard 1989). The Fort Worth UECs were adjusted to Charleston weather using heating and cooling degree day ratios (Andersson, et al 1986). Efficiency of space conditioning equipment is from LBL-REM. The fraction of all new MF units in this htg/clg category is from RECS87 data for MF homes built in the 1980's.

Source: Ritschard 1989 and RECS87.

**Improve RAC in NMF non-elec homes, Sth**

**NASGR01**

new measure  
measure active between 1990 and 2010  
Incremental Cost: \$10 in 1989\$  
UES: 13.1 kWh  
Lifetime (yrs): 12  
% of stock applicable: 100%

Improve average new unit RAC efficiency to 9.42 SEER from the 1990 baseline (9.0 SEER) in new gas/other heated multi family homes in the South. Measure involves increasing condenser rows. Cost assumes an 8 kBtu/hr capacity and is from LBL's Appliance Energy Conservation Database. Energy savings calculated from the change in efficiency.

Source: Cost from LBL's Energy Conservation Database, Sep 1990.

Preceding Measure: none

**Improve RAC(2) in NMF non-elec homes, Sth(post2000**

**NASGR02**

new measure  
measure active between 2000 and 2010  
Incremental Cost: \$56 in 1989\$  
UES: 42.0 kWh  
Lifetime (yrs): 12  
% of stock applicable: 100%

Variable speed unit assumed to be available after 2000. Energy savings is from LBL's Conservation Database 1990 and represents a 15% savings over the 9.42 SEER unit. Applies to new gas/other heated multi family homes in the South. Cost assumes an 8 kBtu/hr capacity and is from LBL's Appliance Energy Conservation Database.

Source: LBL's Energy Conservation Database, Sep 1990.

Preceding Measure: NASGR01

---

---

**END USE: NASHP New multi family w/ heat pump, South**

1990 UEC: 1361 kWh

Lifetime (yrs): 30

Fuel Type: electric

New multi family with heat pumps in the South. Heat pump efficiency is 9.86 SEER and 7.24 HSPF (REM 1990 new unit). UECs are derived from heating and cooling loads for Fort Worth multifamily homes built in the 1980's (Ritschard 1989). The Fort Worth UECs were adjusted to Charleston weather using heating and cooling degree day ratios (Andersson, et al 1986). Efficiency of space conditioning equipment is from LBL-REM. The fraction of all new MF units in this htg/clg category is from RECS87 data for MF homes built in the 1980's.

Source: Ritschard 1989 and RECS87.

**Improve HP to 92 std in NMF HP homes, South**

NASHP01

new measure

measure active between 1990 and 2010

Incremental Cost: \$49 in 1989\$

UES: 70.2 kWh

Lifetime (yrs): 14

% of stock applicable: 100%

Improve average new unit HP efficiency to 7.46 HSPF, 10.5 SEER in new multi family buildings in the South. This efficiency represents LBL-REM's prediction of the average new unit efficiency in 1992, after the standard is operative. It is higher than the standard, reflecting the above-standard units that are bought. Cost is from LBL's Energy Conservation Database, scaled down by a factor of 0.69 to account for the smaller capacity (The database cost is for a 35 kBtu/hr peak cooling capacity, whereas the peak load for apartments in the south is about 14 kBtu/hr, from Ritschard 1989). The cost factor was derived from an EPRI TAG 1987 cost-capacity curve for the smallest HP available (23 kBtu/hr) compared to the 35 kBtu unit.

Source: LBL's Energy Conservation Database, Sep 1990. EPRI TAG 1987.

Preceding Measure: none

**Improve HP beyond 92 std in NMF HP homes, South NASHP02**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$104 in 1989\$  
*UES:* 243.7 kWh  
*Lifetime (yrs):* 14  
*% of stock applicable:* 100%

Improve average new unit HP efficiency to 9.06 HSPF, 13.03 SEER from LBL-REM's average 1992 new unit efficiency. Applies to new multi family buildings in the South. Cost is from LBL's Energy Conservation Database, scaled down by a factor of 0.69 to account for the smaller capacity (The database cost is for a 35 kBtu/hr peak cooling capacity, whereas the peak load for apartments in the south is about 14 kBtu/hr, from Ritschard 1989). The cost factor was derived from an EPRI TAG 1987 cost-capacity curve for the smallest HP available (23 kBtu/hr) compared to the 35 kBtu unit.

*Source:* LBL's Energy Conservation Database, Sep 1990. EPRI TAG 1987.

*Preceding Measure:* NASHP01

**Improve HP(2) in NMF HP homes, South NASHP03**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$62 in 1989\$  
*UES:* 26.3 kWh  
*Lifetime (yrs):* 14  
*% of stock applicable:* 100%

Improve average new unit HP efficiency to 9.43 HSPF, 13.28 SEER. Applies to new multi family buildings in the South. Cost is from LBL's Energy Conservation Database, scaled down by a factor of 0.69 to account for the smaller capacity (The database cost is for a 35 kBtu/hr peak cooling capacity, whereas the peak load for apartments in the south is about 14 kBtu/hr, from Ritschard 1989). The cost factor was derived from an EPRI TAG 1987 cost-capacity curve for the smallest HP available (23 kBtu/hr) compared to the 35 kBtu unit.

*Source:* LBL's Energy Conservation Database, Sep 1990. EPRI TAG 1987.

*Preceding Measure:* NASHP02

**END USE: NMNEC New mobile homes w/ CAC, North**

1990 UEC: 10910 kWh

Lifetime (yrs): 30

Fuel Type: electric

New mobile homes with electric furnaces and central AC in the North. Furnace efficiency is assumed to be 100%. CAC efficiency is 9.96 SEER (REM 1990 new unit). UECs are from PEAR runs using baseline shell characteristics from the Manufactured Housing Institute's Survey of Retailers, 1991. The shells are representative of the most popular packages sold currently. Average insulation values for the north are: R-26 ceiling, R-18 wall, R-14 floor, and double glazing. Home was modelled as a 1-story, 1195 sqft home with crawl space foundation in Cincinnati (closest city to Chicago in PEAR database having crawl). UECs were adjusted to Chicago weather using heating and cooling degree days (Andersson, et al. 1986). The floor area is nationwide average sold in 1989 (from MHI Quick Facts, 1990/91). Infiltration rate is assumed to be 0.36 ACH. Fraction of total MH stock in this category is from RECS87.

Source: MHI, 1991a and 1990. RECS 1987.

**Improve CAC to 1992 std in new elec htd MH, North**

NMNEC01

new measure

measure active between 1990 and 2010

Incremental Cost: \$43 in 1989\$

UES: 67.0 kWh

Lifetime (yrs): 12

% of stock applicable: 100%

Improve average new unit CAC efficiency to 10.5 SEER in new electrically heated mobile homes in the North. This efficiency represents LBL-REM's prediction of the average new unit efficiency in 1992, after the standard is operative. It is higher than the standard (10.0 SEER), reflecting the above-standard units that are bought. Cost assumes a 35 kBtu/hr capacity.

Source: Energy savings from PEAR. Cost from LBL's Appliance Energy Conservation Database, Sep 1990.

Preceding Measure: none

**END USE: NMNER New mobile homes w/ RAC, North**

1990 UEC: 10008 kWh

Lifetime (yrs): 30

Fuel Type: electric

New mobile homes with electric furnaces and room AC in the North. Furnace efficiency is assumed to be 100%. Cooling UEC is assumed to be 31% of the central AC UEC (RCG/Hagler, Bailly, 1990). UECs are from PEAR runs using baseline shell characteristics from the Manufactured Housing Institute's Survey of Retailers, 1991. The shells are representative of the most popular packages sold currently. Average insulation values for the north are: R-26 ceiling, R-18 wall, R-14 floor, and double glazing. Home was modelled as a 1-story, 1195 sqft home with crawl space foundation in Cincinnati (closest city to Chicago in PEAR database having crawl). UECs were adjusted to Chicago weather using degree days (Andersson et al 1986). Floor area is nationwide average sold in 1989 (from MHI Quick Facts, 1990/91). Infiltration rate is assumed to be 0.36 ACH. Fraction of total MH stock in this category is from RECS87.

Source: MHI, 1991a and 1990. RECS 1987.

**Improve RAC in NMH elec htd homes, Nth**

NMNER01

new measure

measure active between 1990 and 2010

Incremental Cost: \$10 in 1989\$

UES: 18.1 kWh

Lifetime (yrs): 12

% of stock applicable: 100%

Improve average new unit RAC efficiency to 9.42 SEER from the 1990 baseline (9.0 SEER) in new electrically heated mobile homes in the North. Cost assumes an 8 kBtu/hr capacity and is from LBL's Appliance Energy Conservation Database. Measure involves increasing condenser rows. Energy savings calculated from the change in efficiency.

Source: Cost from LBL's Energy Conservation Database, Sep 1990.

Preceding Measure: none

**END USE: NMNGC New MH w/ non-elec htg & CAC, North**

1990 UEC: 1307 kWh

Lifetime (yrs): 30

Fuel Type: electric

New non-electrically heated mobile homes with central AC in the North. Furnace efficiency is assumed to be 100%. CAC efficiency is 9.96 SEER (REM 1990 new unit). UECs are from PEAR runs using baseline shell characteristics from the Manufactured Housing Institute's Survey of Retailers, 1991. The shells are representative of the most popular packages sold currently. Average insulation values for the north are: R-26 ceiling, R-18 wall, R-14 floor, and double glazing. Home was modelled as a 1-story, 1195 sqft home with crawl space foundation in Cincinnati (closest city to Chicago in PEAR database having crawl). UECs were adjusted to Chicago weather using heating and cooling degree days (Andersson, et al. 1986). The floor area is nationwide average sold in 1989 (from MHI Quick Facts, 1990/91). Infiltration rate is assumed to be 0.36 ACH. Fraction of total MH stock in this category is from RECS87.

Source: MHI, 1991a and 1990. RECS 1987.

**Improve CAC to 1992 std in new non-elec MH, North**

NMNGC01

new measure

measure active between 1990 and 2010

Incremental Cost: \$43 in 1989\$

UES: 67.0 kWh

Lifetime (yrs): 12

% of stock applicable: 100%

Improve average new unit CAC efficiency to 10.5 SEER in new gas heated mobile homes in the North. This efficiency represents LBL-REM's prediction of the average new unit efficiency in 1992, after the standard is operative. It is higher than the standard (10.0 SEER), reflecting the above-standard units that are bought. Cost assumes a 35 kBtu/hr capacity.

Source: Energy savings from PEAR. Cost from LBL's Appliance Energy Conservation Database, Sep 1990.

Preceding Measure: none

---

---

**END USE: NMNGR New MH w/ non-elec htg & RAC, North**

1990 UEC: 405 kWh

Lifetime (yrs): 30

Fuel Type: electric

New non-electrically heated mobile homes with room AC in the North. Cooling UEC is assumed to be 31% of the central AC UEC (RCG/Hagler, Bailly, 1990). UECs are from PEAR runs using baseline shell characteristics from the Manufactured Housing Institute's Survey of Retailers, 1991. The shells are representative of the most popular packages sold currently. Average insulation values for the north are: R-26 ceiling, R-18 wall, R-14 floor, and double glazing. Home was modelled as a 1-story, 1195 sqft home with crawl space foundation in Cincinnati (closest city to Chicago in PEAR database having crawl). UECs were adjusted to Chicago weather using heating and cooling degree days (Anderson, et al. 1986). The floor area is nationwide average sold in 1989 (from MHI Quick Facts, 1990/91). Infiltration rate is assumed to be 0.36 ACH. Fraction of total MH stock in this category is from RECS87.

Source: MHI, 1991a and 1990. RECS 1987.

**Improve RAC in NMH non-elec htd homes, Nth**

NMNGR01

new measure

measure active between 1990 and 2010

Incremental Cost: \$10 in 1989\$

UES: 18.1 kWh

Lifetime (yrs): 12

% of stock applicable: 100%

Improve average new unit RAC efficiency to 9.42 SEER from the 1990 baseline (9.0 SEER) in new electrically heated mobile homes in the North. Cost assumes an 8 kBtu/hr capacity and is from LBL's Appliance Energy Conservation Database. Measure involves increasing condenser rows. Energy savings calculated from the change in efficiency.

Source: Cost from LBL's Energy Conservation Database, Sep 1990.

Preceding Measure: none

---

---

**END USE: NMSEC New mobile homes w/ CAC, South**

1990 UEC: 7877 kWh

Lifetime (yrs): 30

Fuel Type: electric

New mobile homes with electric furnaces and central AC in the South. Furnace efficiency is assumed to be 100%. CAC efficiency is 9.96 SEER (REM 1990 new unit). UECs are from PEAR runs using baseline shell characteristics from the Manufactured Housing Institute's Survey of Retailers, 1991. The shells are representative of the most popular packages sold currently. Average insulation values for the south are: R-20 ceiling, R-12 wall, R-10 floor, and 1.26 window layers. Home was modelled as a 1-story, 1195 sqft home with crawl space foundation in Charleston. The floor area is nationwide average sold in 1989 (from MHI Quick Facts, 1990/91). Infiltration rate is assumed to be 0.45 ACH. Fraction of total MH stock in this category is from RECS87.

Source: MHI, 1991a and 1990. RECS 1987.

**Improve CAC to 1992 std in new elec htd MH, South**

NMSEC01

new measure

measure active between 1990 and 2010

Incremental Cost: \$50 in 1989\$

UES: 140.0 kWh

Lifetime (yrs): 12

% of stock applicable: 100%

Improve average new unit CAC efficiency to 10.5 SEER in new electrically heated mobile homes in the South. This efficiency represents LBL-REM's prediction of the average new unit efficiency in 1992, after the standard is operative. It is higher than the standard (10.0 SEER), reflecting the above-standard units that are bought. Cost assumes a 41 kBtu/hr capacity and is increased over LBL's Conservation database 35kBtu cost by a factor of 17%. Factor was derived from EPRI TAG 1987 cost versus capacity curve.

Source: Energy savings from PEAR. Cost from LBL's Energy Conservation Database, Sep 1990.

Preceding Measure: none



**Improve CAC beyond 1992 std in NMH elec htd homes, NMSEC02**

new measure  
Improve average new unit CAC efficiency to 13.3 SEER from 10.5 SEER in new electrically heated mobile homes in the South. Energy savings calculated from the efficiencies. Cost assumes a 41 kBtu/hr capacity in the south and is 17% higher than LBL's Conservation database cost for a 35kBtu unit (percentage derived from EPRI TAG 1987 CAC cost versus capacity curve).

measure active between 1990 and 2010  
*Incremental Cost:* \$309 in 1989\$  
*UES:* 536.9 kWh  
*Lifetime (yrs):* 12  
*% of stock applicable:* 100%

*Source:* Cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* NMSEC01

---

**END USE: NMSEER New mobile homes w/ RAC, South**

1990 UEC: 6084 kWh  
*Lifetime (yrs):* 30  
*Fuel Type:* electric

New mobile homes with electric furnaces and room AC in the South. Furnace efficiency is assumed to be 100%. Cooling UEC is assumed to be 34% of the central AC UEC (RCG/Hagler, Bailly, 1990). UECs are from PEAR runs using baseline shell characteristics from the Manufactured Housing Institute's Survey of Retailers, 1991. The shells are representative of the most popular packages sold currently. Average insulation values for the south are: R-20 ceiling, R-12 wall, R-10 floor, and 1.26 window layers. Home was modelled as a 1-story, 1195 sqft home with crawl space foundation in Charleston. The floor area is nationwide average sold in 1989 (from MHI Quick Facts, 1990/91). Infiltration rate is assumed to be 0.45 ACH. Fraction of total MH stock in this category is from RECS87.

*Source:* MHI, 1991a and 1990. RECS 1987.

**Improve RAC in NMH elec htd homes, Sth NMSEER01**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$10 in 1989\$  
*UES:* 41.2 kWh  
*Lifetime (yrs):* 12  
*% of stock applicable:* 100%

Improve average new unit RAC efficiency to 9.42 SEER from the 1990 baseline (9.0 SEER) in new electrically heated mobile homes in the South. Cost assumes an 8 kBtu/hr capacity and is from LBL's Appliance Energy Conservation Database. Measure involves increasing condenser rows. Energy savings calculated from the change in efficiency.

*Source:* Cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* none

**Improve RAC(2) in NMH elec htd homes, Sth(post2000**

**NMSER02**

new measure

measure active between 2000 and 2010

*Incremental Cost:* \$56 in 1989\$

*UES:* 132.3 kWh

*Lifetime (yrs):* 12

*% of stock applicable:* 100%

Variable speed unit assumed to be available after 2000. Energy savings is from LBL's Conservation Database 1990 and represents a 15% savings over the 9.42 SEER unit. Applies to new electrically heated mobile homes in the South. Cost assumes an 8 kBtu/hr capacity and is from LBL's Appliance Energy Conservation Database.

*Source:* LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* NMSER01

---

**END USE: NMSGC New MH w/ non-elec htg & CAC, South**

1990 UEC: 2716 kWh

*Lifetime (yrs):* 30

*Fuel Type:* electric

New non-electrically heated mobile homes with central AC in the South. Furnace efficiency is assumed to be 100%. CAC efficiency is 9.96 SEER (REM 1990 new unit). UECs are from PEAR runs using baseline shell characteristics from the Manufactured Housing Institute's Survey of Retailers, 1991. The shells are representative of the most popular packages sold currently. Average insulation values for the south are: R-20 ceiling, R-12 wall, R-10 floor, and 1.26 window layers. Home was modelled as a 1-story, 1195 sqft home with crawl space foundation in Charleston. The floor area is nationwide average sold in 1989 (from MHI Quick Facts, 1990/91). Infiltration rate is assumed to be 0.45 ACH. Fraction of total MH stock in this category is from RECS87.

*Source:* MHI, 1991a and 1990. RECS 1987.

**Improve CAC to 1992 std in new non-elec MH, South**

**NMSGC01**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$50 in 1989\$  
*UES:* 140.0 kWh  
*Lifetime (yrs):* 12  
*% of stock applicable:* 100%

Improve average new unit CAC efficiency to 10.5 SEER in new gas heated mobile homes in the South. This efficiency represents LBL-REM's prediction of the average new unit efficiency in 1992, after the standard is operative. It is higher than the standard (10.0 SEER), reflecting the above-standard units that are bought. Cost assumes a 41 kBtu/hr capacity and is increased over LBL's Conservation database 35kBtu cost by a factor of 17%. Factor was derived from EPRI TAG 1987 cost versus capacity curve.

*Source:* Energy savings from PEAR. Cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* none

**Improve CAC beyond 1992 std in NMH non-elec homes,**

**NMSGC02**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$309 in 1989\$  
*UES:* 536.9 kWh  
*Lifetime (yrs):* 12  
*% of stock applicable:* 100%

Improve average new unit CAC efficiency to 13.3 SEER from 10.5 SEER in new gas/other heated mobile homes in the South. Energy savings calculated from the efficiencies. Cost assumes a 41 kBtu/hr capacity in the south and is 17% higher than LBL's Conservation database cost for a 35kBtu unit (percentage derived from EPRI TAG 1987 CAC cost versus capacity curve).

*Source:* Cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* NMSGC01

---

---

**END USE: NMSGR New MH w/ non-elec htg & RAC, South**

1990 UEC: 923 kWh

Lifetime (yrs): 30

Fuel Type: electric

New non-electrically heated mobile homes with room AC in the South. Cooling UEC is assumed to be 34% of the central AC UEC (RCG/Hagler, Bailly, 1990). UECs are from PEAR runs using baseline shell characteristics from the Manufactured Housing Institute's Survey of Retailers, 1991. The shells are representative of the most popular packages sold currently. Average insulation values for the south are: R-20 ceiling, R-12 wall, R-10 floor, and 1.26 window layers. Home was modelled as a 1-story, 1195 sqft home with crawl space foundation in Charleston. The floor area is nationwide average sold in 1989 (from MHI Quick Facts, 1990/91). Infiltration rate is assumed to be 0.45 ACH. Fraction of total MH stock in this category is from RECS87.

Source: MHI, 1991a and 1990. RECS 1987.

**Improve RAC in NMH non-elec homes, Sth**

NMSGR01

new measure

measure active between 1990 and 2010

Incremental Cost: \$10 in 1989\$

UES: 41.2 kWh

Lifetime (yrs): 12

% of stock applicable: 100%

Improve average new unit RAC efficiency to 9.42 SEER from the 1990 baseline (9.0 SEER) in new gas/other heated mobile homes in the South. Measure involves increasing condenser rows. Cost assumes an 8 kBtu/hr capacity and is from LBL's Appliance Energy Conservation Database. Energy savings calculated from the change in efficiency.

Source: Cost from LBL's Energy Conservation Database, Sep 1990.

Preceding Measure: none

**Improve RAC(2) in NMH non-elec homes, Sth(post2000**

NMSGR02

new measure

measure active between 2000 and 2010

Incremental Cost: \$56 in 1989\$

UES: 132.3 kWh

Lifetime (yrs): 12

% of stock applicable: 100%

Variable speed unit assumed to be available after 2000. Energy savings is from LBL's Conservation Database 1990 and represents a 15% savings over the 9.42 SEER unit. Applies to new gas/other heated mobile homes in the South. Cost assumes an 8 kBtu/hr capacity and is from LBL's Appliance Energy Conservation Database.

Source: LBL's Energy Conservation Database, Sep 1990.

Preceding Measure: NMSGR01

---

---

**END USE: NMSHP New mobile homes w/ heat pump, South**

1990 UEC: 5174 kWh

Lifetime (yrs): 30

Fuel Type: electric

New mobile homes with heat pumps in the South. Heat pump efficiency is 9.86 SEER and 7.24 HSPF (REM 1990 new unit). UECs are from PEAR runs using baseline shell characteristics from the Manufactured Housing Institute's Survey of Retailers, 1991. The shells are representative of the most popular packages sold currently. Average insulation values for the south are: R-20 ceiling, R-12 wall, R-10 floor, and 1.26 window layers. Home was modelled as a 1-story, 1195 sqft home with crawl space foundation in Charleston. The floor area is nationwide average sold in 1989 (from MHI Quick Facts, 1990/91). Infiltration rate is assumed to be 0.45 ACH. Fraction of total MH stock in this category is from RECS87.

Source: MHI, 1991a and 1990. RECS 1987.

**Improve HP to 92 std in NMH HP homes, South**

NMSHP01

new measure

measure active between 1990 and 2010

Incremental Cost: \$57 in 1989\$

UES: 238.8 kWh

Lifetime (yrs): 14

% of stock applicable: 100%

Improve average new unit HP efficiency to 7.46 HSPF, 10.5 SEER in new mobile homes in the South. This efficiency represents LBL-REM's prediction of the average new unit efficiency in 1992, after the standard is operative. It is higher than the standard, reflecting the above-standard units that are bought. Cost is from LBL's Energy Conservation Database for a peak cooling capacity of 35 kBtu/hr and is adjusted by a scaling factor equal to the ratio of the mobile home UEC to the single family UEC for this combination of heating and cooling types. The scaling factor in this case is 1.2.

Source: Cost from LBL's Energy Conservation Database, Sep 1990. Energy savings from PEAR.

Preceding Measure: none

**Improve HP beyond 1992 standard in South NMH**

**NMSHP02**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$183 in 1988\$  
*UES:* 917.0 kWh  
*Lifetime (yrs):* 14  
*% of stock applicable:* 100%

Improve heat pump to HSPF = 9.06 and SEER = 13.03 from LBL-REM's 1992 average new unit efficiency. Cost assumes a 41 kBtu/hr capacity in the south and includes a 21% increase over the cost of a 35 kBtu/hr unit derived from EPRI TAG 1987 cost versus capacity table.

*Source:* PEAR for energy savings, cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* NMSHP01

**Improve HP(2) in South NMH**

**NMSHP03**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$109 in 1988\$  
*UES:* 115.0 kWh  
*Lifetime (yrs):* 14  
*% of stock applicable:* 100%

Improve heat pump to HSPF = 9.43 and SEER = 13.28. Cost assumes a 41 kBtu/hr capacity in the south and includes a 21% increase over the cost of a 35 kBtu/hr unit derived from EPRI TAG 1987 cost versus capacity table.

*Source:* PEAR for energy savings, cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* NMSHP02

**Improve HP(3) in South NMH**

**NMSHP04**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$399 in 1988\$  
*UES:* 344.0 kWh  
*Lifetime (yrs):* 14  
*% of stock applicable:* 100%

Improve heat pump to HSPF = 9.93 and SEER = 15.14. Cost assumes a 41 kBtu/hr capacity in the south and includes a 21% increase over the cost of a 35 kBtu/hr unit derived from EPRI TAG 1987 cost versus capacity table.

*Source:* PEAR for energy savings, cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* NMSHP03

---

---

**END USE: NSNE New single family homes w/o cooling, North**

1990 UEC: 11809 kWh

Lifetime (yrs): 30

Fuel Type: electric

New single family houses with electric furnaces and no cooling in the North. Furnace efficiency is assumed to be 100%. UEC is from PEAR runs using baseline shell characteristics from NAHB 1987 data: R-29 ceiling, R-15 wall and floor, and double glazing. House prototype is 2-story basement, 1856 sqft of floor area. Infiltration rate is 0.4 ACH.

Source: Koomey et al. 1991 and LBL-REM.

---

---

**Ceiling to R-60 in new SF homes w/ ER/-, North**

NSNE04

new measure

measure active between 1990 and 2010

Incremental Cost: \$148 in 1989\$

UES: 137.5 kWh

Lifetime (yrs): 30

% of stock applicable: 100%

Improves ceiling insulation to R-60 in new SF Northern homes with electric resistance heating and no cooling.

Source: Cost from Koomey, 1991. Energy savings from PEAR.

Preceding Measure: NSNE02

---

---

**END USE: NSNEC New SF electric furnace, CAC homes in North**

1990 UEC: 12773 kWh

Lifetime (yrs): 30

Fuel Type: electric

New single family houses with electric furnaces and central air conditioners. Efficiency of the furnace is assumed to be 100%; CAC efficiency is 1990 new unit efficiency from REM (9.96 SEER). UECs for heating and cooling were obtained from PEAR runs using baseline shell characteristics derived from NAHB 1987 data. Insulation levels are: R-29 ceiling, R-15 wall and floor, and double glazed windows. Infiltration rate is assumed to be 0.4 ACH. House prototype is a 2-story basement with 1856 sq ft of floor area.

Source: Koomey et al. 1991 and LBL-REM.

**Switch elec furnace to HP in new SF homes, North**

**NSNEC01**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$222 in 1989\$

*UES:* 7297.6 kWh

*Lifetime (yrs):* 14

*% of stock applicable:* 100%

Switch the electric resistance heater and central air conditioner to a heat pump having HSPF of 8.83 and SEER of 10.96. All homes with CAC and electric furnaces are "switched" to heat pumps. Even though there is virtually no difference in the cost of a standard heat pump and the cost of a CAC/electric heating system (EPRI, 1987), we have added \$100 to the cost of the measure to be conservative. The remaining \$122 is the incremental cost of the efficient HP over the 1990 standard new unit (7.24 HSPF, 9.86 SEER) cost. The efficient HP cost is from LBL's Appliance Energy Conservation Database by Jim McMahon, revised September 1990.

*Source:* PEAR for energy savings, costs from EPRI 1987 and LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* none

**Triple glazed windows in new SF homes, North**

**NSNEC02**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$223 in 1989\$

*UES:* 707.0 kWh

*Lifetime (yrs):* 30

*% of stock applicable:* 100%

*Source:* Costs from Koomey, 1991. Energy savings from PEAR.

*Preceding Measure:* NSNEC01

**Improve HP in North single-family**

**NSNEC03**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$190 in 1989\$

*UES:* 430.0 kWh

*Lifetime (yrs):* 14

*% of stock applicable:* 100%

Improve the heat pump efficiency to HSPF 9.5 and SEER 13.3 from HSPF 8.83, SEER 10.96.

*Source:* PEAR for energy savings, cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* NSNEC02



**Wall to R-19 in new SF homes, North  
NSNEC04**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$186 in 1989\$  
*UES:* 256.7 kWh  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

*Source:* Cost from Koomey, 1991. Energy savings from PEAR.  
*Preceding Measure:* NSNEC03

**Floor to R-30 in new SF homes, North  
NSNEC06**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$223 in 1989\$  
*UES:* 191.9 kWh  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

*Source:* Cost from Koomey, 1991. Energy savings from PEAR.  
*Preceding Measure:* NSNEC05

**Ceiling to R-30 in new SF homes, North  
NSNEC07**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$19 in 1989\$  
*UES:* 12.0 kWh  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

*Source:* Cost from Koomey, 1991. Energy savings from PEAR.  
*Preceding Measure:* NSNEC05

---

---

**END USE: NSNER New SF electric furnace homes with room AC, North**

1990 UEC: 12108 kWh

Lifetime (yrs): 30

Fuel Type: electric

New single family houses with electric furnaces and room air conditioners in the North. Efficiency of the furnace is assumed to be 100%; RAC efficiency is 9.0 EER (REM 1990 new unit average). UECs for heating and (central) cooling were obtained from PEAR runs using baseline shell characteristics derived from NAHB 1987 data. Insulation levels are: R-29 ceiling, R-15 wall and floor, and double glazed windows. The baseline RAC UEC is assumed to be 31% of the calculated UEC for central AC. This figure is from a compilation of utility data in the Northern region (RCG/Hagler, Bailly, 1990). For cost of RAC improvement measures, an average of 1.5 room AC units per house was assumed. The number of room AC units per house was derived from RECS 87 data for our southern region (Census regions were reaggregated and weighted by housing starts). Infiltration rate is assumed to be 0.4 ACH.

Source: Koomey et al. 1991 and LBL-REM.

**Shell improvement in new SF homes w/ ER/RAC, North**

NSNER01

new measure

measure active between 1990 and 1995

Incremental Cost: \$631 in 1989\$

UES: 3231.4 kWh

Lifetime (yrs): 30

% of stock applicable: 100%

Measure includes increasing wall insulation to R-19 and floor to R-30, plus triple glazed windows in homes built prior to 1995.

Source: Costs from Koomey, 1991. Energy savings from PEAR.

Preceding Measure: none

**Shell improvement in new SF homes w/ ER/RAC, North**

**NSNER02**

new measure

measure active between 1995 and 2010

*Incremental Cost:* \$1095 in 1989\$

*UES:* 4638.7 kWh

*Lifetime (yrs):* 30

*% of stock applicable:* 100%

Measure includes increasing wall insulation to R-19 and floor to R-30, plus superwindows in homes built after 1995. Superwindows are double-paned with 2 transparent, low-E films suspended in between the panes. Shading coefficient of the window is 0.52, R-value in the middle is 8.1 and the overall R-value is 5.5. Their transmissivity is 62%. The energy savings were calculated using percentage changes in heating and cooling loads from the RESFEN 1.0 computer program (LBL, 1991). Current costs are now \$5 per sq ft of window area. Costs are assumed to drop to \$2.50 per sq ft in 1995, based on personal communication with Dariush Arasteh (LBL staff scientist), 1991. Southwall Technologies provided window characteristics and RESFEN provided the energy savings for superwindows.

*Source:* Costs from Koomey, 1991. Energy savings from PEAR.

*Preceding Measure:* NSNER01

**Wall to R-27, ceil to R-49 in new SF homes, North**

**NSNER03**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$1355 in 1989\$

*UES:* 1725.0 kWh

*Lifetime (yrs):* 30

*% of stock applicable:* 100%

Improves ceiling insulation to R-49 and wall insulation to R-27 in new SF Northern homes with electric resistance heating and room AC cooling.

*Source:* Cost from Koomey, 1991. Energy savings from PEAR.

*Preceding Measure:* NSNER02

**Ceiling to R-60 In new SF homes w/ ER/RAC, North**

**NSNER04**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$148 in 1989\$

*UES:* 139.2 kWh

*Lifetime (yrs):* 30

*% of stock applicable:* 100%

Improves ceiling insulation to R-60 in new SF Northern homes with electric resistance heating and room AC cooling.

*Source:* Cost from Koomey, 1991. Energy savings from PEAR.

*Preceding Measure:* NSNER02

**END USE: NSNGC New SF non-electrically heated homes w/ CAC, North**

1990 UEC: 1042 kWh

Lifetime (yrs): 30

Fuel Type: electric

Cooling in new single family houses with non-electric heating and central air conditioners. CAC efficiency is 1990 new unit efficiency from REM (9.96 SEER). UEC for cooling was obtained from PEAR run using baseline shell characteristics derived from NAHB 1987 data. Insulation levels are: R-28 ceiling, R-14 wall, R-12 floor, and 1.74 window layers. Infiltration rate is assumed to be 0.4 ACH. Prototype is a 2-story basement home with 2177 sq ft of floor area.

Source: Koomey et al. 1991 and LBL-REM.

**Improve CAC to 1992 std in NSF non-elec homes, Nth**

NSNGC01

new measure

measure active between 1990 and 2010

Incremental Cost: \$43 in 1989\$

UES: 54.0 kWh

Lifetime (yrs): 12

% of stock applicable: 100%

Improve average new unit CAC efficiency to 10.5 SEER in new single family gas heated homes in the North. This efficiency represents LBL-REM's prediction of the average new unit efficiency in 1992, after the standard is operative. It is higher than the standard (10.0 SEER), reflecting the above-standard units that are bought.

Source: Energy savings from PEAR. Cost from LBL's Appliance Energy Conservation Database, Sep 1990.

Preceding Measure: none

**Improve CAC in North NSF non-elec homes w/ CAC**

NSNGC02

new measure

measure active between 1990 and 2010

Incremental Cost: \$264 in 1989\$

UES: 208.0 kWh

Lifetime (yrs): 12

% of stock applicable: 100%

Improve the central air conditioner efficiency to 13.3 SEER.

Source: PEAR for energy savings, cost from LBL's Energy Conservation Database, Sep 1990.

Preceding Measure: NSNGC01

**Improve CAC(2) In North NSF non-elec homes w/ CAC**

**NSNGC03**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$250 in 1989\$

*UES:* 82.0 kWh

*Lifetime (yrs):* 12

*% of stock applicable:* 100%

Improve the central air conditioner efficiency to 14.87 SEER from 13.3 SEER.

*Source:* PEAR for energy savings, cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* NSNGC02

---

**END USE: NSNGR New SF non-electrically heated homes w/ RAC, North**

1990 UEC: 323 kWh

*Lifetime (yrs):* 30

*Fuel Type:* electric

Cooling in new single family houses with non-electric heating and room air conditioners. Baseline RAC efficiency is 9.0 EER (REM 1990 new unit average). UEC for cooling is assumed to be 31% of the calculated CAC UEC (from regional utility data compiled by RCG/Hagler, Bailly, 1990). For cost calculations, an average of 1.5 room AC units per house is assumed (from RECS 87 regional data). Insulation levels are: R-28 ceiling, R-14 wall, R-12 floor, and 1.74 window layers. Infiltration rate is assumed to be 0.4 ACH. Prototype is 2-story basement home with 2177 sq ft of floor area.

*Source:* Koomey et al. 1991 and LBL-REM.

**Increase condenser rows in RAC in NSF non-elec, N**

**NSNGR01**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$15 in 1989\$

*UES:* 14.0 kWh

*Lifetime (yrs):* 12

*% of stock applicable:* 100%

Increase condenser rows in room AC units in new SF Northern homes with gas/other heating and room AC cooling. Efficiency is improved to 9.42 EER.

*Source:* Cost from LBL's Appliance Energy Conservation Database, revised Sep 1990. Energy savings from PEAR.

*Preceding Measure:* none

**Variable speed RAC, NSF non-elec, North (>2000)**

**NSNGR02**

new measure  
measure active between 2000 and 2010  
*Incremental Cost:* \$83 in 1989\$  
*UES:* 46.0 kWh  
*Lifetime (yrs):* 15  
*% of stock applicable:* 100%

Variable speed RAC is assumed to be available after 2000. For homes with gas/other heating and room AC cooling.

*Source:* Cost and energy savings from LBL's Appliance Energy Conservation Database, revised Sep 1990.

*Preceding Measure:* NSNGR01

**Increase condenser area of RAC, NSF non-elec, Nth**

**NSNGR03**

new measure  
measure active between 2000 and 2010  
*Incremental Cost:* \$26 in 1989\$  
*UES:* 12.0 kWh  
*Lifetime (yrs):* 15  
*% of stock applicable:* 100%

Increase condenser area of room AC units in new SF Northern homes built after 2000 with gas/other heating and room AC cooling. Efficiency is improved to 9.88 EER.

*Source:* Cost from LBL's Appliance Energy Conservation Database, revised Sep 1990. Energy savings from PEAR.

*Preceding Measure:* NSNGR02

---

**END USE: NSNHP New single family homes w heat pumps, North**

1990 *UEC:* 7873 kWh  
*Lifetime (yrs):* 30  
*Fuel Type:* electric

New single family houses with heat pumps in the North. Heat pump efficiency is 9.86 SEER, 7.24 HSPF (1990 new unit, from REM). UEC is from PEAR runs using baseline shell characteristics from NAHB 1987 data: R-28 ceiling, R-14 wall, R-13 floor, and 1.87 window layers. House prototype is 2-story basementwith 2222 sqft of floor area. Infiltration rate is 0.4 ACH.

*Source:* Koomey et al. 1991 and LBL-REM.

**Improve HP to 1992 standard in North SF homes**

**NSNHP01**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$71 in 1989\$

*UES:* 242.9 kWh

*Lifetime (yrs):* 30

*% of stock applicable:* 100%

Improve average new unit HP efficiency to 7.46 HSPF, 10.5 SEER in new single family homes in the North. This efficiency represents LBL-REM's prediction of the average new unit efficiency in 1992, after the standard is operative. It is higher than the standard, reflecting the above-standard units that are bought.

*Source:* Energy savings from PEAR. Cost from LBL's Appliance Energy Conservation Database, Sep 1990.

*Preceding Measure:* none

**Triple glazed windows in new SF homes w/HP, North**

**NSNHP02**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$311 in 1989\$

*UES:* 1188.4 kWh

*Lifetime (yrs):* 14

*% of stock applicable:* 100%

Install triple glazed windows in new SF homes in the north with heat pumps.

*Source:* Costs from Koomey, 1991. Energy savings from PEAR.

*Preceding Measure:* NNHP01

**Improve HP beyond 1992 standard in North SF homes**

**NSNHP03**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$241 in 1989\$

*UES:* 1379.1 kWh

*Lifetime (yrs):* 14

*% of stock applicable:* 100%

Improve heat pump to HSPF = 9.5 and SEER = 13.3 from LBL-REM's 1992 average new unit efficiency.

*Source:* PEAR for energy savings, cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* NSNHP02

**Wall to R-19 in new SF homes w/ HP, North  
NSNHP04**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$267 in 1989\$  
*UES:* 334.8 kWh  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

Increase wall insulation to R-19 in new single family heat pump homes in the North.  
*Source:* Cost from Koomey, 1991. Energy savings from PEAR.  
*Preceding Measure:* NSNHP03

**R-30 floor in new SF homes w/ HP, N (<'95)  
NSNHP05**

new measure  
measure active between 1990 and 1995  
*Incremental Cost:* \$311 in 1989\$  
*UES:* 261.1 kWh  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

Increase floor insulation to R-30 in new SF homes built before 1995 with heat pumps in the north.  
*Source:* Cost from Koomey, 1991. Energy savings from PEAR.  
*Preceding Measure:* NSNHP04

**R-30 ceiling in new SF homes w/ HP, N(<'95)  
NSNHP06**

new measure  
measure active between 1990 and 1995  
*Incremental Cost:* \$44 in 1989\$  
*UES:* 28.5 kWh  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

Increase ceiling insulation to R-30 in new SF homes built before 1995 in the north with heat pumps.  
*Source:* Cost from Koomey, 1991. Energy savings from PEAR.  
*Preceding Measure:* NSNHP05



**Superwindows in NSF HP homes, N (post-95)**

**NSNHP07**

new measure  
measure active between 1995 and 2010  
*Incremental Cost:* \$556 in 1989\$  
*UES:* 654.6 kWh  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

Superwindows in homes built after 1995. Superwindows are double-paned with 2 transparent, low-E films suspended in between the panes. Shading coefficient of the window is 0.52, R-value in the middle is 8.1 and the overall R-value is 5.5. Their transmissivity is 62%. The energy savings were calculated using percentage changes in heating and cooling loads from the RESFEN 1.0 computer program (LBL, 1991). Current costs are now \$5 per sq ft of window area over triple glazing. Costs are assumed to drop to \$2.50 per sq ft over triple in 1995, based on personal communication with Dariush Arasteh (LBL staff scientist), 1991. Southwall Technologies provided window characteristics and RESFEN provided the energy savings for superwindows.

*Source:* Costs from Koomey, 1991. Energy savings from PEAR. RESFEN for superwindow savings.

*Preceding Measure:* NSNHP05

**R-30 floor in new SF homes w/ HP, N (>'95)**

**NSNHP08**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$311 in 1989\$  
*UES:* 225.5 kWh  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

R-30 floor in homes built after 1995.

*Source:* Cost from Koomey, 1991. Energy savings from PEAR.

*Preceding Measure:* NSNHP07

**R-30 ceiling in new SF homes w/ HP, N(>'95)**

**NSNHP09**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$44 in 1989\$  
*UES:* 24.6 kWh  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

R-30 ceiling in homes built after 1995.

*Source:* Cost from Koomey, 1991. Energy savings from PEAR.

*Preceding Measure:* NSNHP08

**END USE: NSSE New single family homes w/o cooling, South**

1990 UEC: 9114 kWh

Lifetime (yrs): 30

Fuel Type: electric

New single family houses with electric furnaces and no cooling in the South. Furnace efficiency is assumed to be 100%. UEC is from PEAR runs using baseline shell characteristics from NAHB 1987 data: R-28 ceiling, R-10 wall, R-3.8 to 2ft foundation, and 1.51 window layers. House prototype is 1-story slab with 1894 sqft of floor area. Infiltration rate is 0.62 ACH (from NAHB 87).

Source: Koomey et al. 1991 and LBL-REM.

**Shell improvement in new SF homes w/ ER/-, South**

NSSE01

new measure

measure active between 1990 and 2010

Incremental Cost: \$1061 in 1989\$

UES: 5424.0 kWh

Lifetime (yrs): 30

% of stock applicable: 100%

Measure includes increasing wall insulation to R-19 and floor to R-5 (2 ft deep), plus triple glazed windows and 0.4 ACH infiltration rate in homes built prior to 1995.

Source: Costs from Koomey, 1991. Energy savings from PEAR.

Preceding Measure: none

**Ceiling to R-30 in new SF homes w/ ER/-, South**

NSSE02

new measure

measure active between 1990 and 2010

Incremental Cost: \$57 in 1989\$

UES: 70.0 kWh

Lifetime (yrs): 30

% of stock applicable: 100%

Improves ceiling insulation to R-30 in new SF Southern homes with electric resistance heating and no cooling.

Source: Cost from Koomey, 1991. Energy savings from PEAR.

Preceding Measure: NSSE01

**Superwindows in NSF homes w/ ER/-, South(post-'95)**

**NSSE03**

new measure

measure active between 1995 and 2010

*Incremental Cost:* \$473 in 1989\$

*UES:* 521.0 kWh

*Lifetime (yrs):* 30

*% of stock applicable:* 100%

Superwindows in homes built after 1995. Superwindows are double-paned with 2 transparent, low-E films suspended in between the panes. Shading coefficient of the window is 0.52, R-value in the middle is 8.1 and the overall R-value is 5.5. Their transmissivity is 62%. The energy savings were calculated using percentage changes in heating and cooling loads from the RESFEN 1.0 computer program (LBL, 1991). Current costs are now \$5 per sq ft of window area. Costs are assumed to drop to \$2.50 per sq ft in 1995, based on personal communication with Dariush Arasteh (LBL staff scientist), 1991. Southwall Technologies provided window characteristics and RESFEN provided the energy savings for superwindows.

*Source:* Costs from Koomey, 1991. Energy savings from PEAR.

*Preceding Measure:* NSSE02

**Ceiling to R-38 in new SF homes w/ ER/-, South**

**NSSE04**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$322 in 1989\$

*UES:* 205.0 kWh

*Lifetime (yrs):* 30

*% of stock applicable:* 100%

Improves ceiling insulation to R-38 in new SF Southern homes with electric resistance heating and no cooling.

*Source:* Cost from Koomey, 1991. Energy savings from PEAR.

*Preceding Measure:* NSSE03

---

**END USE: NSSEC New SF electric furnace, CAC homes In South**

1990 UEC: 12697 kWh

*Lifetime (yrs):* 30

*Fuel Type:* electric

New single family houses with electric furnaces and central air conditioners. Efficiency of the furnace is assumed to be 100%; CAC efficiency is 1990 new unit efficiency from REM (9.96 SEER). UECs for heating and cooling were obtained from PEAR runs using baseline shell characteristics derived from NAHB 1987 data. Insulation levels are: R-28 ceiling, R-10 wall, R-3.8 to 2ft foundation, 1.51 window layers, and 0.62 ACH. House prototype is a 1-story slab with 1894 sq ft of floor area.

*Source:* Koomey et al. 1991 and LBL-REM.

**Switch elec furnace to HP in new SF homes, South  
NSSEC01**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$322 in 1989\$  
*UES:* 6456.1 kWh  
*Lifetime (yrs):* 14  
*% of stock applicable:* 100%

Switch the electric resistance heater and central air conditioner to a heat pump having HSPF of 9.06 and SEER of 13.3. All homes with CAC and electric furnaces are "switched" to heat pumps. Even though there is virtually no difference in the cost of a standard heat pump and the cost of a CAC/electric heating system (EPRI, 1987), we have added \$100 to the cost of the measure to be conservative. The remaining \$222 is the incremental cost of the efficient HP above the 1990 average new unit (7.24 HSPF, 9.86 SEER) cost. The efficient HP cost is from LBL's Appliance Energy Conservation Database by Jim McMahon, revised September 1990.

*Source:* PEAR for energy savings, costs from EPRI 1987 and LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* none

**Improved shell in new SF homes w/ ER/CAC, South  
NSSEC02**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$682 in 1989\$  
*UES:* 2909.9 kWh  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

Measure includes spectrally selective windows, 0.4 ACH infiltration rate and R-5, 2 ft foundation insulation in new SF homes in the South with ER heating and CAC. Spectrally selective windows cost the same as double pane, low E, argon filled windows, have the same U value but a shading coefficient of 0.5, according to LBL staff scientist Dariush Arasteh. Energy savings for the spectrally selective windows were determined as a fraction of the double to triple pane savings using RESFEN 1.0.

*Source:* Costs from Koomey, 1991. Energy savings from PEAR.

*Preceding Measure:* NSSEC01

**Wall to R-19 in new SF homes, South  
NSSEC03**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$379 in 1989\$  
*UES:* 428.9 kWh  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

Increase wall insulation to R-19 in new single family homes with ER/CAC in the south.

*Source:* Cost from Koomey, 1991. Energy savings from PEAR.

*Preceding Measure:* NSSEC02

**Improve HP in South new SF ER/CAC homes**

**NSSEC04**  
new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$90 in 1989\$  
*UES:* 108.1 kWh  
*Lifetime (yrs):* 14  
*% of stock applicable:* 100%

Improve the heat pump efficiency to HSPF 9.5 and SEER 13.3 from HSPF 9.5, SEER 13.3.

*Source:* PEAR for energy savings, cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* NSSEC03

---

**END USE: NSSER New SF electric furnace homes with room AC, South**

*1990 UEC:* 10333 kWh  
*Lifetime (yrs):* 30  
*Fuel Type:* electric

New single family houses with electric furnaces and room air conditioners in the South. Prototype is 1-story slab w/ 1894 sq ft. Furnace efficiency is assumed to be 100%; RAC efficiency is 9.0 EER (REM 1990 new unit average). UECs for heating and (central) cooling were obtained from PEAR runs using baseline shell characteristics derived from NAHB 1987 data. Insulation levels are: R-28 ceiling, R-10 wall, R-3.8 to 2ft foundation, 0.62 ACH, and 1.51 window layers. The baseline RAC UEC is assumed to be 34% of the calculated UEC for central AC (from a compilation of utility data in the Southern region (RCG/Hagler, Bailly, 1990)). For cost of RAC improvement measures, an average of 1.2 room AC units per house was assumed. The number of room AC units per house was derived from RECS 87 data for our southern region (Census regions were reaggregated and weighted by housing starts).

*Source:* Koomey et al. 1991 and LBL-REM.

**Shell Improvement in new SF homes w/ ER/RAC, South**

**NSSER01**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$1061 in 1989\$

*UES:* 5623.9 kWh

*Lifetime (yrs):* 30

*% of stock applicable:* 100%

Measure includes increasing wall insulation to R-19 and floor to R-30, plus triple glazed windows and reducing infiltration rate to 0.4 ACH.

*Source:* Costs from Koomey, 1991. Energy savings from PEAR.

*Preceding Measure:* none

**Increase condenser rows of RAC in elec NSF, South**

**NSSER02**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$12 in 1989\$

*UES:* 45.4 kWh

*Lifetime (yrs):* 15

*% of stock applicable:* 100%

Increase condenser rows of all room AC units in new single family homes in the south with RAC. This measure improves efficiency to 9.42 EER from the 1990 standard efficiency of 9.0 EER.

*Source:* Cost from LBL's Appliance Energy Conservation Database, revised September 1990. Energy savings from PEAR.

*Preceding Measure:* NSSER01

**Ceiling to R-30 in NSF ER/RAC homes, Sth (pre-'95)**

**NSSER03**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$57 in 1989\$

*UES:* 72.9 kWh

*Lifetime (yrs):* 30

*% of stock applicable:* 100%

Improves ceiling insulation to R-30 in new SF Southern homes built prior to 1995 with electric resistance heating and room AC cooling.

*Source:* Cost from Koomey, 1991. Energy savings from PEAR.

*Preceding Measure:* NSSER02

**Shell Improvement in NSF ER/RAC homes, Sth (>1995)**

**NSSER04**

new measure  
measure active between 1995 and 2010  
*Incremental Cost:* \$530 in 1989\$  
*UES:* 1151.6 kWh  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

Measure includes increasing ceiling insulation to R-30 plus superwindows in homes built after 1995. Superwindows are double-paned with 2 transparent, low-E films suspended in between the panes. Shading coefficient of the window is 0.52, R-value in the middle is 8.1 and the overall R-value is 5.5. Their transmissivity is 62%. The energy savings were calculated using percentage changes in heating and cooling loads from the RESFEN 1.0 computer program (LBL, 1991). Current costs are now \$5 per sq ft of window area. Costs are assumed to drop to \$2.50 per sq ft in 1995, based on personal communication with Dariush Arasteh (LBL staff scientist), 1991. Southwall Technologies provided window characteristics and RESFEN provided the energy savings for superwindows.

*Source:* Costs from Koomey et al, 1991b. Energy savings from PEAR.

*Preceding Measure:* NSSER02

**Ceiling to R-38 in new SF homes w/ ER/RAC, South**

**NSSER05**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$322 in 1989\$  
*UES:* 219.4 kWh  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

Improves ceiling insulation to R-38 in new SF Southern homes with electric resistance heating and room AC cooling.

*Source:* Cost from Koomey, 1991. Energy savings from PEAR.

*Preceding Measure:* NSSER03 (before 1995); NSSER04 (after 1995).

**Variable speed RAC in south NSF homes (post-2000)**

**NSSER06**

new measure  
measure active between 2000 and 2010  
*Incremental Cost:* \$67 in 1989\$  
*UES:* 59.4 kWh  
*Lifetime (yrs):* 15  
*% of stock applicable:* 100%

Variable speed room AC are expected to be available in 2000. This measure does not change the efficiency, but decreases consumption. Energy savings and cost are from LBL's Appliance Energy Conservation Database, revised September 1990.

*Source:* Cost & energy savings from LBL's Appliance Energy Conservation Database, revised September 1990.

*Preceding Measure:* NSSER05

**Increase condenser area of RAC in elec NSF, South  
NSSER07**

new measure  
measure active between 2000 and 2010  
*Incremental Cost:* \$20 in 1989\$  
*UES:* 59.4 kWh  
*Lifetime (yrs):* 15  
*% of stock applicable:* 100%

*Source:* Cost from LBL's Appliance Energy Conservation Database, revised September 1990. Energy savings from PEAR.

*Preceding Measure:* NSSER06

---

**END USE: NSSGC New SF non-electrically heated homes w/ CAC, South**

1990 *UEC:* 3576 kWh  
*Lifetime (yrs):* 30  
*Fuel Type:* electric  
Cooling in new single family houses with non-electric heating and central air conditioners. CAC efficiency is 1990 new unit efficiency from REM (9.96 SEER). UECs for cooling was obtained from PEAR run using baseline shell characteristics derived from NAHB 1987 data. Insulation levels are: R-25 ceiling, R-12 wall, R-1.9 to 2ft foundation, 1.68 window layers, and 0.63 ACH. House prototype is a 1-story slab with 2071 sq ft of floor area.

*Source:* Koomey et al. 1991 and LBL-REM.

**Improve CAC to 1992 std in NSF non-elec homes, Sth  
NSSGC01**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$50 in 1989\$  
*UES:* 169.0 kWh  
*Lifetime (yrs):* 12  
*% of stock applicable:* 100%

Improve average new unit CAC efficiency to 10.5 SEER in new single family gas heated homes in the South. This efficiency represents LBL-REM's prediction of the average new unit efficiency in 1992, after the standard is operative. It is higher than the standard (10.0 SEER), reflecting the above-standard units that are bought. Cost assumes a 41 kBtu/hr capacity and is increased over LBL's Conservation database 35kBtu cost by a factor of 17%. Factor was derived from EPRI TAG 1987 cost versus capacity curve.

*Source:* Energy savings from PEAR. Cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* none



**Spectrally selective windows, NSF non-elec, South NSSGC02**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$311 in 1989\$  
*UES:* 1813.0 kWh  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

Measure places spectrally selective windows in new SF homes in the South with gas heating and CAC. Spectrally selective windows cost the same as double pane, low E, argon filled windows, have the same U value but a shading coefficient of 0.5, according to LBL staff scientist Dariush Arasteh. Energy savings for the spectrally selective windows were determined as a fraction of the double to triple pane savings using RESFEN 1.0.

*Source:* Cost from Koomey, 1991. Energy savings from PEAR.

*Preceding Measure:* NSSGC01

**Improve CAC in South new SF non-elec homes w/ CAC NSSGC03**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$309 in 1989\$  
*UES:* 336.0 kWh  
*Lifetime (yrs):* 12  
*% of stock applicable:* 100%

Improve the central air conditioner efficiency to 13.3 SEER. Cost assumes a 41 kBtu/hr unit capacity.

*Source:* PEAR for energy savings, cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* NSSGC02

**Improve CAC(2) in NSF non-elec homes w/ CAC, South NSSGC04**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$293 in 1989\$  
*UES:* 133.0 kWh  
*Lifetime (yrs):* 12  
*% of stock applicable:* 100%

Improve the central air conditioner efficiency to 14.87 SEER from 13.3 SEER. Cost assumes a 41 kBtu/hr capacity.

*Source:* PEAR for energy savings, cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* NSSGC03

**END USE: NSSGR New SF non-electrically heated homes w/ RAC, South**

1990 UEC: 1216 kWh  
Lifetime (yrs): 30  
Fuel Type: electric

Cooling in new single family houses with non-electric heating and room air conditioners. RAC efficiency is 9.0 EER (REM 1990 new unit average). UEC for cooling is assumed to be 34% of the calculated CAC UEC (from regional utility data compiled by RCG/Hagler, Bailly, 1990). For cost calculations, an average of 1.2 room AC units per house is assumed (from RECS 87 regional data). Insulation levels are: R-25 ceiling, R-12 wall, R-1.9 to 2ft foundation, and 1.68 window layers, and 0.63 ACH. House prototype is a 1-story slab with 2071 sq ft of floor area.

Source: Koomey et al. 1991 and LBL-REM.

**Increase condenser rows in RAC, NSF non-elec, Sth**

NSSGR01

new measure  
measure active between 1990 and 2010  
Incremental Cost: \$12 in 1989\$  
UES: 54.0 kWh  
Lifetime (yrs): 15  
% of stock applicable: 100%

Increase condenser rows in room AC units in new SF Southern homes with gas/other heating and room AC cooling. Efficiency is improved to 9.42 EER.

Source: Cost from LBL's Appliance Energy Conservation Database, revised Sep 1990. Energy savings from PEAR.

Preceding Measure: none

**Increase condenser area of RAC, NSF non-elec, Sth**

NSSGR02

new measure  
measure active between 1990 and 2000  
Incremental Cost: \$87 in 1989\$  
UES: 54.0 kWh  
Lifetime (yrs): 15  
% of stock applicable: 100%

Increase condenser area of room AC units in new SF Southern homes built before 2000 with gas/other heating and room AC cooling. Efficiency is improved to 9.88 EER.

Source: Cost from LBL's Appliance Energy Conservation Database, revised Sep 1990. Energy savings from PEAR.

Preceding Measure: NSSGR01

**Variable speed RAC, NSF non-elec, South (>2000)**

**NSSGR03**

new measure  
measure active between 2000 and 2010  
*Incremental Cost:* \$67 in 1989\$  
*UES:* 173.0 kWh  
*Lifetime (yrs):* 15  
*% of stock applicable:* 100%

Variable speed RAC is assumed to be available after 2000. For homes with gas/other heating and room AC cooling.

*Source:* Cost and energy savings from LBL's Appliance Energy Conservation Database, revised Sep 1990.

*Preceding Measure:* NSSGR02

**Increase condenser area of RAC, non-elec NSF, Sth**

**NSSGR04**

new measure  
measure active between 2000 and 2010  
*Incremental Cost:* \$20 in 1989\$  
*UES:* 46.0 kWh  
*Lifetime (yrs):* 15  
*% of stock applicable:* 100%

Increase condenser area of room AC units in new SF Southern homes built after 2000 with gas/other heating and room AC cooling. Efficiency is improved to 9.88 EER.

*Source:* Cost from LBL's Appliance Energy Conservation Database, revised Sep 1990. Energy savings from PEAR.

*Preceding Measure:* NSSGR03

---

**END USE: NSSHP New single family homes w heat pumps, South**

1990 *UEC:* 6634 kWh  
*Lifetime (yrs):* 30  
*Fuel Type:* electric

New single family houses with heat pumps in the South. Heat pump efficiency is 9.86 SEER, 7.24 HSPF (1990 new unit, from REM). *UEC* is from PEAR runs using baseline shell characteristics from NAHB 1987 data: R-25 ceiling, R-11 wall, R-1.8 to 2ft foundation, 1.69 window layers, and 0.63 ACH infiltration rate. House prototype is 1-story slab with 1823 sqft of floor area.

*Source:* Koomey et al. 1991 and LBL-REM.

**Improve HP to 1992 standard in South SF homes**

**NSSHHP01**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$86 in 1989\$

*UES:* 285.4 kWh

*Lifetime (yrs):* 14

*% of stock applicable:* 100%

Improve average new unit HP efficiency to 7.46 HSPF, 10.5 SEER in new single family homes in the South. This efficiency represents LBL-REM's prediction of the average new unit efficiency in 1992, after the standard is operative. It is higher than the standard, reflecting the above-standard units that are bought. Cost assumes a 41 kBtu unit capacity, derived from EPRI TAG 1987 design cooling loads for southeastern cities. A 17% cost increase over the 35 kBtu capacity unit was derived from EPRI TAG cost vs. peak output curves and applied to the cost in LBL's Conservation Database.

*Source:* PEAR for energy savings, cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* none

**Improve HP beyond 1992 standard in South SF homes**

**NSSHHP02**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$183 in 1989\$

*UES:* 1122.1 kWh

*Lifetime (yrs):* 14

*% of stock applicable:* 100%

Improve heat pump to HSPF = 9.06 and SEER = 13.03 from LBL-REM's 1992 average new unit efficiency. Cost assumes a 41 kBtu/hr unit capacity.

*Source:* PEAR for energy savings, cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* NSSHP01

**Improved shell in new SF homes w/ HP, South**

**NSSHHP03**

new measure

measure active between 1990 and 2010

*Incremental Cost:* \$711 in 1989\$

*UES:* 2397.8 kWh

*Lifetime (yrs):* 30

*% of stock applicable:* 100%

Measure includes spectrally selective windows, 0.4 ACH infiltration rate and R-5, 2 ft foundation insulation in new SF homes in the South with ER heating and CAC. Spectrally selective windows cost the same as double pane, low E, argon filled windows, have the same U value but a shading coefficient of 0.5, according to LBL staff scientist Dariush Arasteh. Energy savings for the spectrally selective windows were determined as a fraction of the double to triple pane savings using RESFEN 1.0.

*Source:* Costs from Koomey, 1991. Energy savings from PEAR.

*Preceding Measure:* NSSHP02

**Improve HP in South new SF HP homes  
NSSHP04**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$109 in 1989\$  
*UES:* 104.1 kWh  
*Lifetime (yrs):* 14  
*% of stock applicable:* 100%

Improve heat pump to HSPF = 9.5 and SEER = 13.3. Cost assumes a 41 kBtu/unit capacity.

*Source:* PEAR for energy savings, cost from LBL's Energy Conservation Database, Sep 1990.

*Preceding Measure:* NSSHP03

**Wall to R-19 in new SF homes w/ HP, South  
NSSHP05**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$328 in 1989\$  
*UES:* 210.4 kWh  
*Lifetime (yrs):* 30  
*% of stock applicable:* 100%

Increase wall insulation to R-19 in new single family heat pump homes in the South.

*Source:* Cost from Koomey, 1991. Energy savings from PEAR.

*Preceding Measure:* NSSHP04

---

**END USE: REF Refrigerator**

*1990 UEC:* 893 kWh  
*Lifetime (yrs):* 19  
*Fuel Type:* electric

We model the entire refrigerator stock as top mount automatic defrost, which accounts for 73% of the stock (LBL-REM). The baseline UEC is the 1990 standard for top mount AD refrigerators, from LBL-REM. Cost and energy savings for the measures assume a unit without CFCs. Actual REM 1990 new unit UEC (a weighted average over all models sold) is 927.8 kWh, or 4% higher.

*Source:* LBL-REM

**Improve refrigerator to 1993 standard**

**REF01**

new measure  
measure active between 1990 and 2010  
*Incremental Cost:* \$49 in 1987\$  
*UES:* 203.2 kWh  
*Lifetime (yrs):* 19  
*% of stock applicable:* 100%

1993 standard includes enhanced heat transfer, foam door, 5.05 EER compressor, 2" door insulation, efficient fans, 3"/2.7" side and 3.0" back insulation. Assumes the unit has no CFCs. Cost assumes a 1.7 retail markup factor (from LBL-MIM).

*Source:* US DOE Nov 1989

*Preceding Measure:* none

**Evacuated Panels for refrigerator (post 1995)**

**REF02**

new measure  
measure active between 1995 and 2010  
*Incremental Cost:* \$57 in 1987\$  
*UES:* 113.0 kWh  
*Lifetime (yrs):* 19  
*% of stock applicable:* 100%

Evacuated powder filled panels, assumed to be available after 1995.

*Source:* US DOE Nov 1989

*Preceding Measure:* REF01 (1993 standard)

**Two-Compressor System for refrigerator (post 1995)**

**REF03**

new measure  
measure active between 1995 and 2010  
*Incremental Cost:* \$85 in 1987\$  
*UES:* 69.0 kWh  
*Lifetime (yrs):* 19  
*% of stock applicable:* 100%

*Source:* US DOE Nov 1989

*Preceding Measure:* REF02 (evac panels)

**Recycle refrigerator condenser heat (post-2000)**

**REF12**

new measure

measure active between 2000 and 2010

*Incremental Cost:* \$40 in 1989\$

*UES:* 100.0 kWh

*Lifetime (yrs):* 19

*% of stock applicable:* 100%

Energy savings are based on saving the electricity use of anti-sweat heaters, which account for 11% of the baseline energy use (947 kWh), or about 100 kWh, by recycling condenser heat. The cost is an estimate of the cost of adding thin tubing to carry the recycled heat around the perimeter of the refrigerator. Costs and savings are not yet available for this measure, which is assumed to become commercially available by the year 2000.

*Source:* US DOE Nov 1989 and conversations with Ike Turiel of LBL's Appliance Standards Group

*Preceding Measure:* REF03

**Raise refrig compressor EER to 5.3 (post 2000)**

**REF13**

new measure

measure active between 2000 and 2010

*Incremental Cost:* \$9 in 1987\$

*UES:* 18.0 kWh

*Lifetime (yrs):* 19

*% of stock applicable:* 100%

The compressor accounts for 75% of baseline energy use, and is estimated to account for 70% of the more efficient refrigerator's consumption. An improvement of 0.25/5.05 EER, or 5%, in the compressor will save 5% of 70% of the previous measure's UEC. This amounts to an energy savings of about 18 kWh. The incremental cost represents the cost of making the same improvement in a refrigerator with CFCs, from USDOE 1989. The costs should be approximately the same for a refrigerator without CFCs (Ike Turiel). The manufacturer cost has been multiplied by a retail cost factor of 1.7 from LBL-MIM.

*Source:* US DOE Nov 1989 and conversations with Ike Turiel of LBL's Appliance Standards Group, May 1991.

*Preceding Measure:* REF12





***APPENDIX 4: END-USE ENERGY IN FROZEN EFFICIENCY CASE***

This appendix contains the detailed breakdown of end-use energy in the frozen efficiency case, for 1990, 2000, and 2010, taken from ACCESS. All numbers are in TWh/year.

FROZEN EFFICIENCY CONSUMPTION IN 1990

CATEGORY	ENDUSE	CODE	ENERGY
Lighting		LTG	100.11
		total	100.11
Other		BWTV	1.73
		CD-E	45.89
		CTV	18.01
		ERNG	62.32
		MISE	52.80
		total	180.74
Refrigeration		FRZR	37.23
		REF	132.02
		total	169.24
Space Conditioning		EANE	9.49
		EANEC	11.32
		EANER	16.29
		EANGC	0.89
		EANGR	1.46
		EANHP	9.00
		EASE	3.98
		EASEC	7.09
		EASER	2.65
		EASGC	1.92
		EASGR	0.57
		EASHP	1.93
		EMNE	0.59
		EMNEC	0.67
		EMNER	0.82
		EMNGC	0.52
		EMNGR	0.22
		EMNHP	0.13
		EMSE	0.98
		EMSEC	1.71
		EMSER	1.98
		EMSGC	0.71
		EMSGR	0.82
		EMSHP	0.15
		ESNE	13.44
		ESNEC	15.23
		ESNER	13.39
		ESNGC	9.54
		ESNGR	3.82
		ESNHP	10.40
		ESSE	6.27
		ESSEC	21.28
		ESSER	9.18
	ESSGC	25.45	
	ESSGR	9.11	
	ESSHP	18.82	
	total	231.81	
Water Heating		EWH	146.18
		total	146.18

Total for all enduses: 828.091 TWh

FROZEN EFFICIENCY CONSUMPTION IN 2000

CATEGORY	ENDUSE CODE	ENERGY
Lighting	LTG	114.28
	total	114.28
Other	BWTV	1.97
	CD-E	54.94
	CTV	20.55
	ERNG	77.92
	MISE	60.27
	total	215.65
Refrigeration	FRZR	28.33
	REF	127.72
	total	156.05
Space Conditioning	EANE	8.71
	EANEC	10.33
	EANER	14.92
	EANGC	0.70
	EANGR	1.16
	EANHP	7.70
	EASE	3.65
	EASEC	6.22
	EASER	2.39
	EASGC	1.52
	EASGR	0.45
	EASHP	1.60
	EMNE	0.42
	EMNEC	0.48
	EMNER	0.59
	EMNGC	0.33
	EMNGR	0.14
	EMNHP	0.08
	EMSE	0.71
	EMSEC	1.18
	EMSER	1.40
	EMSGC	0.44
	EMSGR	0.51
	EMSHP	0.10
	ESNE	12.45
	ESNEC	13.99
	ESNER	12.35
	ESNGC	7.64
	ESNGR	2.94
	ESNHP	8.96
	ESSE	5.80
	ESSEC	18.85
	ESSER	8.29
	ESSGC	20.37
	ESSGR	6.99
	ESSHP	15.77
	NANE	2.86
	NANEC	4.88
	NANER	0.53
	NANGC	0.21
	NANGR	0.12
	NANHP	0.34

NASE	0.28
NASEC	1.33
NASER	0.19
NASGC	0.51
NASGR	0.02
NASHP	0.40
NMNE	0.11
NMNEC	0.21
NMNER	0.23
NMNGC	0.12
NMNGR	0.04
NMSE	0.99
NMSEC	3.30
NMSER	2.02
NMSGC	0.71
NMSGR	0.24
NMSHP	0.18
NSNE	5.62
NSNEC	5.52
NSNER	1.88
NSNGC	2.29
NSNGR	0.21
NSNHP	9.32
NSSE	2.98
NSSEC	10.01
NSSER	1.74
NSSGC	4.79
NSSGR	0.53
NSSHHP	11.39
total	276.23

Water Heating

EWH	164.50
total	164.50

Total for all enduses: 926.710 TWh

FROZEN EFFICIENCY CONSUMPTION IN 2010

CATEGORY	ENDUSE CODE	ENERGY
Lighting	LTG	124.21
	total	124.21
Other	BWTV	2.15
	CD-E	61.25
	CTV	22.34
	ERNG	83.13
	MISE	65.50
	total	234.37
Refrigeration	FRZR	21.24
	REF	120.98
	total	142.22
Space Conditioning	EANE	7.84
	EANEC	9.30
	EANER	13.43
	EANGC	0.63
	EANGR	1.04
	EANHP	6.93
	EASE	3.26
	EASEC	5.57
	EASER	2.14
	EASGC	1.36
	EASGR	0.40
	EASHP	1.44
	EMNE	0.31
	EMNEC	0.34
	EMNER	0.42
	EMNGC	0.24
	EMNGR	0.10
	EMNHP	0.06
	EMSE	0.51
	EMSEC	0.85
	EMSER	1.01
	EMSGC	0.32
	EMSGR	0.37
	EMSHP	0.07
	ESNE	11.34
	ESNEC	12.75
	ESNER	11.26
	ESNGC	6.96
	ESNGR	2.68
	ESNHP	8.16
	ESSE	5.27
	ESSEC	17.11
	ESSER	7.52
	ESSGC	18.49
	ESSGR	6.35
	ESSHP	14.31
	NANE	5.21
	NANEC	8.90
	NANER	0.96
	NANGC	0.38
	NANGR	0.21
	NANHP	0.62

NASE	0.53
NASEC	2.54
NASER	0.37
NASGC	0.97
NASGR	0.03
NASHP	0.77
NMNE	0.22
NMNEC	0.42
NMNER	0.46
NMNGC	0.24
NMNGR	0.08
NMSE	2.00
NMSEC	6.67
NMSER	4.08
NMSGC	1.44
NMSGR	0.49
NMSHP	0.36
NSNE	10.20
NSNEC	10.01
NSNER	3.40
NSNGC	4.15
NSNGR	0.39
NSNHP	16.90
NSSE	5.61
NSSEC	18.85
NSSER	3.28
NSSGC	9.01
NSSGR	1.00
NSSHP	21.43
total	322.31

Water Heating

EWH	184.53
total	184.53

Total for all enduses: 1007.627 TWh

## ***APPENDIX 5: CONSERVATION SUPPLY CURVES BY END-USE CATEGORY***

This appendix contains the supply curves and measure tables by end-use category, from which the grand supply curves (Figures 5 and 6) are created. The end uses are:

Space conditioning

Refrigeration


Water heating

Lighting

Other

As before, the CCE represents technology cost--no program costs are included. Applicable stock represents the number of appliances or building shells to which the measure can be applied from 1990 to the end of the analysis period.

## Year 2010 MTP for Space Conditioning



A supply curve of conserved electricity for the United States residential sector. Each step represents a conservation measure (or a package of measures). The width of the step indicates the nationwide electricity savings from the measure and the height of the measure indicates the cost of conserved electricity.

**Year 2010 MTP for Space Conditioning**

Label	Measure Code	Measure Name	Incr. Cost 1989\$/unit	Energy Savings kWh/unit	CCE cents/kWh	Measure TWh	Energy Savings Cumulative TWh	Applicable Stock $10^3$
1	NSNEC01	Switch elec furnace to HP in new SF homes, North	222	7298	0.3	5.72	5.72	784
2	NSSEC01	Switch elec furnace to HP in new SF homes, South	322	6456	0.6	9.58	15.30	1484
3	ESNEC01	Switch elec furn to HP in existing North SF	822	11853	0.8	7.83	23.13	661
4	ESNHP02	Improve ceiling insulation in ESF HP homes, North	7	72	0.8	0.06	23.19	838
5	ESNER01	Improve shell in ESF ER/RAC homes, North	274	2374	0.9	1.44	24.63	605
6	ESNHP03	Improve HP in ESF HP homes, North	151	1598	1.1	1.34	25.97	838
7	ESNHP01	Improve HP to 92 std in ESF HP homes, North	71	719	1.1	0.60	26.57	838
8	EANHP02	Improve HP beyond 92 std in EMF HP homes, North	104	1028	1.2	1.19	27.76	1162
9	ESSHP02	Improve ceiling insulation in ESF HP homes, South	5	31	1.3	0.06	27.82	1865
10	NSSGC02	Spectrally selective windows, NSF non-elec, South	311	1813	1.4	4.57	32.39	2519
11	NSSER01	Shell improvement in new SF homes w/ ER/RAC, South	1061	5624	1.5	1.79	34.18	318
12	EMNHP02	Improve HP beyond 1992 standard in North EMH	159	1150	1.6	0.01	34.19	9
13	NSNER01	Shell improvement in new SF homes w/ ER/RAC, North	631	3231	1.6	0.25	34.44	78
14	NSSE01	Shell improvement in new SF homes w/ ER/-, South	1061	5424	1.6	3.34	37.78	616
15	ESNE01	Improve shell in ESF ER/- homes, North	754	3583	1.7	2.22	40.00	619
16	ESSEC01	Switch elec furn to HP in existing South SF	869	5805	1.7	8.69	48.68	1496
17	NSSH02	Improve HP beyond 1992 standard in South SF homes	183	1122	1.9	3.62	52.31	3230
18	NSSEC02	Improved shell in new SF homes w/ ER/CAC, South	682	2910	1.9	4.32	56.63	1484
19	NANHP02	Improve HP beyond 92 std in NMF HP homes, North	104	623	1.9	0.11	56.73	171
20	NSNER02	Shell improvement in new SF homes w/ ER/RAC, North	1095	4639	1.9	0.94	57.68	203
21	ESSHP03	Improve HP in ESF HP homes, South	292	1693	2.0	3.16	60.83	1865
22	NSNHP03	Improve HP beyond 1992 standard in North SF homes	241	1379	2.0	2.96	63.79	2147
23	ESSER01	Improve shell in ESF ER/RAC homes, South	444	1757	2.0	1.42	65.21	809
24	ESSE01	Improve shell in ESF ER/- homes, South	451	1712	2.1	1.10	66.31	642
25	EMSHP02	Improve HP beyond 1992 standard in South EMH	192	981	2.2	0.01	66.33	13
26	NSNHP01	Improve HP to 1992 standard in North SF homes	71	243	2.4	0.52	66.85	2147
27	NMSHP02	Improve HP beyond 1992 standard in South NMH	192	917	2.4	0.06	66.91	71
28	NSSH03	Improved shell in new SF homes w/ HP, South	711	2398	2.4	7.75	74.66	3230
29	NSSGR01	Increase condenser rows in RAC, NSF non-elec, Sth	12	54	2.4	0.04	74.70	819
30	EMSHP01	Improve HP to 92 std in EMH HP homes, South	55	251	2.5	0.00	74.71	13

### Year 2010 MTP for Space Conditioning

Label	Measure Code	Measure Name	Incr. Cost 1989\$/unit	Energy Savings kWh/unit	CCE cents/kWh	Measure TWh	Energy Savings Cumulative TWh	Applicable Stock $10^3$
31	NSNEC02	Triple glazed windows in new SF homes, North	223	707	2.6	0.55	75.26	784
32	EASHP02	Improve HP beyond 92 std in EMF HP homes, South	104	462	2.6	0.25	75.51	548
33	ESNEC02	Improve shell in ESF ER/CAC homes, North	274	842	2.6	0.56	76.07	661
34	NMSHP01	Improve HP to 92 std in NMH HP homes, South	57	239	2.7	0.02	76.09	71
35	ESNHP04	Improve shell in ESF HP homes, North	121	353	2.8	0.30	76.38	838
36	NSSER02	Increase condenser rows of RAC in elec NSF, South	12	45	2.9	0.01	76.40	318
37	NMSEGR01	Improve RAC in NMH non-elec homes, Sth	10	41	2.9	0.02	76.42	529
38	NMSER01	Improve RAC in NMH elec htd homes, Sth	10	41	2.9	0.03	76.45	670
39	EANHP01	Improve HP to 92 std in EMF HP homes, North	49	190	2.9	0.22	76.67	1162
40	NSNHP02	Triple glazed windows in new SF homes w/HP, North	311	1188	3.0	2.55	79.22	2147
41	EMSER01	Improve RAC in EMH elec htd homes, Sth	10	40	3.0	0.01	79.22	151
42	ESSHP01	Improve HP to 92 std in ESF HP homes, South	86	321	3.1	0.60	79.82	1865
43	EMSEGR01	Improve RAC in EMH non-elec homes, Sth	10	38	3.1	0.02	79.84	429
44	ESNHP05	Improve HP in ESF HP homes, North	90	305	3.4	0.26	80.09	838
45	NSSHHP01	Improve HP to 1992 standard in South SF homes	86	285	3.4	0.92	81.02	3230
46	ESSER02	Improve room AC in ESF homes, South	15	47	3.5	0.04	81.05	809
47	ESNEC03	Switch to improved HP in North ESF homes	90	285	3.6	0.19	81.24	661
48	ESSGC01	Improve CAC to 1992 std in ESF non-elec homes, Sth	50	171	3.7	0.95	82.19	5562
49	NSSER07	Increase condenser area of RAC in elec NSF, South	20	59	3.7	0.01	82.20	149
50	NSSER04	Shell improvement in NSF ER/RAC homes, Sth (>1995)	530	1152	3.7	0.27	82.47	233
51	NSSGC01	Improve CAC to 1992 std in NSF non-elec homes, Sth	50	169	3.7	0.43	82.90	2519
52	EANHP03	Improve HP(2) in EMF HP homes, North	62	179	3.9	0.21	83.10	1162
53	ESNER02	Improve window, ceil & wall in ESF homes, North	1354	2718	4.0	1.64	84.75	605
54	ESSHP04	Improve shell in ESF HP homes, South	304	593	4.2	1.11	85.85	1865
55	NSSGR03	Variable speed RAC, NSF non-elec, South (>2000)	67	173	4.3	0.07	85.92	384
56	EMNHP01	Improve HP to 92 std in EMH HP homes, North	93	238	4.5	0.00	85.92	9
57	NMSGC01	Improve CAC to 1992 std in new non-elec MH, South	50	140	4.5	0.07	86.00	529
58	NMSEC01	Improve CAC to 1992 std in new elec htd MH, South	50	140	4.5	0.12	86.11	846
59	EMSEC01	Improve CAC to 1992 std in EMH elec htd homes, Sth	50	136	4.6	0.01	86.13	101
60	ESSECC02	Improve shell in ESF ER/CAC homes, South	444	776	4.6	1.16	87.29	1496



### Year 2010 MTP for Space Conditioning

Label	Measure Code	Measure Name	Incr. Cost 1989\$/unit	Energy Savings kWh/unit	CCE cents/kWh	Energy Savings Measure TWh	Energy Savings Cumulative TWh	Applicable Stock 10 <sup>3</sup>
61	NANHP01	Improve HP to 92 std in NMF HP homes, North	49	119	4.7	0.02	87.31	171
62	ESNE02	Improve window, ceil & wall in ESF homes, North	859	1469	4.7	0.91	88.22	619
63	NSSGR04	Increase condenser area of RAC, non-elec NSF, Sth	20	46	4.8	0.02	88.24	384
64	EMSGC01	Improve CAC to 1992 std in EMH non-elec homes, Sth	50	130	4.8	0.02	88.25	126
65	EASHP01	Improve HP to 92 std in EMF HP homes, South	49	115	4.9	0.06	88.32	548
66	NASHP02	Improve HP beyond 92 std in NMF HP homes, South	104	244	4.9	0.14	88.45	564
67	NSNEC03	Improve HP in North single-family	190	430	5.0	0.34	88.79	784
68	ESNHP06	Improve ceiling in ESF HP homes, North	3	5	5.1	0.00	88.80	838
69	NMSGRO2	Improve RAC(2) in NMH non-elec homes, Sth(post2000	56	132	5.3	0.04	88.83	267
70	NMSER02	Improve RAC(2) in NMH elec htd homes, Sth(post2000	56	132	5.3	0.04	88.88	338
71	EMSER02	Improve RAC(2) in EMH elec htd homes, Sth(post2000	56	129	5.4	0.01	88.88	58
72	EMSGRO2	Improve RAC(2) in EMH non-elec homes, Sth(post2000	56	123	5.7	0.02	88.90	165
73	EASGC01	Improve CAC to 1992 std in EMF non-elec homes, Sth	28	61	5.7	0.07	88.97	1152
74	EASEC01	Improve CAC to 1992 std in EMF elec htd homes, Sth	28	61	5.7	0.08	89.05	1324
75	EMNHP03	Improve HP(2) in North EMH	95	185	5.8	0.00	89.06	9
76	NSNEC04	Wall to R-19 in new SF homes, North	186	257	5.9	0.20	89.26	784
77	ESSGC02	Improve CAC in South ESF non-elec homes w/ CAC	309	664	5.9	3.69	92.95	5562
78	NSSER03	Ceiling to R-30 in NSF ER/RAC homes, Sth (pre-'95)	57	73	6.3	0.02	92.97	318
79	NSNER03	Wall to R-27, ceil to R-49 in new SF homes, North	1355	1725	6.4	0.48	93.46	281
80	NSNHP04	Wall to R-19 in new SF homes w/ HP, North	267	335	6.5	0.72	94.18	2147
81	EMNER01	Improve RAC in EMH elec htd homes, Nth	10	19	6.5	0.00	94.18	37
82	NSSE02	Ceiling to R-30 in new SF homes w/ ER/-, South	57	70	6.6	0.04	94.22	616
83	NANHP03	Improve HP(2) in NMF HP homes, North	62	106	6.7	0.02	94.24	171
84	NMNER01	Improve RAC in NMH elec htd homes, Nth	10	18	6.7	0.00	94.24	46
85	NMNGR01	Improve RAC in NMH non-elec htd homes, Nth	10	18	6.7	0.00	94.24	206
86	NSNHP07	Superwindows in NSF HP homes, N (post-95)	556	655	6.9	1.02	95.26	1551
87	EMNGR01	Improve RAC in EMH non-elec homes, Nth	10	17	7.1	0.00	95.26	256
88	ESNER03	R-30 floor in ESF ER/RAC homes, North	1297	1482	7.1	0.33	95.59	224
89	NASGC01	Improve CAC to 1992 std in NMF non-elec homes, Sth	28	49	7.1	0.05	95.64	1023
90	NASEC01	Improve CAC to 1992 std in NMF elec htd homes, Sth	28	49	7.1	0.07	95.71	1405

**Year 2010 MTP for Space Conditioning**

Label	Measure Code	Measure Name	Incr. Cost 1989\$/unit	Energy Savings kWh/unit	CCE cents/kWh	Measure TWh	Energy Savings Cumulative TWh	Applicable Stock 10 <sup>3</sup>
91	ESNE03	R-30 floor in ESF ER/- homes, North	1297	1471	7.1	0.91	96.62	619
92	NSSEC03	Wall to R-19 in new SF homes, South	379	429	7.2	0.64	97.26	1484
93	NMSGC02	Improve CAC beyond 1992 std in NMH non-elec homes,	309	537	7.3	0.28	97.55	529
94	NMSEC02	Improve CAC beyond 1992 std in NMH elec htd homes,	309	537	7.3	0.45	98.00	846
95	NSSE03	Superwindows in NSF homes w/ ER/-, South(post-95)	473	521	7.4	0.24	98.24	452
96	EASER01	Improve RAC in EMF elec htd homes, Sth	10	16	7.4	0.01	98.25	629
97	EASGR01	Improve RAC in EMF non-elec homes, Sth	10	16	7.4	0.02	98.26	1103
98	EMSEC02	Improve CAC beyond 1992 std in EMH elec htd homes,	309	525	7.4	0.05	98.32	101
99	ESSER03	Improve ceiling in ESF ER/RAC homes, South	410	443	7.5	0.36	98.67	809
100	EASGC03	Variable speed CAC compressor, EMF g/o homes, Sth	105	176	7.5	0.02	98.70	135
101	EASEC03	Variable speed CAC compressor, EMF elec homes, Sth	105	176	7.5	0.03	98.73	155
102	ESNE04	Improve ceiling in ESF homes, North	14	15	7.6	0.01	98.74	619
103	ESSEC03	Switch to improved HP in South ESF homes	109	162	7.7	0.24	98.98	1496
104	EMSGC02	Improve CAC beyond 1992 std in EMH non-elec homes,	309	501	7.8	0.06	99.04	126
105	EMNEC01	Improve CAC to 1992 std in EMH elec htd homes, Nth	43	69	7.9	0.00	99.04	27
106	NASHP01	Improve HP to 92 std in NMF HP homes, South	49	70	8.0	0.04	99.08	564
107	ESSE02	Improve ceiling in ESF ER/- homes, South	403	409	8.0	0.26	99.35	642
108	NMNEC01	Improve CAC to 1992 std in new elec htd MH, North	43	67	8.1	0.00	99.35	38
109	NMNGC01	Improve CAC to 1992 std in new non-elec MH, North	43	67	8.1	0.01	99.36	183
110	EMNGC01	Improve CAC to 1992 std in EMH non-elec homes, Nth	43	64	8.5	0.01	99.37	192
111	NSNER04	Ceiling to R-60 in new SF homes w/ ER/RAC, North	148	139	8.6	0.04	99.41	281
112	NSNE04	Ceiling to R-60 in new SF homes w/ ER/-, North	148	138	8.7	0.12	99.53	864
113	EASGC02	Improve CAC beyond 1992 std in EMF non-elec homes,	169	234	9.1	0.30	99.83	1287
114	EASEC02	Improve CAC beyond 1992 std in EMF elec htd homes,	169	234	9.1	0.35	100.18	1479
115	NASGR01	Improve RAC in NMF non-elec homes, Sth	10	13	9.2	0.00	100.18	99
116	NASER01	Improve RAC in NMF elec htd homes, Sth	10	13	9.2	0.00	100.18	318
117	NASGC03	Variable speed CAC compressor, NMF g/o homes, Sth	105	141	9.4	0.07	100.25	485
118	NASEC03	Variable speed CAC compressor, NMF elec homes, Sth	105	141	9.4	0.09	100.34	666
119	NSNEC06	Floor to R-30 in new SF homes, North	223	192	9.4	0.15	100.49	784
120	ESSEC04	Switch to improved HP in South ESF homes	330	399	9.4	0.60	101.09	1496


### Year 2010 MTP for Space Conditioning

Label	Measure Code	Measure Name	Incr. Cost 1989\$/unit	Energy Savings kWh/unit	CCE cents/kWh	Measure TWh	Energy Savings Cumulative TWh	Applicable Stock $10^3$
121	NSSEC04	Improve HP in South new SF ER/CAC homes	90	108	9.5	0.16	101.25	1484
122	ESSHP05	Improve ceiling in ESF HP homes, South	2	2	9.5	0.00	101.26	1865
123	NSNHP05	R-30 floor in new SF homes w/ HP, N (<'95)	311	261	9.7	0.16	101.41	596
124	ESNEC04	Improve ceiling insulation in ESF homes, North	480	393	9.9	0.26	101.67	661
125	NSNGC01	Improve CAC to 1992 std in NSF non-elec homes, Nth	43	54	10.0	0.22	101.89	3982
126	EANHP04	Improve HP(3) in EMF HP homes, North	228	254	10.2	0.30	102.18	1162
127	EMSHHP03	Improve HP(2) in South EMH	114	127	10.3	0.00	102.18	13
128	ESNGC01	Improve CAC to 1992 std in ESF non-elec homes, Nth	43	52	10.4	0.36	102.54	6925
129	ESNHP07	Improve ceiling in ESF HP homes, North	555	425	10.6	0.36	102.90	838
130	NSNHP08	R-30 floor in new SF homes w/ HP, N (>'95)	311	226	11.2	0.48	103.38	2147
131	NMSHHP03	Improve HP(2) in South NMH	114	115	11.3	0.01	103.39	71
132	NASGC02	Improve CAC beyond 1992 std in NMF non-elec homes,	169	187	11.4	0.10	103.49	538
133	NASEC02	Improve CAC beyond 1992 std in NMF elec htd homes,	169	187	11.4	0.14	103.63	738
134	EASHP03	Improve HP(2) in EMF HP homes, South	62	62	11.4	0.03	103.66	548
135	NSSGC03	Improve CAC in South new SF non-elec homes w/ CAC	309	336	11.6	0.85	104.51	2519
136	EMNER02	Improve RAC(2) in EMH elec htd homes, Nth(post2000	56	59	11.8	0.00	104.51	14
137	NSSER05	Ceiling to R-38 in new SF homes w/ ER/RAC, South	322	219	11.9	0.07	104.58	318
138	NSSHHP04	Improve HP in South new SF HP homes	109	104	11.9	0.34	104.92	3230
139	EMNHP04	Improve HP(3) in North EMH	347	327	12.1	0.00	104.92	9
140	ESNER04	Improve windows in ESF homes, North	316	210	12.2	0.13	105.05	605
141	ESNE05	Improve windows in ESF homes, North	316	209	12.2	0.13	105.18	619
142	NSSER06	Variable speed RAC in south NSF homes (post-2000)	67	59	12.4	0.01	105.18	149
143	NSNEC07	Ceiling to R-30 in new SF homes, North	19	12	12.5	0.01	105.19	784
144	NSNHP06	R-30 ceiling in new SF homes w/ HP, N(<'95)	44	29	12.6	0.02	105.21	596
145	NSSHHP05	Wall to R-19 in new SF homes w/ HP, South	328	210	12.6	0.68	105.89	3230
146	NSSE04	Ceiling to R-38 in new SF homes w/ ER/-, South	322	205	12.7	0.13	106.02	616
147	ESSER04	Improve windows in ESF ER/RAC homes, South	425	269	12.8	0.22	106.23	809
148	EMSHHP04	Improve HP(3) in South EMH	419	360	13.3	0.00	106.24	13
149	ESSE03	Improve windows in ESF ER/- homes, South	425	259	13.3	0.17	106.41	642
150	EASER02	Improve RAC(2) in EMF elec htd homes, Sth(post2000	56	53	13.3	0.00	106.41	74

### Year 2010 MTP for Space Conditioning

Label	Measure Code	Measure Name	Incr. Cost 1989\$/unit	Energy Savings kWh/unit	CCE cents/kWh	Measure TWh	Energy Savings Cumulative TWh	Applicable Stock 10 <sup>3</sup>
151	EASGR02	Improve RAC(2) in EMF non-elec homes, Sth(post2000	56	53	13.3	0.01	106.42	129
152	ESSER05	Improve wall in ESF ER/RAC homes, South	325	197	13.4	0.16	106.57	809
153	NSNGR01	Increase condenser rows in RAC in NSF non-elec, N	15	14	13.5	0.02	106.59	1202
154	ESSE04	Improve wall in ESF ER/- homes, South	325	191	13.8	0.12	106.71	642
155	NMSHP04	Improve HP(3) in South NMH	419	344	13.9	0.02	106.74	71
156	ESSGC03	Improve CAC(2) in ESF non-elec homes w/ CAC, South	293	263	14.0	1.46	108.20	5562
157	EANEC01	Improve CAC to 1992 std in EMF elec htd homes, Nth	27	23	14.6	0.02	108.22	765
158	EANGC01	Improve CAC to 1992 std in EMF elec htd homes, Nth	27	23	14.6	0.03	108.25	1421
159	ESNHP08	Improve windows in ESF HP homes, North	298	165	14.6	0.14	108.39	838
160	NSNHP09	R-30 ceiling in new SF homes w/ HP, N(>'95)	44	25	14.6	0.05	108.44	2147
161	ESNEC05	Improve window & wall in ESF homes, North	646	355	14.8	0.23	108.68	661
162	EASHP04	Improve HP(3) in EMF HP homes, South	228	164	15.8	0.09	108.77	548
163	NANGC01	Improve CAC to 1992 std in NMF elec htd homes, Nth	27	21	16.0	0.02	108.79	919
164	NANEC01	Improve CAC to 1992 std in NMF elec htd homes, Nth	27	21	16.0	0.03	108.81	1239
165	NSNGC02	Improve CAC in North NSF non-elec homes w/ CAC	264	208	16.0	0.83	109.64	3982
166	NANHP04	Improve HP(3) in NMF HP homes, North	228	161	16.1	0.03	109.67	171
167	ESNGC02	Improve CAC in North ESF non-elec homes w/ CAC	264	201	16.5	1.39	111.06	6925
168	NASGR02	Improve RAC(2) in NMF non-elec homes, Sth(post2000	56	42	16.6	0.00	111.06	47
169	NASER02	Improve RAC(2) in NMF elec htd homes, Sth(post2000	56	42	16.6	0.01	111.07	151
170	ESSEC05	Improve ceiling insulation in ESF homes, South	403	187	17.5	0.28	111.35	1496
171	NSSGR02	Increase condenser area of RAC, NSF non-elec, Sth	87	54	17.7	0.02	111.37	435
172	NSNGR02	Variable speed RAC, NSF non-elec, North (>2000)	83	46	19.8	0.02	111.40	539
173	ESSHP06	Improve windows in ESF HP homes, South	360	135	21.6	0.25	111.65	1865
174	NSNGR03	Increase condenser area of RAC, NSF non-elec, Nth	26	12	23.8	0.01	111.65	539
175	NASHP03	Improve HP(2) in NMF HP homes, South	62	26	26.9	0.01	111.67	564
176	NSSGC04	Improve CAC(2) in NSF non-elec homes w/ CAC, South	293	133	27.8	0.34	112.00	2519
177	NSNGC03	Improve CAC(2) in North NSF non-elec homes w/ CAC	250	82	38.4	0.33	112.33	3982

## Year 2010 MTP for Refrigeration




A supply curve of conserved electricity for the United States residential sector. Each step represents a conservation measure (or a package of measures). The width of the step indicates the nationwide electricity savings from the measure and the height of the measure indicates the cost of conserved electricity.

### Year 2010 MTP for Refrigeration

Label	Measure Code	Measure Name	Incr. Cost 1989\$/unit	Energy Savings kWh/unit	CCE cents/kWh	Energy Savings Measure TWh	Energy Savings Cumulative TWh	Applicable Stock $10^3$
1	REF01	Improve refrigerator to 1993 standard	53	203	2.5	27.52	27.52	135449
2	FRZR01	Improve freezer to 1993 DOE standard	37	100	3.4	3.42	30.94	34248
3	FRZR03	5.3 EER compressor for freezer (post-2000)	10	25	3.8	0.47	31.41	18705
4	REF12	Recycle refrigerator condenser heat (post-2000)	40	100	3.9	6.81	38.22	68137
5	FRZR02	Evacuated panels for freezer (post 1995)	74	132	5.2	3.35	41.58	25402
6	REF02	Evacuated Panels for refrigerator (post 1995)	62	113	5.4	11.80	53.37	104387
7	REF13	Raise refrig compressor EER to 5.3 (post 2000)	10	18	5.5	1.23	54.60	68137
8	FRZR04	Freezer condenser gas heat	31	50	5.8	0.94	55.53	18705
9	REF03	Two-Compressor System for refrigerator (post 1995)	93	69	13.0	7.20	62.74	104387

## Year 2010 MTP for Water Heating




A supply curve of conserved electricity for the United States residential sector. Each step represents a conservation measure (or a package of measures). The width of the step indicates the nationwide electricity savings from the measure and the height of the measure indicates the cost of conserved electricity.

**Year 2010 MTP for Water Heating**

Label	Measure Code	Measure Name	Incr. Cost 1989\$/unit	Energy Savings kWh/unit	CCE cents/kWh	Measure TWh	Energy Savings Cumulative TWh	Applicable Stock $10^3$
1	EWH01	Improve clotheswasher to 1994 standard	1	45	0.2	2.14	2.14	47969
2	EWH02	Reduce hot water consumption	50	873	0.8	41.88	44.02	47969
3	EWH03	Improve dishwasher to 1994 standard	8	45	2.1	2.16	46.18	47969
4	EWH04	Reduce standby losses	120	425	3.4	20.39	66.56	47969
5	EWH08	Replace electric water heater with gas	1380	3539	4.7	16.61	83.17	4693
6	EWH07	Horizontal axis clotheswasher w/ EWH (1995-2000)	137	285	5.5	1.38	84.55	4855
7	EWH10	Horizontal axis clotheswasher w/ EWH(post-2000)	137	285	5.5	3.55	88.11	12473
8	EWH08	Heat pump water heater (post-2000)	504	1076	5.6	18.41	106.51	17106
9	EWH05	Heat pump water heater (1995-2000)	504	1076	5.6	4.64	111.16	4315
10	EWH06	Horizontal axis clotheswasher w/ HPWH (1995-2000)	116	143	9.2	0.26	111.41	1798
11	EWH09	Horizontal axis clotheswasher w/HPWH(post-2000)	116	143	9.2	1.98	113.39	13898



## Year 2010 MTP for Lighting




A supply curve of conserved electricity for the United States residential sector. Each step represents a conservation measure (or a package of measures). The width of the step indicates the nationwide electricity savings from the measure and the height of the measure indicates the cost of conserved electricity.

**Year 2010 MTP for Lighting**

Label	Measure Code	Measure Name	Incr. Cost 1989\$/unit	Energy Savings kWh/unit	CCE cents/kWh	Energy Savings Measure TWh	Energy Savings Cumulative TWh	Applicable Stock 10 <sup>3</sup>
1	LTG01	Timer & Photocell (outdoor)	27	151	2.0	17.69	17.69	117175
2	LTG02	Compact Fluorescent Lamps	102	342	3.3	40.07	57.77	117175
3	LTG03	Compact Fluorescent Fixtures	263	293	9.9	34.33	92.10	117175

### Year 2010 MTP for Other



A supply curve of conserved electricity for the United States residential sector. Each step represents a conservation measure (or a package of measures). The width of the step indicates the nationwide electricity savings from the measure and the height of the measure indicates the cost of conserved electricity.

**Year 2010 MTP for Other**

Label	Measure Code	Measure Name	Incr. Cost 1989\$/unit	Energy Savings kWh/unit	CCE cents/kWh	Measure TWh	Energy Savings Cumulative TWh	Applicable Stock 10 <sup>3</sup>
1	MISE03	Improve dishwasher motor to 1994 standard	4	23	1.9	1.23	1.23	52729
2	CTV01	Efficient color TV set	8	34	3.0	3.71	4.94	108973
3	CD-E01	Improve clothes dryer to 1994 NAECA standard	22	73	3.1	5.08	10.02	69599
4	MISE02	Upgrade furnace fan efficiency	48	150	3.5	5.27	15.29	35153
5	CD-E02	Heat pump dryer	230	525	4.5	12.63	27.93	24068
6	BWTV01	Efficient black and white TV set	1	3	4.9	0.11	28.03	43355
7	MISE07	Horiz axis cithswshr w/EWH (motor svgs) 1995-2000	32	65	5.6	0.66	28.70	10263
8	MISE05	Horiz axis cithswshr w/EWH (motor svgs) post-2000	32	65	5.6	1.64	30.33	25315
9	CD-E03	Switch electric clothesdryer to gas	480	807	6.1	20.22	50.55	25056
10	ERNG02	Switch from electric to gas range	590	944	6.2	18.29	68.84	19384
11	ERNG01	Induction cooktop and improved oven (post-1995)	171	250	6.8	11.78	80.62	47110
12	MISE04	Horiz axis cithswshr w/HPWH (motor svgs) 1995-2000	53	65	9.3	0.25	80.86	3801
13	MISE06	Horiz axis cithswshr w/HPWH (motor svgs) post-2000	53	65	9.3	1.82	82.69	28209
14	MISE01	Improve miscellaneous appliance motor efficiency	190	190	11.0	22.26	104.95	117175

## ***APPENDIX 6: DETAILED DESCRIPTION OF LIGHTING ANALYSIS***

This appendix contains documented spreadsheets used to create the lighting baseline and the lighting efficiency measures. Indoor lights are assumed on from 3-5 hours per day, and outdoor lights from 6-12 hours/day. Measures considered are: 1) Timer and Photocell to control outdoor lights; 2) Compact Fluorescent screw-in lamps where applicable without fixture change. Where CFLs do not fit, energy-efficient incandescents (indoors) and halogen reflector lamps (outdoors) are installed; 3) Compact Fluorescent Fixture replacement for the remaining incandescents, indoors and outdoors.

LIGHTING BASE CASE ASSUMPTIONS

BASE CASE - Large SF (>2400 sq ft) 14.4 % of total

Number of Lamps	Type	Watt/Lamp	Hrs/Day	Fraction/Year	UEC kWh	Cost (1990\$)	Relamp Life (yrs)
Interior							
3	Inc	100	5	0.85	465	\$2.25	0.55
5	Inc	75	5	0.85	582	\$3.75	0.55
4	Inc	60	3	0.9	237	\$3.00	0.91
Exterior							
1	Inc	60	6	1	131	\$0.75	0.46
1	Inc	75	6	1	164	\$7.99	0.46
1	Inc	150	6	1	329	\$7.99	0.46
Total	15				1908	\$25.73	0.63

Base Case - Medium SF (incl. duplex) 38.8% of total

Interior							
2	Inc	100	5	0.85	310	\$1.50	0.55
3	Inc	75	5	0.85	349	\$2.25	0.55
2	Inc	60	4	0.95	166	\$1.50	0.68
Exterior							
1	Inc	60	6	1	131	\$0.75	0.46
1	Inc	75	6	1	164	\$7.99	0.46
Total	9				1121	\$13.99	0.56

Base Case - Small SF, Mobile Home 19.2 % of total

Interior							
1	Inc	100	5	0.85	155	\$0.75	0.55
2	Inc	75	5	0.85	233	\$1.50	0.55
2	Inc	60	4	0.95	166	\$1.50	0.68
Exterior							
1	Inc	60	6	1	131	\$0.75	0.46
Total	6				686	\$4.50	0.58

Base Case - Apt (2 or more units, no duplexes) 27.6 % of total

Interior							
3	Inc	75	4	0.85	279	\$2.25	0.68
3	Inc	60	4	0.9	237	\$2.25	0.68
Exterior							
1	Inc	60	12	1	263	\$0.75	0.23
Total	7				779	\$5.25	0.62
BASE CASE WEIGHTED AVERAGE					1056	\$11.45	0.59

DEFINITION OF TERMS AND ASSUMPTIONS

1. % of total (population) values are from RECS1987 and are used to determine the weighted average cost, UEC and relamp life.

2. Cost assumes \$0.75 per incandescent lamp. In the base case, all lamps are assumed to be incandescent ('Inc').

3. Relamp life is equal to the rated lamp life (1000 hrs for incandescents) divided by the number of hours of use per year.

4. Fraction/yr indicates the fraction of the year that the lamp is used. Vacation periods lower the fraction for interior lights, but we assume that exterior lights will be used even during vacation periods.

5. Saturations and hours of use are from the following utilities' residential appliance saturation surveys: Philadelphia Electric, Utah Power, Detroit Edison, Public Service Co. of Colorado, Cincinnati Gas and Electric, West Penn Power, Public Service Indiana, and Iowa-Illinois Gas and Electric.

6. Lifetimes and wattages are from various manufacturers' catalogs.

ASSUMPTIONS FOR FIRST LIGHTING CONSERVATION MEASURE (LTG01)  
 Timer and Photocell for Exterior Lights

Number of Lamps	Type	Watt/Lamp	Hrs/Day	Fraction/Year	UEC kWh	Cost (1990\$)	Relamp Life (yrs)	
LTG01 - Large Single Family								
Interior								
3	Inc	100	5	0.85	465		0.55	
5	Inc	75	5	0.85	582		0.55	
4	Inc	60	3	0.9	237		0.91	
Exterior								
1	Inc	60	3	1	66		0.91	
1	Inc	75	3	1	82		1.83	
1	Inc	150	3	1	164		1.83	
		Timer & Pcell \$100 x 0.35 sat				\$35.00		
Total	15				1596	\$35.00	0.84	
LTG01 - Medium Single Family								
Interior								
2	Inc	100	5	0.85	310		0.55	
3	Inc	75	5	0.85	349		0.55	
2	Inc	60	4	0.95	166		0.68	
Exterior								
1	Inc	60	3	1	66		0.91	
1	Inc	75	3	1	82		1.83	
		Timer & Pcell \$100 x 0.35 sat				\$35.00		
Total	9				974	\$35.00	0.76	
LTG01 - Small SF, Mobile Home								
Interior								
1	Inc	100	5	0.85	155		0.55	
2	Inc	75	5	0.85	233		0.55	
2	Inc	60	4	0.95	166		0.68	
Exterior								
1	Inc	60	3	1	66		0.91	
		Timer & Pcell \$100 x 0.35 sat				\$35.00		
Total	6				620	\$35.00	0.65	
LTG01 - Apartment								
Interior								
0	Inc	100	4	0.85	0		0.68	
3	Inc	75	4	0.85	279		0.68	
3	Inc	60	4	0.9	237		0.68	
Exterior								
1	Inc	60	6	1	131		0.46	
		Timer & Pcell \$100 x 0.5 sat x 0.25 shared				\$12.50		
Total	7				647	\$12.50	0.65	
LTG01 WEIGHTED AVERAGE					905	\$28.79	0.72	
UNIT ENERGY SAVINGS (kWh)					151			
ENERGY SAVINGS (\$)						\$13.14		
UNIT ADDED COST						\$28.79		

NOTES:

1. This measure decreases the average hours outdoor lights are on in single family & mobile homes from 6 hours (basecase) to 3 hours. We assume 35% leave the lights on more than 3 hours/day and do not already have a timer.
2. In the apartment building basecase, we assume that 50% of all units leave exterior lights on more than 6 hours/day. In this measure, we reduce the hours of operation of those lamps from 12 to 6 hours/day. Each timer and photocell is assumed to be shared by an average of four apartment units.
3. Saturations are from utility residential appliance saturation surveys (see basecase).
4. Cost data are from Grainger's General Catalog, No.377, 1990.

ASSUMPTIONS FOR SECOND LIGHTING CONSERVATION MEASURE (LTG02)

\*Compact Fluorescents (CF) where possible without fixture change; energy saving incandescents elsewhere. These include krypton lamps indoors (IncES) and halogen lamps outdoors (Hal).

Number of Lamps	Type	Watt/Lamp	Hrs/Day	Fraction/Year	UEC kWh	Cost (1990\$)	Relamp Life (yrs)
LTG02 - Large Single Family							
Interior							
2.1	IncES	95	5	0.85	309	\$1.73	0.55
2.5	IncES	70	5	0.85	271	\$2.06	0.55
1.6	IncES	55	3	0.9	87	\$1.32	0.91
0.9	CF	29	5	0.85	40	\$27.09	5.48
2.5	CF	22	5	0.85	85	\$68.85	4.93
2.4	CF	17	3	0.9	40	\$33.60	9.13
				834			
Exterior							
0.5	IncES	55	3	1	30	\$0.41	0.91
0.5	CF	17	3	1	9	\$7.00	9.13
0.5	CF	22	3	1	12	\$13.77	9.13
0.5	Hal	45	3	1	25	\$5.63	1.83
1	Hal	65	3	1	71	\$11.26	1.83
Total	15				981	\$172.73	3.70
LTG02 - Medium Single Family							
Interior							
1.4	IncES	95	5	0.85	206	\$1.16	0.55
1.5	IncES	70	5	0.85	163	\$1.24	0.55
0.8	IncES	55	4	0.9	58	\$0.66	0.68
0.6	CF	29	5	0.85	27	\$18.06	5.48
1.5	CF	22	5	0.85	51	\$41.31	4.93
1.2	CF	17	4	0.95	28	\$16.80	6.84
				106			
Exterior							
0.5	IncES	55	3	1	30	\$0.41	0.91
0.5	CF	17	3	1	9	\$7.00	9.13
0.5	CF	22	3	1	12	\$13.77	9.13
0.5	Hal	45	3	1	25	\$5.63	1.83
Total	9				610	\$102.98	3.50
LTG02 - Small SF, Mobile Home							
Interior							
0.7	IncES	95	5	0.85	103	\$0.58	0.55
1	IncES	70	5	0.85	109	\$0.83	0.55
0.8	IncES	55	4	0.9	58	\$0.66	0.68
0.3	CF	29	5	0.85	13	\$9.03	5.48
1	CF	22	5	0.85	34	\$27.54	4.93
1.2	CF	17	4	0.95	28	\$16.80	6.84
				76			
Exterior							
0.75	IncES	55	3	1	45	\$0.62	0.91
0.25	CF	17	3	1	5	\$3.50	9.13
Total	6				395	\$57.49	3.20
LTG02 - Apartment							
Interior							
1.5	IncES	70	4	0.85	130	\$1.24	0.68
1.2	IncES	55	4	0.9	87	\$0.99	0.68
1.5	CF	22	4	0.85	41	\$41.31	6.84
1.8	CF	17	4	0.9	40	\$25.20	6.84
Exterior							
0.75	IncES	55	6	1	90	\$0.62	0.46
0.25	CF	17	6	1	9	\$3.50	4.56
Total	7				398	\$70.63	3.70



LTG02 WEIGHTED AVERAGE	563	\$95.36	3.53
UNIT ENERGY SAVINGS (kWh)	342		
ENERGY SAVINGS (\$)		\$29.73	
UNIT ADDED COST		\$83.92	

Annualized unit added cost =  $\$83.92 * CRF = \$83.92 * 0.329 = \$27.61$   
Net present value (incremental) =  $(\$27.61 - \$20.48) * 15 = \$107$

NOTES:

1. Because existing lamps can be retrofit by one of two lamp types, "number of lamps" may not be an integer.
2. Of interior lights, 30% of 100W fixtures, 50% of 75 W and 60% of 60W are retrofit. Of exterior lights, 50% of large and medium single family and 25% of small SF/mobile homes and apartments are retrofit.
3. The "unit added cost" is equal to the weighted average cost minus the basecase weighted average cost.
4. The annualized unit cost of the measure is equal to the unit added cost times the capital recovery factor (D.R. = 7% and lifetime = 3.53 years).
5. The cost of the measure relative to the basecase (net present value) is equal to the difference between the annualized unit added costs of this measure and the basecase, times the lifetime of the lighting enduse (15 years).
6. Cost data are from Energy Federation Inc catalog, Massachusetts, March 1990.
7. Lifetimes and wattages are from various manufacturers' catalogs.
8. Saturations were estimated by LBL Principal Research Associate Barbara Atkinson.
9. Unit energy savings assumes that LTG01 precedes this measure.

ASSUMPTIONS FOR THIRD LIGHTING CONSERVATION MEASURE (LTG03)

\*Compact Fluorescent Fixtures (CF fix) retrofit for remaining incandescents that could not accept screw-in fluorescents.

Number of Lamps	Type	Watt/Lamp	Hrs/Day	Fraction/Year	UEC kWh	Fixture Cost (1990\$)	Lamp Cost (1990\$)	Relamp Life (yrs)
LTG03 - Large Single Family								
Interior								
	2.1 Cf fix	29	5	0.85	94	\$174.76	\$63.21	5.48
	2.5 CF fix	22	5	0.85	85	\$208.05	\$68.85	5.48
	1.6 CF fix	17	3	0.9	27	\$133.15	\$22.40	9.13
	0.9 CF	29	5	0.85	40		\$27.09	5.48
	2.5 CF	22	5	0.85	85		\$68.85	4.93
	2.4 CF	17	3	0.9	40		\$33.60	9.13
Exterior								
	0.5 CF fix	17	3	1	9	\$41.61	\$7.00	9.13
	0.5 CF	17	3	1	9		\$7.00	9.13
	0.5 CF	22	3	1	12		\$13.77	9.13
	0.5 CF fix	22	3	1	12	\$41.61	\$13.77	9.13
	1 Hal	65	3	1	71		\$1.83	1.83
Total	15				486	\$599.18	\$327.37	6.60
LTG03 - Medium Single Family								
Interior								
	1.4 CF fix	29	5	0.85	63	\$116.51	\$42.14	5.48
	1.5 CF fix	22	5	0.85	51	\$124.83	\$41.31	5.48
	0.8 CF fix	17	4	0.9	18	\$66.58	\$11.20	6.84
	0.6 CF	29	5	0.85	27		\$18.06	5.48
	1.5 CF	22	5	0.85	51		\$41.31	4.93
	1.2 CF	17	4	0.95	28		\$16.80	6.84
Exterior								
	0.5 CF fix	17	3	1	9	\$41.61	\$7.00	9.13
	0.5 CF	17	3	1	9		\$7.00	9.13
	0.5 CF	22	3	1	12		\$13.77	9.13
	0.5 CF fix	22	3	1	12	\$41.61	\$13.77	9.13
Total	9				281	\$391.13	\$212.36	6.50
LTG03 - Small SF, Mobile Home								
Interior								
	0.7 CF fix	29	5	0.85	31	\$58.25	\$21.07	5.48
	1 CF fix	22	5	0.85	34	\$83.22	\$27.54	5.48
	0.8 CF fix	17	4	0.95	19	\$66.58	\$11.20	6.84
	0.3 CF	29	5	0.85	13		\$9.03	5.48
	1 CF	22	5	0.85	34		\$27.54	4.93
	1.2 CF	17	4	0.95	28		\$16.80	6.84
Exterior								
	0.75 CF fix	17	3	1	14	\$62.42	\$10.50	9.13
	0.25 CF	17	3	1	5		\$3.50	9.13
Total	6				179	\$270.47	\$127.18	6.45
LTG03 - Apartment								
Interior								
	0 CF fix	29	5	0.85	0	\$0.00	\$0.00	5.48
	1.5 CF fix	22	5	0.85	51	\$124.83	\$41.31	5.48
	1.2 CF fix	17	4	0.95	28	\$99.86	\$16.80	6.84
	0 CF	29	5	0.85	0		\$0.00	0.00
	1.5 CF	22	5	0.85	51		\$41.31	6.84
	1.8 CF	17	4	0.9	40		\$25.20	6.84

Exterior								
0.75 CF fix	17	6	1	28	\$62.42	\$10.50	4.56	
0.25 CF	17	6	1	9		\$3.50	4.56	
Total	7			208	\$287.11	\$138.62	6.23	
LTG03 WEIGHTED AVERAGE				271	\$369.21	\$192.21	6.43	
UNIT ENERGY SAVINGS				293				
ENERGY SAVINGS (\$)					\$25.45			
UNIT ADDED COST					\$369.21	\$108.30		

Annualized unit added cost = \$108.30 \* CRF = \$108.30 \* 0.198 = \$21.44

Net present value (incremental) = (\$21.44 - \$27.61) \* 15 = -\$92.55 + \$369.21 = \$276.66

NOTES:

1. The "unit added cost" of the lamps (\$108.30) is equal to the weighted average cost minus the unit added cost of the preceeding measure, LTG02.
2. The annualized unit cost of the lamps is equal to the unit added cost times the capital recovery factor (D.R. = 7% and lifetime = 6.43 years). The fixture cost is a one-time cost of \$369.21.
3. The net cost of this measure over LTG02 (net present value) is equal to the difference between the annualized unit added lamp costs of the two measures times the lifetime of the lighting enduse (15 years), plus the cost of the fixtures.
4. Cost data are from Energy Federation Inc catalog, Massachusetts, March 1990 and Real Goods' Alternative Energy Sourcebook catalog, CA, 1990.



## ***APPENDIX 7: PEAR BATCH INPUT FILES***

This appendix shows the space conditioning prototype input assumptions as they appear in the input files to the batch version of PEAR (EAP 1987).

PEAR BATCH FILES FOR NEW SINGLE FAMILY HOMES

A. NORTH ELECTRIC FURNACE

> RUN = USN-ER CITY = CHICAGO , FOUND-TYP = BASMNT,  
N-WINDOW =46.4, S-WINDOW =46.4,  
W-WINDOW = 46.4, E-WINDOW = 46.4,  
CEIL-R = 29, WALL-R = 15, INFILT= 0.4,  
ROOF-COLOR = DARK, WALL-COLOR = DARK, WALL-MASS = NONE,  
FLOOR-R = 15, WIND-SASH = WOOD, GLASS-TYP = REG,  
MOV-INS = NONE, HTG-EQP = ER, HTG-EFF = 100, SETBACK = YES,  
CLG-EQP = AC, CLG-EFF = 9.96, WIND-LAYS = 2  
PROTO= 2S, AREA=1856, FOUND-R = NONE  
PERIM = 128.7, WALLAREA = 1930.7

B. NORTH GAS/OTHER HEATED

> RUN = USN-GAS CITY = CHICAGO FOUND-TYP = BASMT,  
N-WINDOW =54.425, S-WINDOW =54.425,  
W-WINDOW = 54.425, E-WINDOW = 54.425,  
CEIL-R = 28, WALL-R = 14, INFILT= 0.56,  
ROOF-COLOR = DARK, WALL-COLOR = DARK, WALL-MASS = NONE,  
FLOOR-R = 12, WIND-SASH = WOOD, GLASS-TYP = REG,  
MOV-INS = NONE, HTG-EQP = GFUR, HTG-EFF = 80, SETBACK = YES,  
CLG-EQP = AC, CLG-EFF = 9.96,  
PROTO= 2S, AREA=2177, FOUND-R=NONE  
PERIM = 132, WALLAREA = 1979.5

\$  
? WIND-LAYS  
% SETBASE  
\* 0.26 1  
\* 0.74 2

C. NORTH HEAT PUMP

> RUN = USN-HP CITY = CHICAGO , FOUND-TYP = BASMNT,  
N-WINDOW =55.55, S-WINDOW =55.55,  
W-WINDOW = 55.55, E-WINDOW = 55.55,  
CEIL-R = 28, WALL-R = 14, INFILT= 0.4,  
ROOF-COLOR = DARK, WALL-COLOR = DARK, WALL-MASS = NONE,  
FLOOR-R = 13, WIND-SASH = WOOD, GLASS-TYP = REG,  
MOV-INS = NONE, HTG-EQP = HP, HTG-EFF = 7.24  
CLG-EQP = HP, CLG-EFF = 9.86  
PROTO= 2S, AREA=2222, FOUND-R = NONE  
PERIM = 133.4, WALLAREA = 1999.9

\$  
? WIND-LAYS  
% setbase  
\* 0.87 2  
\* 0.13 1

E. SOUTH HEAT PUMP

> RUN = USS-HP CITY = CHARLESTO FOUND-TYP = SLAB,  
N-WINDOW =45.575, S-WINDOW =45.575,  
W-WINDOW = 45.575, E-WINDOW = 45.575,  
CEIL-R = 25, WALL-R = 11, INFILT= 0.63,  
ROOF-COLOR = DARK, WALL-COLOR = DARK, WALL-MASS = NONE,  
FLOOR-R = 0, WIND-SASH = WOOD, GLASS-TYP = REG,  
MOV-INS = NONE, HTG-EQP = HP, HTG-EFF = 7.24  
CLG-EQP = HP, CLG-EFF = 9.86,

PROTO= 1S, AREA=1823  
PERIM = 186.6, WALLAREA = 1280.9

?	WIND-LAYS	FOUND-R
% SETBASE		
* 0.198	1	NONE
* 0.112	1	R5-2
* 0.442	2	NONE
* 0.248	2	R5-2

F. SOUTH ELECTRIC FURNACE

> RUN = USS-ER CITY = CHARLESTO FOUND-TYP = SLAB,  
N-WINDOW =47.35, S-WINDOW =47.35,  
W-WINDOW = 47.35, E-WINDOW = 47.35,  
CEIL-R = 28, WALL-R = 10, INFILT= 0.62,  
ROOF-COLOR = DARK, WALL-COLOR = DARK, WALL-MASS = NONE,  
FLOOR-R = 0, WIND-SASH = WOOD, GLASS-TYP = REG,  
MOV-INS = NONE, HTG-EQP = ER, HTG-EFF = 100, SETBACK = YES,  
CLG-EQP = AC, CLG-EFF = 9.96,  
PROTO= 1S, AREA=1894  
PERIM = 186.6, WALLAREA = 1999.9

\$	?	WIND-LAYS	FOUND-R
	% SETBASE		
	* 0.12	1	NONE
	* 0.37	1	R5-2
	* 0.12	2	NONE
	* 0.39	2	R5-2

G. SOUTH GAS/OTHER HEATED

> RUN = USS-GAS CITY = CHARLESTO FOUND-TYP = SLAB,  
N-WINDOW =51.775, S-WINDOW =51.775,  
W-WINDOW = 51.775, E-WINDOW = 51.775,  
CEIL-R = 25, WALL-R = 14, INFILT= 0.56,  
ROOF-COLOR = DARK, WALL-COLOR = DARK, WALL-MASS = NONE,  
FLOOR-R = 0, WIND-SASH = WOOD, GLASS-TYP = REG,  
MOV-INS = NONE, HTG-EQP = GFUR, HTG-EFF = 80, SETBACK = YES,  
CLG-EQP = AC, CLG-EFF = 9.96,  
PROTO= 1S, AREA=2071  
PERIM = 186.6, WALLAREA = 1365.2

\$	?	WIND-LAYS	FOUND-R
	% SETBASE		
	* 0.198	1	NONE
	* 0.122	1	R5-2
	* 0.422	2	NONE
	* 0.258	2	R5-2

PEAR BATCH FILES FOR EXISTING SINGLE FAMILY HOMES

A. NORTH ELECTRIC FURNACE

> RUN = NRTH-E CITY = CHICAGO , FOUND-TYP = BASMNT,  
N-WINDOW =39.55, S-WINDOW =39.55,  
W-WINDOW = 39.55, E-WINDOW = 39.55,  
CEIL-R =20.84 , WALL-R = 4.68, INFILT= 0.54,  
ROOF-COLOR = DARK, WALL-COLOR = DARK, WALL-MASS = NONE,  
FLOOR-R = 11, WIND-SASH = WOOD, GLASS-TYP = REG,  
MOV-INS = NONE, HTG-EQP = ER, HTG-EFF = 100, SETBACK = YES,  
CLG-EQP = AC, CLG-EFF = 9.96,  
PROTO= 1S, AREA=1582, FOUND-R=NONE  
PERIM = 168, WALLAREA = 1344

\$

? WIND-LAYS

% baseline

\* .241 1

\* .759 2

B. SOUTH ELECTRIC FURNACE

> RUN = STH-E CITY = CHARLESTO , FOUND-TYP = SLAB,  
N-WINDOW =36.75, S-WINDOW =36.75,  
W-WINDOW = 36.75, E-WINDOW = 36.75,  
CEIL-R = 18, WALL-R = 3.94, INFILT= 0.71,  
ROOF-COLOR = DARK, WALL-COLOR = DARK, WALL-MASS = NONE,  
FLOOR-R = 0, WIND-SASH = WOOD, GLASS-TYP = REG,  
MOV-INS = NONE, HTG-EQP = ER, HTG-EFF = 100, SETBACK = YES,  
CLG-EQP = AC, CLG-EFF = 9.96,  
PROTO= 1S, AREA=1470  
PERIM = 162, WALLAREA = 1296

\$

? FOUND-R WIND-LAYS

% baseline

\* .3337 NONE 1

\* .3703 NONE 2

\* .1403 R5-2 1

\* .1557 R5-2 2

C. NORTH HEAT PUMP

> RUN = NTH-HP CITY = CHICAGO , FOUND-TYP = BASMNT,  
N-WINDOW =46.325, S-WINDOW =46.325,  
W-WINDOW = 46.325, E-WINDOW = 46.325,  
CEIL-R = 23.98, WALL-R = 6.83, INFILT= 0.45,  
ROOF-COLOR = DARK, WALL-COLOR = DARK, WALL-MASS = NONE,  
FLOOR-R = 11, WIND-SASH = WOOD, GLASS-TYP = REG,  
MOV-INS = NONE, HTG-EQP = HP, HTG-EFF = 7.24  
CLG-EQP = HP, CLG-EFF = 9.86,  
PROTO= 1S, AREA=1853  
PERIM = 182, WALLAREA = 1456  
FOUND-R=NONE

\$

? WIND-LAYS

% baseline

\* .281 1

\* .719 2

D. SOUTH HEAT PUMP

> RUN = STH-HP CITY = CHARLESTO , FOUND-TYP = SLAB,



N-WINDOW =44.6, S-WINDOW =44.6,  
 W-WINDOW = 44.6, E-WINDOW = 44.6,  
 CEIL-R = 21.53, WALL-R = 6.22, INFILT= 0.7,  
 ROOF-COLOR = DARK, WALL-COLOR = DARK, WALL-MASS = NONE,  
 FLOOR-R = 0, WIND-SASH = WOOD, GLASS-TYP = REG,  
 MOV-INS = NONE, HTG-EQP = HP, HTG-EFF = 7.24  
 CLG-EQP = AC, CLG-EFF = 9.86,  
 PROTO= 1S, AREA=1784  
 PERIM = 179, WALLAREA = 1432

?            FOUND-R    WIND-LAYS  
 % baseline  
 \* .2928    NONE            1  
 \* .3712    NONE            2  
 \* .1482    R5-2            1  
 \* .1878    R5-2            2

E.    NORTH GAS/OTHER HEATED  
 > RUN = NTH-G    CITY = CHICAGO , FOUND-TYP = BASMNT,  
 N-WINDOW =38.75, S-WINDOW =38.75,  
 W-WINDOW = 38.75, E-WINDOW = 38.75,  
 CEIL-R = 21.13, WALL-R = 2.06, INFILT= 0.62,  
 ROOF-COLOR = DARK, WALL-COLOR = DARK, WALL-MASS = NONE,  
 FLOOR-R = 11, WIND-SASH = WOOD, GLASS-TYP = REG,  
 MOV-INS = NONE, HTG-EQP = GFUR, HTG-EFF = 82, SETBACK = YES,  
 CLG-EQP = AC, CLG-EFF = 9.96,  
 PROTO= 1S, AREA=1550  
 PERIM = 166, WALLAREA = 1328  
 FOUND-R = NONE

\$  
 ?            WIND-LAYS  
 % baseline  
 \* .21    1  
 \* .79    2

F.    SOUTH GAS/OTHER HEATED  
 > RUN = STH-G    CITY = CHARLESTO , FOUND-TYP = SLAB,  
 N-WINDOW =36.675, S-WINDOW =36.675,  
 W-WINDOW = 36.675, E-WINDOW = 36.675,  
 CEIL-R = 17.39, WALL-R = 2.12, INFILT= 0.72,  
 ROOF-COLOR = DARK, WALL-COLOR = DARK, WALL-MASS = NONE,  
 FLOOR-R = 0, WIND-SASH = WOOD, GLASS-TYP = REG,  
 MOV-INS = NONE, HTG-EQP = ER, HTG-EFF = 100, SETBACK = YES,  
 CLG-EQP = AC, CLG-EFF = 9.96,  
 PROTO= 1S, AREA=1467  
 PERIM = 162, WALLAREA = 1296

\$  
 ?            FOUND-R    WIND-LAYS  
 % baseline  
 \* .4712    NONE            1  
 \* .3718    NONE            2  
 \* .0878    R5-2            1  
 \* .0692    R5-2            2

PEAR BATCH FILES FOR NEW MOBILE HOMES

A. NORTH ELECTRIC FURNACE AND HEAT PUMP

> RUN = NMH-NG CITY = CINCINNAT FOUND-TYP = CRAWL,  
 N-WINDOW =29.88, S-WINDOW =29.88,  
 W-WINDOW = 29.88, E-WINDOW = 29.88,  
 CEIL-R = 26, WALL-R = 18, INFILT= 0.36,  
 ROOF-COLOR = DARK, WALL-COLOR = DARK, WALL-MASS = NONE,  
 FLOOR-R = 14, WIND-SASH = ALUM, GLASS-TYP = REG,  
 MOV-INS = NONE, HTG-EQP = ER, HTG-EFF = 100, SETBACK = YES,  
 CLG-EQP = AC, CLG-EFF = 9.96,  
 PROTO= 1S, AREA=1195  
 PERIM = 147.6, WALLAREA = 1180.7, WIND-LAYS=2

?	HTG-EQP	HTG-EFF	CLG-EQP	CLG-EFF
# HP	HP	7.24	HP	9.86

B. SOUTH ELECTRIC FURNACE

> RUN = NMH-S CITY = CHARLESTO FOUND-TYP = CRAWL,  
 N-WINDOW =29.88, S-WINDOW =29.88,  
 W-WINDOW = 29.88, E-WINDOW = 29.88,  
 CEIL-R = 20, WALL-R = 12, INFILT= 0.45,  
 ROOF-COLOR = DARK, WALL-COLOR = DARK, WALL-MASS = NONE,  
 FLOOR-R = 10, WIND-SASH = ALUM, GLASS-TYP = REG,  
 MOV-INS = NONE, HTG-EQP = ER, HTG-EFF = 100, SETBACK = YES,  
 CLG-EQP = AC, CLG-EFF = 9.96,  
 PROTO= 1S, AREA=1195  
 PERIM = 147.6, WALLAREA = 1180.7

\$  
 ? WIND-LAYS  
 % SETBASE  
 \* 0.26 2  
 \* 0.74 1

C. SOUTH HEAT PUMP

> RUN = NMH-SHP CITY = CHARLESTO FOUND-TYP = CRAWL,  
 N-WINDOW =29.88, S-WINDOW =29.88,  
 W-WINDOW = 29.88, E-WINDOW = 29.88,  
 CEIL-R = 20, WALL-R = 12, INFILT= 0.45,  
 ROOF-COLOR = DARK, WALL-COLOR = DARK, WALL-MASS = NONE,  
 FLOOR-R = 10, WIND-SASH = ALUM, GLASS-TYP = REG,  
 MOV-INS = NONE, HTG-EQP = HP, HTG-EFF = 7.24  
 CLG-EQP = HP, CLG-EFF = 9.86,  
 PROTO= 1S, AREA=1195  
 PERIM = 147.6, WALLAREA = 1180.7

\$  
 ? WIND-LAYS  
 % SETBASE  
 \* 0.26 2  
 \* 0.74 1

PEAR BATCH FILES FOR EXISTING MOBILE HOMES

A. NORTH ELECTRIC FURNACE

> RUN = EMH-NG CITY = CINCINNAT FOUND-TYP = CRAWL,  
N-WINDOW =25.62, S-WINDOW =25.62,  
W-WINDOW = 25.62, E-WINDOW = 25.62,  
CEIL-R = 14.2, WALL-R = 10.8, INFILT= 0.45,  
ROOF-COLOR = DARK, WALL-COLOR = DARK, WALL-MASS = NONE,  
FLOOR-R = 10.8, WIND-SASH = ALUM, GLASS-TYP = REG,  
MOV-INS = NONE, HTG-EQP = ER, HTG-EFF = 100, SETBACK = YES,  
CLG-EQP = AC, CLG-EFF = 9.96,  
PROTO= 1S, AREA=1025  
PERIM = 133.4, WALLAREA = 1067.3, WIND-LAYS=2

B. NORTH HEAT PUMP

> RUN = EMH-NHP CITY = CINCINNAT FOUND-TYP = CRAWL,  
N-WINDOW =20, S-WINDOW =20,  
W-WINDOW = 20, E-WINDOW = 20,  
CEIL-R = 14.2, WALL-R = 10.8, INFILT= 0.45,  
ROOF-COLOR = DARK, WALL-COLOR = DARK, WALL-MASS = NONE,  
FLOOR-R = 10.8, WIND-SASH = ALUM, GLASS-TYP = REG,  
MOV-INS = NONE, HTG-EQP = HP, HTG-EFF = 7.24  
CLG-EQP = HP, CLG-EFF = 9.86,  
PROTO= 1S, AREA=800  
PERIM = 157.3, WALLAREA = 1258.7, WIND-LAYS=2

C. NORTH GAS/OTHER HEATED

> RUN = EMH-NO CITY = CINCINNAT FOUND-TYP = CRAWL,  
N-WINDOW =20.1, S-WINDOW =20.1,  
W-WINDOW = 20.1, E-WINDOW = 20.1,  
CEIL-R = 14.2, WALL-R = 10.8, INFILT= 0.45,  
ROOF-COLOR = DARK, WALL-COLOR = DARK, WALL-MASS = NONE,  
FLOOR-R = 10.8, WIND-SASH = ALUM, GLASS-TYP = REG,  
MOV-INS = NONE, HTG-EQP = GFUR, HTG-EFF = 80, SETBACK = YES,  
CLG-EQP = AC, CLG-EFF = 9.96,  
PROTO= 1S, AREA=804  
PERIM = 158, WALLAREA = 1264, WIND-LAYS=2

D. SOUTH ELECTRIC FURNACE

> RUN = EMH-S CITY = CHARLESTO FOUND-TYP = CRAWL,  
N-WINDOW =23.5, S-WINDOW =23.5,  
W-WINDOW = 23.5, E-WINDOW = 23.5,  
CEIL-R = 10.8, WALL-R = 10.8, INFILT= 0.56,  
ROOF-COLOR = DARK, WALL-COLOR = DARK, WALL-MASS = NONE,  
FLOOR-R = 6.8, WIND-SASH = ALUM, GLASS-TYP = REG,  
MOV-INS = NONE, HTG-EQP = ER, HTG-EFF = 100, SETBACK = YES,  
CLG-EQP = AC, CLG-EFF = 9.96,  
PROTO= 1S, AREA=940  
PERIM = 170.6, WALLAREA = 1364.8, WIND-LAYS= 1

E. SOUTH HEAT PUMP

> RUN = NMH-SHP CITY = CHARLESTO FOUND-TYP = CRAWL,  
N-WINDOW =26.0, S-WINDOW =26.0,  
W-WINDOW = 26.0, E-WINDOW = 26.0,  
CEIL-R = 10.8, WALL-R = 10.8, INFILT= 0.56,  
ROOF-COLOR = DARK, WALL-COLOR = DARK, WALL-MASS = NONE,

FLOOR-R = 6.8, WIND-SASH = ALUM, GLASS-TYP = REG,  
MOV-INS = NONE, HTG-EQP = HP, HTG-EFF = 7.24  
CLG-EQP = HP, CLG-EFF = 9.86,  
PROTO= 1S, AREA=1040  
PERIM = 134., WALLAREA = 1072., WIND-LAYS= 1

F. SOUTH GAS/OTHER HEATED

> RUN = NMH-SO CITY = CHARLESTO FOUND-TYP = CRAWL,  
N-WINDOW =21.18, S-WINDOW =21.18,  
W-WINDOW = 21.18, E-WINDOW = 21.18,  
CEIL-R = 10.8, WALL-R = 10.8, INFILT= 0.56,  
ROOF-COLOR = DARK, WALL-COLOR = DARK, WALL-MASS = NONE,  
FLOOR-R = 6.8, WIND-SASH = ALUM, GLASS-TYP = REG,  
MOV-INS = NONE, HTG-EQP = ER, HTG-EFF = 100, SETBACK = YES,  
CLG-EQP = AC, CLG-EFF = 9.96,  
PROTO= 1S, AREA=847  
PERIM = 156, WALLAREA = 1248, WIND-LAYS= 1

## ***APPENDIX 8: CCE PATHS FOR SPACE CONDITIONING***

This appendix shows detail on calculating the cost of conserved energy and energy savings for space conditioning measures. The last page of this appendix contains the detailed description of the ceiling and window options for existing buildings.

CCE PATH for  
NEW SINGLE FAMILY -- ELECTRIC FURNACES

	HTG kWh	CLG kWh	UES kWh	Delta \$	CCE c/kWh
<b>A. NORTH (Chicago, IL)</b>					
CASE1: ER with CAC					
baseline	11809.4	963.9			
switch to HP#2: 8.83 HSPF, 10.96 SEER	4566.50	909.21	7297.6	222.00	0.3
triple glazing	3880.03	888.65	707.0	222.72	2.5
switch to HP#4: 9.5 HSPF, 13.3 SEER	3606.39	732.30	430.0	190.00	5.1
wall to R-19	3360.62	721.34	256.7	185.60	5.8
----branch (pre-95)					
floor to R-30	3179.96	710.11	191.9	222.72	9.4
ceiling to R-30	3168.85	709.25	12.0	18.56	12.5
----branch (post-95)					
superwindows	2901.02	637.89	543.1	464.0	6.9
floor to R-30	2745.06	627.97	165.9	222.72	10.8
ceiling to R-30	2735.47	627.21	10.4	18.56	14.4
CASE2: ER, no clg					
baseline	11809.37				
----branch (pre-95)					
triple glazing + wall to R-19 + floor to R-30 (<95)	8594.47		3214.90	631.04	1.6
----branch (post-95)					
superwindows + wall to R-19 + floor to R-30 (>95)	7222.19		4587.18	1095.04	1.9
ceiling to R-49 + wall to R-27	4702.01		2520.18	1540.48	4.9
ceiling to R-60	4564.50		137.51	148.48	8.7
CASE3: ER w/ RAC					
baseline	11809.4	298.81			
triple glazing + wall to R-19 + floor to R-30 (<95)	8594.47	282.32	3231.4	631.04	1.6
superwindows + wall R-19 + floor R-30 (>95)	7222.19	247.24	4638.7	1095.04	1.9
ceiling R-49 + wall R-27	5506.78	237.67	1725.0	1354.88	6.3
ceiling to R-60	5369.27	236.01	139.2	148.48	8.6
(no RAC efficiency improvement measures are cost-effective in the north).					
<b>B. SOUTH (Charleston, SC)</b>					
CASE1: ER with CAC					
baseline	9114.35	3582.97			
switch to HP#3: 9.06 HSPF, 13.03 SEER	3434.91	2806.28	6456.1	322.00	0.6
0.4 ACH, spec.sel.windows + R-5,2ft fndn	2257.69	1073.62	2909.88	681.84	1.9
wall to R-19	1889.92	1012.46	428.9	378.80	7.1
switch to HP#4: 9.5 HSPF, 13.3 SEER	1802.38	991.91	108.1	90.00	9.5
switch to HP#5: 9.93 HSPF, 15.14 SEER	1724.33	948.95	121.0	330.00	31.2
CASE2:ER with RAC					
baseline	9114.4	1218.2			
R5-2ft fndn + triple glazing + 0.4 ACH + wall R-19	3690.3	1018.3	5623.9	1061	1.5
RAC#1: Increase condenser rows (9.42 EER)	3690.3	973	45.4	12	2.9
__branch: ceiling to R-30 (pre-95)	3620.5	969.8	72.9	57	6.3
ceiling to R-30 + superwindows (post-1995)	3099.1	412.6	1151.6	530	3.7
ceiling to R-38 (post-1995)	2893.9	398.3	219.4	322	11.8
var speed RAC (post-2000)	2893.9	339	59.4	67	12.3
Incr. condenser area (post-2000)	2893.9	323	15.8	20	14.2
CASE 3: ER with no cooling					
baseline	9114.4				
0.4 ACH, 3 glazing, R-19 wall, R-5,2ft foundation	3690.3		5424	1061	1.6
ceiling to R-30	3620.5		70	57	6.6
superwindows (post-1995)	3099.1		521	473	7.3
ceiling to R-38	2893.9		205	322	12.6

CCE PATH for  
NEW SINGLE FAMILY -- GAS FURNACES AND HEAT PUMPS

	HTG kWh	CLG kWh	UES kWh	Delta \$	CCE c/kWh
<b>A. NORTH HEAT PUMP (Chicago, IL)</b>					
baseline	6825.15	1047.46			
improve to 1992 std: 7.46 HSPF, 10.5	6623.87	1005.83	242.9	71	3.3
triple glazing	5474.41	966.94	1188.4	311	2.1
improve HP #3: 9.5 HSPF, 13.3 SEER	4298.85	763.37	1379.1	241.00	2.0
R-19 wall	3978.94	748.44	334.8	266.64	6.4
---branch (pre-95)					
floor to R-30 (pre-95)	3732.93	733.37	261.1	311.08	9.6
ceiling to R-30 (pre-95)	3706.55	731.21	28.5	44.44	12.5
---branch (post-95)					
superwindows	3442.34	630.45	654.6	555.50	6.8
floor to R-30	3229.50	617.75	225.5	311.08	11.1
ceiling to R-30	3206.68	615.94	24.6	44.44	14.5
ceiling to R-38	3138.75	610.75	73.1	155.54	17.1
<b>B. SOUTH HEAT PUMP (Charleston, SC)</b>					
baseline	3225.4	3408.4			
improve to 1992 std: 7.46 HSPF, 10.5	3130.3	3218.2	285.4	85.91	3.4
improve HP #2: 9.06 HSPF, 13.03 SEER	2577.5	2648.9	1122.1	182.71	1.9
0.4 ACH + spec.sel.windows + R5-2ft fndn	1795.4	1033.2	2397.8	710.97	2.4
improve HP #3: 9.5 HSPF, 13.3 SEER	1712.2	1012	104.1	108.90	12.0
wall to R-19	1532.9	981.1	210.4	328.14	17.8
<b>D. NORTH GAS FURNACE (Chicago, IL)</b>					
CASE1: with CAC					
baseline		1042			
AC to 1992 std: 10.5 SEER		988	54	43	10.1
AC #2: 13.3 SEER		780	208	264	10.2
AC #3: 14.87 SEER		698	82	250	38.2
CASE2: with RAC					
baseline		323			
RAC#1: Incr condenser rows (9.42 EER)		309	14	15	11.4
RAC#2: Increase condenser area (9.88 EER)		294	14	109	83.1
post 2000:					
RAC#3: (from RAC#1) variable speed(>2000)		262	46	83	19.7
RAC#4: Increase condenser area (9.88 EER)		250	12	26	22.9
<b>C. SOUTH GAS FURNACE (Charleston, SC)</b>					
CASE1: with CAC					
baseline		3576			
AC to 1992 std: 10.5 SEER		3407	169	50	3.7
spectrally selective windows		1594	1813	311	1.4
AC #2: 13.3 SEER		1258	336	309	11.6
AC #3: 14.87 SEER		1125	133	293	27.7
AC #4: 15.23 SEER		1099	27	82	38.8
CASE2: with RAC					
baseline		1216			
RAC#1: Incr condenser rows (9.42 EER)		1162	54	12	2.4
RAC#2: Increase condenser area (9.88 EER)		1108	54	87	17.7
post 2000:					
RAC#3: (from RAC#1) variable speed(>2000)		989	173	67	4.2
RAC#4: Increase condenser area (9.88 EER)		942	46	20	4.9

CCE PATH for  
EXISTING SINGLE FAMILY -- ELECTRIC FURNACES

	HTG kWh	CLG kWh	UES kWh	Delta \$	CCE c/kWh
<b>A. NORTH (Chicago, IL)</b>					
Case 1: with central air conditioning					
baseline	18310.5	985.0			
switch to HP#3: 9.06 HSPF, 13.03 SEER	6639.1	803.7	11852.7	822.00	0.8
ACH to 0.41 + R-6.15 walls, ceil options 1&2,5&6	5811.1	789.4	842.2	273.52	2.6
switch to HP#4: 9.5 HSPF, 13.3 SEER	5542.0	773.4	285.2	90.00	3.6
ceiling options 5&6	5174.4	748.2	392.8	480.27	9.9
R-8.43 wall + window op.1	4836.6	731.6	354.5	645.91	14.7
ceiling option 7	4754.7	726.1	87.3	213.45	19.7
Case 2: with room air conditioning					
baseline	18310.5	305.3			
ACH to 0.41 + R-6.15 wall + ceiling options 1&2	15942.2	299.9	2374	274	0.9
R-8.43 wall + ceil options 3,5,6&7 + wind op.1	13243.0	280.9	2718.2	1354.0	4.0
R-30 floor	11772.4	269.2	1482.2	1297.2	7.1
window options 2&3			210.2	315.5	12.1
Case 3: no cooling					
baseline	18310.5				
ACH to 0.41 + R-6.15 wall + ceil options 1,2,5&6			3583	754	1.7
R-8.43 wall + ceil option 7 + window option 1			1469	859	4.7
R-30 floor			1471	1297	7.1
ceiling option 3			15	14	7.6
window options 2&3			209	315	12.2
<b>B. SOUTH (Charleston, SC)</b>					
Case 1: with central air conditioning					
baseline	8200.8	3235.5			
switch to HP#3: 9.06 HSPF, 13.03 SEER	3090.6	2540.7	5805	822.00	1.6
ACH to 0.46 + walls to R-6.45 + ceil to R-21.81	2445.5	2409.6	776.2	444.39	4.6
switch to HP#4: 9.5 HSPF, 13.3 SEER	2332.3	2360.7	162.2	90.00	6.3
switch to HP#5: 9.93 HSPF, 15.14 SEER	2231.3	2073.8	387.9	330.00	9.7
ceiling to R-31.2	2090.7	2027.5	186.8	402.60	17.4
window option 1	2001.7	2007.6	108.9	425.29	31.5
Case 2: with room air conditioning					
baseline	8200.8	1100.1			
ACH to 0.46 + wall to R-6.45 + ceil to R-21.52	6500.4	1043.9	1756.6	444.39	2.0
RAC#1: Increase condenser rows (9.42 EER)	6500.4	997.4	46.5	15.00	3.5
ceil to R-21.81 + ceil to R-31.2 (branches)	6080.3	974.6	442.9	409.65	7.45
window option 1	5821.4	965.0	268.5	425.29	12.77
wall to R-8.29	5630.4	959.5	196.5	325.00	13.33
ceil to R-36.9 (branch)	5548.1	952.3	89.5	178.94	16.12
Case 3: no cooling					
baseline	8201				
ACH to 0.46 + wall to R-6.45 + ceil to R-21.81	6489		1711.7	451	2.1
ceil to R-31.2 (branch)	6080		408.8	403	7.9
window option 1	5821		258.9	425	13.2
wall to R-8.29	5630		191.0	325	13.7
ceil to R-36.9 (branch)	5548		82.3	179	17.5



CCE PATH for  
EXISTING SINGLE FAMILY -- HEAT PUMPS

	HTG kWh	CLG kWh	UES kWh	Delta \$	CCE c/kWh
A. NORTH (Chicago, IL)					
baseline	8721.7	1024.8			
switch to '92std: 7.46 HSPF, 10.5 SEER	8081.9	945.3	719.3	71	1.1
ceiling option 1	8014.1	941.4	71.6	7	0.8
switch to HP#2: 9.06 HSPF, 13.03 SEER	6598.8	758.6	1598.1	151	1.1
ACH to 0.42 + walls to R-8.49	6253.4	751.0	353.0	121	2.8
switch to HP#3: 9.5 HSPF, 13.3 SEER	5963.8	735.7	304.9	90	3.4
ceiling option 2	5959.2	735.5	4.8	3	5.2
ceiling options 6&7	5558.0	711.6	425.1	555	10.5
window option 1	5399.9	704.3	165.4	298	14.5
B. SOUTH (Charleston, SC)					
baseline	4121	3552			
switch to '92std: 7.46 HSPF, 10.5 SEER	3999	3352	320.5	86	3.1
ceilings option 1	3975	3346	30.8	5	1.8
switch to HP#3: 9.5 HSPF, 13.3 SEER	2986	2641	1693.2	292	2.0
ACH to 0.48 + walls to R-7.95	2493	2542	593.0	304	4.1
ceilings to R-22.54	2492	2541	1.7	2	10.5
window option1	2383	2515	135.1	360	21.5

## DESCRIPTION OF CEILING AND WINDOW OPTIONS FOR EXISTING SINGLE FAMILY HOMES

### 1. CEILING OPTIONS

1. Add R-19 to all non-insulated ceilings, including existing partially insulated ceilings. Raises average ceiling R-value to R-20.6.
2. Add R-30 to all non-insulated ceilings, including existing partially insulated ceilings. Raises average ceiling R-value to R-32.1.
3. Add R-49 to all non-insulated ceilings, including existing partially insulated ceilings. Raises average ceiling R-value to R-51.4.
4. Add R-60 to all non-insulated ceilings, including existing partially insulated ceilings. Raises average ceiling R-value to R-62.4.
5. Add R-11 to all insulated ceilings, not including partially insulated ceilings. Raises average ceiling R-value to R-14.4.
6. Add R-19 to all insulated ceilings, not including partially insulated ceilings. Raises average ceiling R-value to R-20.6.
7. Add R-30 to all insulated ceilings, not including partially insulated ceilings. Raises average ceiling R-value to R-32.1.
8. Add R-49 to all insulated ceilings, not including partially insulated ceilings. Raises average ceiling R-value to R-51.4.

### 2. WINDOW OPTIONS

1. Add single-glazed storm windows (external or internal) to single-glazed windows on all homes. Includes homes with a mixture of window types.
2. Replace all single-glazed windows with double-glazed, low-e units. Includes the replacement of single-glazed windows in homes with a mixture of window types.
3. Replace all single-glazed windows with double-glazed, low-e, argon-filled units. Includes the replacement of single-glazed windows in homes with a mixture of window types.

---existing double-glazed window branch:

4. Replace all double-glazed windows with double-glazed, low-e units. Includes the replacement of double-glazed windows in homes with a mixture of window types.
5. Replace all double-glazed windows with double-glazed, low-e, argon-filled units. Includes the replacement of double-glazed windows in homes with a mixture of window types.

***APPENDIX 9: UTILITY RASSs USED IN FUEL SWITCHING ANALYSIS***

This appendix shows which utility residential appliance saturation surveys (RASSs) were used to estimate the fuel switching potential summarized in Table 14. We calculated residential-customer-weighted saturations from the utility RASSs. Many of the RASSs are confidential, so we do not include saturations for individual utilities here.

UTILITY RASSES USED FOR ESTIMATES OF FUEL SWITCHING POTENTIAL

Utility	Customer Pop'n	Water Heater	Range	Dryer
*****				
Note: X indicates utility data was included for the particular enduse.				
Alabama Power	956146	X	X	X
Arizona Public Service Co	473121	X	X	X
Baltimore Gas & Electric	895881	X	X	X
Bonneville Power Administration	2960000	X	X	X
Central Hudson G&E	263500	X	X	X
Central Maine	426049	X	X	X
Cincinnati G&E	553307	X	X	X
Detroit Edison	1700732	X	X	X
Florida Power & Light (Miami)	2419770	X	X	X
Florida Power Corp. (Petersburg)	946389	X	X	X
Georgia Power	1251473	X	X	X
Houston Power	1192386	X	X	X
Illinois Power	535721	X	X	
Iowa-Illinois G&E	244146	X	X	X
Long Island Lighting Co.	2820012	X	X	X
New England Power Service (MA)	1067567	X	X	X
New York State E&G	621500	X	X	X
Niagara Mohawk	1690000	X	X	X
Northeast Utilities (CT)	902000	X	X	X
Northeast Utilities (MA)	173000	X	X	X
Northern States (Minn)	1069079	X	X	X
Oklahoma G&E	548003	X	X	X
Orange & Rockland Utilities (NY)	208266	X	X	X
Pacific G&E	3800000	X	X	X
Pacific Power/ Utah Power (CA)	26805	X	X	X
Pacific Power/ Utah Power (ID)	7108	X	X	X
Pacific Power/ Utah Power (MT)	23583	X	X	X
Pacific Power/ Utah Power (OR)	343001	X	X	X
Pacific Power/ Utah Power (WA)	85284	X	X	X
Pacific Power/ Utah Power (WY)	81146	X	X	X
Pennsylvania Power & Light	889873	X	X	X
Philadelphia Electric	1297080	X	X	X
Portland General Electric (OR)	484293	X	X	X
Public Serv. E&G (NJ) Elec cust	213100	X	X	X
Public Serv. E&G (NJ) Gas cust	186200	X	X	X
Public Service Co. Colorado	944673	X	X	X
Public Service E&G (NJ), Comb.E&G	1434400	X	X	X
Public Service Indiana	499432	X	X	X
Puget Power	618000		X	X
Rochester Gas & Electric	289188	X	X	X
Sacramento Municipal Utility	328534	X	X	X
Salt River Project (AZ)	473776	X	X	X
San Diego G&E	919000	X	X	X
Seattle City Light	278724	X	X	X
Sierra Pacific Power Co.	185947	X	X	X
So. California Edison	3200000	X	X	X
Tampa Electric	398817	X	X	X
Tennessee Valley Authority	2800000	X	X	
Texas Utilities	1342907	X	X	X
Union Electric (MO)	951154	X	X	
Utah Power	465344	X	X	X
Virginia Power	1566400	X	X	X
West Penn Power (PA)	536700	X	X	X
Wisconsin Electric Power Co	766387	X	X	
*****				

TOTAL POP'N  
49,354,904

## ***APPENDIX 10: ACCESS LOGIC***

This appendix summarizes the logic the supply curve program uses to calculate the frozen efficiency baseline and the energy savings in the technical potential case.

## ACCESS Program: Description of Logic

### 1. Introduction

The ACCESS supply curve program runs on a Sun-4 mainframe computer and uses the Informix relational database management system to store, analyze and process data. UNIX batch files run a series of Informix programs which create data files for the SAS-operated graphics programs. The graphics programs create supply curves of conserved energy. The user of ACCESS may create new data files, alter existing files, specify the parameters of the supply curve forecast (e.g., the forecast time period, the fuel price forecast, the type of fuel analyzed, etc.).

The logical framework behind the supply curve program is described below.

### 2. Definition of Terminology

In order to analyze energy savings potential in the residential sector, the sector's net energy use must be disaggregated into appliance types and/or services provided. For this purpose, we define various *enduses*. An enduse can be either an appliance which provides a service (such as a refrigerator, freezer, clothes dryer, etc.), or it can be the service itself (e.g., space conditioning). One space conditioning enduse might be modeled as a single-family home in the North with electric resistance heating and no cooling. Another enduse might represent all homes built after 1990 in the South with heat pumps. The strategy of employing many enduses to model a complex energy use such as space conditioning allows us to choose the most appropriate conservation measures for each situation.

Once we have divided energy consumption into enduses, we can apply energy saving devices, or *measures* to them. A measure is a device that can be applied to a certain fraction of the total enduse stock at a certain cost and resulting in a certain amount of energy savings. We call this fraction of the enduse stock the *eligible fraction*. A measure might be as simple as wrapping a blanket around a water heater, or as complex as a multi-component improvement in the building envelope plus improvements to the efficiency of the heating and cooling equipment.

The measures are ranked in order of their cost-effectiveness using the cost of conserved energy (CCE). The calculation of CCE is described in the main text. Once we have determined the most cost-effective sequence of measures, we can calculate the cost and energy savings of each measure relative to its preceding measure. These *incremental* costs and savings are used to calculate the CCE for the supply curve plot.

In order to calculate the energy savings that result from implementation of a measure, we need to specify a *baseline* consumption level. The baseline must also be a forecast, since efficiency measures take time to implement. In our study, we assume that we begin to implement measures in 1990 and seek to find the potential savings that could be achieved by the year 2010. Our baseline forecast is a *frozen efficiency* forecast. The frozen efficiency forecast assumes that all appliances existing today remain at the 1990 stock-weighted average efficiency until replaced. Appliances are replaced by the average unit bought in 1990 whose efficiency is from LBL's Residential Energy Model (LBL-REM). All units that are added after 1990 and are not replacements of retired units are called *additional units* and have the same efficiency as a 1990 new unit. We assume a constant rate of replacement, or *retirement*, that is based on the *lifetime* of the equipment. The lifetime is the average mechanical lifetime that can be expected for a particular appliance.<sup>1</sup> Each year, the same number of units, namely  $N/L$ , retires, where  $N$  is the number of units in 1990 and  $L$  is

---

<sup>1</sup> We use the best estimates of product lifetime available, although the study from which the estimates come is now ten years old: "Energy Capital in the U.S. Economy", Brookhaven National Laboratory & the U.S. Department of Energy, November 1980.

the mechanical lifetime of the equipment.

For the space conditioning enduse, which we have modeled as various prototype homes due to the interdependent nature of house location, envelope type, and heating and cooling requirements, we have assumed that all *existing* homes (homes built prior to 1990) can be retrofit by 2010. *New* homes (those homes built between 1990 and 2010) receive space conditioning improvements (over the way they would otherwise have been built) at the time of construction.

In order to find the aggregate energy savings or use for the residential sector, we need to know the number of units within each enduse in any year. This number is called the *stock*. The efficiency of the stock, as well as the number of units, changes over time, due to old units retiring as they reach the end of their lifetime, and to units being added (e.g., a second refrigerator in an existing home, or a refrigerator required for a new home). The stock forecast is from LBL-REM.

The analysis of energy conservation potential is based on a *technical potential/best available technology scenario*. This scenario estimates the maximum possible savings that could be achieved if the most efficient conservation technologies were deployed in all eligible households. The level of service provided remains constant or is improved.

A summary of definitions of terms used in this section follows.

- ◆ *Enduse* An appliance providing a service (such as a refrigerator) or the service itself (for example, space conditioning).
- ◆ *Measure* An energy saving device which is applied to an enduse.
- ◆ *Baseline UEC* Energy consumption if no efficiency measures are employed.
- ◆ *Frozen efficiency baseline* A forecast that assumes all appliances (or enduses) existing in 1990 remain at the 1990 stock-weighted average efficiency until they retire and are replaced with new units having the average efficiency of new units bought in 1990. All units added after 1990 also have the efficiency of 1990 new units.
- ◆ *Existing home* A home that exists in 1990 (i.e., that was built prior to 1990).
- ◆ *New home* A home that was built between 1990 and 2010.
- ◆ *Stock* The number of units that comprise an enduse in any given year.
- ◆ *Additional units* The number of units in each year that exceeds the number of units in 1990, that is, the number of units added to the 1990 stock. Examples of additional units are: a second refrigerator in an existing home, a refrigerator required for a new home, etc. Note that additional units do *not* include replacements of existing 1990 units.
- ◆ *Technical potential scenario* This scenario estimates the maximum possible savings that could be achieved if the most efficient conservation technologies were deployed in all eligible households. The level of service provided remains constant or is improved.

### 3. The Supply Curve Methodology

#### 3.1. Energy Savings in the Forecast Year (2010)

The first step in determining the energy savings resulting from a conservation measure is to assess the number of units ( $N$ ) that are eligible for that measure. We assume that measures will be implemented only at the time at which the 1990 existing units would naturally retire. We use a constant absolute rate of retirement that depends on the lifetime of the appliance: each year the total number of 1990 stock that retires is simply  $(1/\text{lifetime})$  times the number of 1990 units. Conservation measures are applied to additional units (units that are in addition to replacements of 1990 units) at the time they are added.

For space conditioning retrofits, we assume that all physically eligible homes will be retrofit by the year 2010 in the Technical Potential scenario.

We have created three types of enduses to account for the different energy uses in homes: new home space conditioning, existing home space conditioning, and appliances in existing and new homes. Appliances in new homes and in existing homes are treated identically.

### 3.1.1. Number of units eligible for a measure

Two types of constraints affect the number of units in an enduse that are eligible for a measure: physical and chronological. Physical constraints reflect the physical barriers to implementing a particular measure, such as whether some fraction of the stock has already implemented the measure, or whether there is gas service in the home (for fuel-switching measures), etc. The physical constraint for each measure is input by the user. Chronological constraints shorten the amount of the total forecast time period in which the measure may be applied. Such constraints depend upon two factors: (1) the lifetime of the enduse and (2) the year in which the measure becomes commercially available.

The formulae used by ACCESS to calculate the number of units (N) eligible for a measure follows. There are three enduse types: new home space conditioning, existing home space conditioning, and appliances. Within each enduse type, we must evaluate different cases, such as whether the measure is commercially available in the beginning year of the forecast or whether it becomes available in a subsequent year; and we must compare the enduse lifetime to the number of years in which the measure could possibly be applied to stock units. Only chronological constraints will be evaluated in this section; the physical constraints will be addressed subsequently.

#### 3.1.1.1. New Home Space Conditioning

##### (1) *Measure is available in 1990*

If the measure is already available in 1990, then all homes built between 1990 and 2010 will be eligible to receive the measure.

$$N_{new1} = stock_{2010}$$

##### (2) *Measure is available sometime after 1990*

If the measure becomes commercially available sometime after 1990 (in year y), then only the homes built between year y and year 2010 will be eligible for the measure (since we assume that new home measures can be implemented only at the time of construction).

$$N_{new2} = stock_{2010} - stock_y$$

#### 3.1.1.2. Space Conditioning in 1990 Existing Homes Still Existing in 2010

For existing homes, we have only considered measures that are commercially available in 1990, therefore

$$N_{existing} = stock_{2010}$$

*Note:* The stock of "existing" homes (i.e., those homes that existed in 1990) decreases over time due to retirement. The homes that replace them are included in the new home space conditioning stock.

#### 3.1.1.3. Appliances

We assume a constant absolute retirement rate of  $(1/L)$  times the number of 1990 units per year, where L is the lifetime of the appliance. We apply conservation measures to units existing in 1990 only at the time at which they are retired and a new replacement is bought. There is no "early retirement". We apply conservation measures to additional units (the number of units in each year that exceeds the number of units in 1990) as they are introduced into the stock. The forecast of additions is from LBL-REM. The time period, T, of the analysis is 20 years in this particular case (i.e., 1990 to 2010). The calculation of the number of units, N, to which a measure is applied, follows.

##### (1) *Measure is commercially available in 1990*

If the measure is commercially available in 1990, there are two possible situations that can occur by the year 2010. If the lifetime is less than the forecast period, then all 1990 existing units will have retired by 2010. If the lifetime is longer than the forecast period, then only a fraction of the 1990 stock will have been replaced, as described below.

$$(1a) \quad Lifetime \leq forecast \text{ time period } (L \leq T)$$



If the lifetime of the enduse is less than or equal to the time period of the forecast, all 1990 units will have retired. Therefore, all units existing in 2010 are eligible for this measure.

$$N_{app1} = stock_{2010}$$

(1b) *Lifetime > forecast time period ( $L > T$ )*

If the lifetime of the enduse is greater than the time period of the forecast, only a fraction of the 1990 units will have retired. However, all units that have been added to the stock since 1990 (additions) are eligible. Thus, the number of units eligible for the measure is equal to the number of units that have retired plus the number of additions.

$$N_{app2} = (stock_{2010} - stock_{1990}) + stock_{1990} * \frac{T}{L}$$

(2) *Measure is commercially available after 1990*

If the measure is only available after 1990 (in year  $y$ ), we must make some modifications to the above equations in order to account for the shortened period of possible implementation.

(2a) *Lifetime > (2010 -  $y$ )*

If the lifetime of the enduse is greater than the time period between the year the measure becomes commercially available (year  $y$ ) and 2010, then only a fraction of the units existing in year  $y$  will have retired. The number of units eligible for this measure is thus the number of units that have retired, plus the number of units that have been added between the years  $y$  and 2010.

$$N_{app3} = (stock_{2010} - stock_y) + stock_y * \frac{(2010-y)}{L}$$

(2b) *Lifetime  $\leq$  (2010 -  $y$ )*

If the lifetime of the enduse is less than or equal to the time period between the year the measure becomes commercially available (year  $y$ ) and 2010, then all of the units existing in year  $y$  will have retired. Therefore the number of units eligible for this measure is the total number of units in 2010.

$$N_{app4} = stock_{2010}$$

### 3.1.2. Calculation of the Frozen Efficiency Baseline

The frozen efficiency forecast of energy consumption in 2010 is the total residential energy consumption predicted if no efficiency measures are taken. The forecast assumes that all appliances existing in 1990 will remain at the 1990 stock-weighted average efficiency until they retire and are replaced with units having the average efficiency of 1990 new units. We assume a constant rate of replacement that is dependent upon the lifetime of the appliance. All units added after 1990 also have the average efficiency of 1990 new units.

For space conditioning enduses, the energy consumption of existing homes is the product of the number of 1990 stock homes still existing (a program input from LBL-REM) and the baseline UEC. The energy use of homes built after 1990 is simply the product of the number of new homes and the new home baseline UEC.

The energy use of each enduse is made up of three parts: (1) energy use of units added since 1990, (2) energy use of the fraction of 1990 stock that has not been replaced by 2010, and (3) energy use of the fraction of 1990 stock that has been replaced. The lifetime of the enduse determines how many units have been replaced, and so we look at two cases:

(1) *Lifetime  $\leq$  20*

All 1990 stock units have been replaced, thus

$$Energy (E) = stock_{2010} * uec_{new}$$

(2) Lifetime > 20

Only a portion of the 1990 stock will have been replaced.

$$\text{Energy}(E) = E_1 + E_2 + E_3$$

where E(1) = consumption of units added since 1990, or

$$E_1 = (\text{stock}_{2010} - \text{stock}_{1990}) * \text{uec\_new} ,$$

and E(2) = consumption of 1990 stock that has not been replaced

$$E_2 = \text{stock}_{1990} * \frac{(L-20)}{L} * \text{uec\_ex} ,$$

and E(3) = consumption of 1990 stock that has been replaced

$$E_3 = \text{stock}_{1990} * \frac{20}{L} * \text{uec\_new}$$

where

L = lifetime of the enduse

uec\_ex = unit energy consumption of existing 1990 units

uec\_new = unit energy consumption of a new unit in 1990.

### 3.1.3. Calculation of Energy Savings

The energy savings for each measure is calculated independently of the frozen efficiency baseline, then summed over all the measures and subtracted from the baseline. The energy savings for each measure is equal to the number of units (N) that are candidates for a measure when time constraints are taken into consideration (as determined in the previous section) times the user-input physical constraint on the number of units that are eligible for the measure (aplbl\_stock), times the amount of energy the measure saves over the preceding measure. The latter is called the unit energy savings (UES). Thus, the energy savings is calculated with the following equation:

$$\text{Savings} = N * \text{aplbl\_stock} * \text{UES}$$

The physical constraint (aplbl\_stock) is a required input for each measure. The physical constraints apply to existing homes in 1990. New homes are likely to present different physical constraints to appliances that are placed in them than existing homes would, but we have not accounted for the possible difference (apart from in the space conditioning enduses, where new homes and existing homes are separate enduses, and thus have inherently different characteristics).

For appliance and existing home space conditioning enduses, the baseline level of unit energy consumption (UEC) is the average UEC of units bought in 1990. Unit energy savings (UES) for the first measure of each enduse is calculated from this new unit baseline UEC. Savings that would occur naturally due to turnover are accounted for in the frozen efficiency baseline. We therefore avoid double-counting the naturally-occurring savings due to turnover.